Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Case Count			**513**	**5**	**388**
Reaction Count	Blood and lymphatic system disorders	Anaemia	**4**	**0**	**2**
		Aplastic anaemia	**1**	**0**	**1**
		Platelet disorder	**2**	**0**	**2**
		Thrombocytopenia	**2**	**0**	**2**
		Leukopenia	**1**	**0**	**1**
		Agranulocytosis	**1**	**0**	**1**
		Neutropenia	**5**	**0**	**3**
		Blood and lymphatic system disorders	**16**	**0**	**12**
	Cardiac disorders	Atrioventricular block first degree	**1**	**0**	**0**
		Bundle branch block bilateral	**1**	**0**	**0**
		Arrhythmia	**1**	**0**	**1**
		Extrasystoles	**1**	**0**	**1**
		Tachycardia	**8**	**0**	**5**
		Supraventricular tachycardia	**1**	**0**	**0**
		Cardiac arrest	**1**	**0**	**0**
		Electromechanical dissociation	**1**	**0**	**0**
		Ventricular tachycardia	**1**	**1**	**1**
		Palpitations	**4**	**0**	**4**
		Myocardial infarction	**1**	**0**	**0**
		Cardiac disorders	**21**	**1**	**12**
	Congenital, familial and genetic disorders	Heart disease congenital	**1**	**0**	**1**
		Coarctation of the aorta	**1**	**0**	**1**
		Tourette's disorder	**2**	**0**	**2**
		Congenital, familial and genetic disorders	**4**	**0**	**4**
	Ear and labyrinth disorders	Deafness	**4**	**0**	**4**
		Vertigo	**3**	**0**	**3**
		Ear and labyrinth disorders	**7**	**0**	**7**
	Endocrine disorders	Hyperprolactinaemia	**1**	**0**	**1**
		Inappropriate antidiuretic hormone secretion	**1**	**0**	**1**
		Endocrine disorders	**2**	**0**	**2**
	Eye disorders	Eye disorder	**1**	**0**	**1**
		Eye pain	**1**	**0**	**1**
		Eye swelling	**1**	**0**	**1**
		Ocular hyperaemia	**1**	**0**	**0**
		Oculogyric crisis	**3**	**0**	**2**
		Mydriasis	**13**	**0**	**9**
		Pupil fixed	**1**	**0**	**1**
		Pupillary reflex impaired	**1**	**0**	**0**
		Eye rolling	**1**	**0**	**0**
		Photophobia	**3**	**0**	**2**
		Night blindness	**1**	**0**	**1**

Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Reaction Count	Eye disorders	Sudden visual loss	1	0	1
		Accommodation disorder	1	0	1
		Diplopia	1	0	1
		Visual impairment	10	0	8
		Eye disorders	40	0	29
	Gastrointestinal disorders	Gingival bleeding	1	0	1
		Pancreatitis	1	0	1
		Haematemesis	2	0	2
		Oesophagitis	1	0	1
		Diarrhoea	6	0	1
		Dyspepsia	2	0	1
		Flatulence	1	0	0
		Abdominal pain	7	1	7
		Abdominal pain upper	1	0	1
		Dysphagia	3	0	2
		Faecal incontinence	1	0	1
		Nausea	52	0	46
		Vomiting	15	1	15
		Ileus	1	0	0
		Lip swelling	1	0	1
		Mouth ulceration	1	0	1
		Dry mouth	4	0	4
		Salivary hypersecretion	3	0	3
		Glossitis	1	0	1
		Tongue ulceration	1	0	1
		Swollen tongue	1	0	0
		Gastrointestinal disorders	106	2	90
	General disorders and administration site conditions	Hyperthermia malignant	1	0	1
		Pyrexia	8	0	5
		Sudden death	1	1	1
		Asthenia	5	0	4
		Fatigue	9	0	7
		Malaise	7	0	4
		Gait disturbance	2	0	2
		Condition aggravated	1	0	1
		Influenza like illness	3	0	2
		Irritability	1	0	1
		Face oedema	7	0	3
		Gravitational oedema	1	0	1
		Oedema	1	0	1
		Oedema peripheral	2	0	0
		Chest pain	8	0	5

Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Reaction Count	General disorders and administration site conditions	Pain	2	0	1
		Chest discomfort	1	0	1
		Chills	3	0	1
		Drug interaction	2	0	0
		Drug ineffective	14	1	6
		Therapeutic response decreased	1	0	0
		Drug withdrawal syndrome	2	0	1
		General disorders and administration site conditions	82	2	48
	Hepatobiliary disorders	Hepatitis cholestatic	1	0	1
		Jaundice	1	0	0
		Hepatic function abnormal	10	0	8
		Hepatic failure	1	0	0
		Hepatitis	1	0	0
		Hepatobiliary disorders	14	0	9
	Immune system disorders	Anaphylactoid reaction	3	0	3
		Immune system disorders	3	0	3
	Infections and infestations	Pyomyositis	1	0	1
		Meningitis	2	0	2
		Otitis media	1	0	0
		Pharyngitis	1	0	0
		Herpes simplex	1	0	1
		Viral infection	1	0	0
		Infections and infestations	7	0	4
	Injury, poisoning and procedural complications	Drug exposure during pregnancy	1	0	0
		Contusion	1	0	0
		Medication error	1	0	1
		Intentional overdose	5	0	2
		Multiple drug overdose intentional	1	0	0
		Overdose	2	0	1
		Injury, poisoning and procedural complications	11	0	4
	Investigations	Echocardiogram abnormal	1	0	0
		Ejection fraction decreased	1	0	0
		Electrocardiogram QT prolonged	2	0	0
		Heart rate increased	1	0	1
		Thyroid function test abnormal	1	0	1
		Blood creatine phosphokinase increased	3	0	1
		Bleeding time prolonged	2	0	1
		Prothrombin time prolonged	1	0	0
		Alanine aminotransferase increased	1	0	0
		Aspartate aminotransferase increased	1	0	0
		Lipids abnormal	1	0	0

Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Reaction Count	Investigations	Weight decreased	6	1	4
		Weight increased	10	0	6
		Blood creatinine increased	1	0	0
		Drug level increased	1	0	0
		Investigations	33	1	14
	Metabolism and nutrition disorders	Decreased appetite	7	0	5
		Increased appetite	2	0	2
		Tetany	1	0	1
		Polydipsia	1	0	1
		Hypokalaemia	3	0	1
		Hyponatraemia	4	0	3
		Dehydration	3	0	3
		Hypovolaemia	1	0	0
		Diabetes mellitus	2	0	1
		Hyperglycaemia	1	0	1
		Hypoglycaemia	2	0	1
		Metabolism and nutrition disorders	27	0	19
	Musculoskeletal and connective tissue disorders	Arthralgia	4	0	3
		Myalgia	9	0	6
		Muscle spasms	6	0	4
		Muscle tightness	2	0	2
		Muscle twitching	15	0	11
		Trismus	1	0	1
		Myopathy	1	0	1
		Rhabdomyolysis	2	0	1
		Back pain	1	0	1
		Musculoskeletal and connective tissue disorders	41	0	30
	Neoplasms benign, malignant and unspecified (incl cysts and polyps)	Fibroadenoma of breast	1	0	1
		Neoplasms benign, malignant and unspecified (incl cysts and polyps)	1	0	1
	Nervous system disorders	Encephalopathy	1	0	1
		Headache	37	1	27
		Amnesia	7	0	5
		Cognitive disorder	1	0	1
		Disturbance in attention	3	0	2
		Mental impairment	1	0	1
		Choreoathetosis	6	0	5
		Akathisia	7	1	5
		Dyskinesia	7	0	6
		Extrapyramidal disorder	3	0	1
		Hyperkinesia	5	0	3

Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Reaction Count	Nervous system disorders	Movement disorder	**1**	**0**	**1**
		Dystonia	**21**	**0**	**13**
		Opisthotonus	**1**	**0**	**0**
		Hemiparesis	**1**	**0**	**0**
		Paralysis	**1**	**0**	**1**
		Tremor	**17**	**0**	**14**
		Hyperreflexia	**2**	**0**	**2**
		Ataxia	**6**	**0**	**4**
		Coordination abnormal	**3**	**0**	**3**
		Nystagmus	**2**	**0**	**2**
		Coma	**1**	**0**	**0**
		Aphasia	**1**	**0**	**1**
		Loss of consciousness	**5**	**0**	**5**
		Sedation	**2**	**0**	**0**
		Somnolence	**17**	**0**	**13**
		Stupor	**1**	**0**	**1**
		Syncope	**10**	**0**	**9**
		Central nervous system lesion	**1**	**0**	**0**
		Clonus	**1**	**0**	**1**
		Dizziness	**32**	**0**	**25**
		Neurological symptom	**1**	**0**	**0**
		Crying	**1**	**0**	**1**
		Hyperaesthesia	**1**	**0**	**0**
		Paraesthesia	**6**	**0**	**3**
		Hypoaesthesia	**3**	**0**	**2**
		Sensory disturbance	**1**	**0**	**0**
		Dysarthria	**3**	**0**	**2**
		Speech disorder	**4**	**0**	**3**
		Visual field defect	**1**	**0**	**1**
		Adrenergic syndrome	**1**	**0**	**0**
		Anticholinergic syndrome	**1**	**0**	**0**
		Hypertonia	**9**	**0**	**5**
		Neuroleptic malignant syndrome	**1**	**0**	**0**
		Serotonin syndrome	**8**	**0**	**3**
		Grand mal convulsion	**9**	**0**	**6**
		Convulsion	**31**	**0**	**23**
		Epilepsy	**1**	**0**	**1**
		Poor quality sleep	**3**	**1**	**3**
		Nervous system disorders	**289**	**3**	**205**
	Pregnancy, puerperium and perinatal conditions	Abortion spontaneous	**1**	**0**	**1**
		Premature labour	**2**	**0**	**1**
		Pre-eclampsia	**1**	**0**	**0**

Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Reaction Count	Pregnancy, puerperium and perinatal conditions	**Pregnancy, puerperium and perinatal conditions**	**4**	**0**	**2**
	Psychiatric disorders	Agitation	**32**	**0**	**23**
		Anxiety	**12**	**0**	**8**
		Nervousness	**2**	**0**	**0**
		Panic attack	**2**	**0**	**2**
		Neurosis	**1**	**0**	**0**
		Restlessness	**2**	**0**	**2**
		Bruxism	**2**	**0**	**2**
		Tic	**2**	**0**	**2**
		Learning disorder	**1**	**0**	**1**
		Confusional state	**18**	**0**	**12**
		Disorientation	**1**	**0**	**1**
		Delirium	**4**	**0**	**1**
		Depression	**9**	**0**	**7**
		Depressed mood	**1**	**0**	**1**
		Depersonalisation	**3**	**0**	**3**
		Dissociation	**2**	**0**	**1**
		Delusion	**1**	**0**	**1**
		Hallucination	**19**	**0**	**13**
		Hallucination, visual	**1**	**0**	**1**
		Thinking abnormal	**4**	**0**	**3**
		Eating disorder	**2**	**0**	**1**
		Bipolar disorder	**1**	**0**	**1**
		Mania	**14**	**0**	**9**
		Affect lability	**1**	**0**	**1**
		Anger	**4**	**0**	**3**
		Euphoric mood	**6**	**0**	**4**
		Mood swings	**4**	**0**	**4**
		Apathy	**1**	**0**	**1**
		Aggression	**26**	**0**	**21**
		Homicidal ideation	**3**	**0**	**3**
		Paranoia	**4**	**0**	**4**
		Personality change	**1**	**0**	**1**
		Personality disorder	**2**	**0**	**1**
		Abnormal behaviour	**2**	**0**	**1**
		Withdrawal syndrome	**16**	**0**	**11**
		Psychotic disorder	**6**	**0**	**3**
		Anorgasmia	**1**	**0**	**1**
		Insomnia	**17**	**0**	**12**
		Abnormal dreams	**2**	**0**	**2**
		Nightmare	**4**	**1**	**4**

Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Reaction Count	Psychiatric disorders	Somnambulism	**3**	**0**	**3**
		Sleep disorder	**4**	**0**	**3**
		Completed suicide	**2**	**2**	**2**
		Intentional self-injury	**4**	**0**	**3**
		Self injurious behaviour	**6**	**0**	**2**
		Self-injurious ideation	**1**	**0**	**1**
		Suicidal behaviour	**3**	**0**	**2**
		Suicidal ideation	**17**	**0**	**11**
		Suicide attempt	**27**	**1**	**16**
		Psychiatric disorders	**303**	**4**	**215**
	Renal and urinary disorders	Tubulointerstitial nephritis	**1**	**0**	**1**
		Anuria	**1**	**0**	**0**
		Renal failure acute	**1**	**0**	**1**
		Dysuria	**1**	**0**	**1**
		Micturition disorder	**2**	**0**	**1**
		Pollakiuria	**2**	**0**	**2**
		Urinary hesitation	**1**	**0**	**1**
		Urinary incontinence	**6**	**0**	**3**
		Urinary retention	**2**	**0**	**2**
		Polyuria	**3**	**0**	**3**
		Calculus bladder	**1**	**0**	**0**
		Renal and urinary disorders	**21**	**0**	**15**
	Reproductive system and breast disorders	Breast enlargement	**1**	**0**	**1**
		Gynaecomastia	**3**	**0**	**3**
		Breast pain	**1**	**0**	**1**
		Galactorrhoea	**6**	**0**	**5**
		Menstrual disorder	**2**	**0**	**2**
		Metrorrhagia	**1**	**0**	**1**
		Menorrhagia	**2**	**0**	**1**
		Perineal pain	**1**	**0**	**1**
		Erectile dysfunction	**2**	**0**	**1**
		Reproductive system and breast disorders	**19**	**0**	**16**
	Respiratory, thoracic and mediastinal disorders	Wheezing	**1**	**0**	**1**
		Pulmonary embolism	**1**	**0**	**0**
		Dyspnoea	**6**	**0**	**3**
		Hyperventilation	**2**	**0**	**1**
		Respiratory arrest	**1**	**0**	**1**
		Haemoptysis	**1**	**0**	**1**
		Hiccups	**1**	**0**	**1**
		Respiratory disorder	**1**	**0**	**1**
		Yawning	**2**	**0**	**2**
		Epistaxis	**8**	**0**	**7**

Cube updated:15/12/2009 7:30:39 AM

Medicine summary (Antidepressants 10-19 year olds to January 2009)

			Case Group	Death Outcomes	Sole
Reaction Count	Respiratory, thoracic and mediastinal disorders	Pharyngeal oedema	1	0	1
		Respiratory, thoracic and mediastinal disorders	25	0	19
	Skin and subcutaneous tissue disorders	Angioedema	5	0	2
		Periorbital oedema	1	0	0
		Urticaria	15	0	13
		Stevens-Johnson syndrome	1	0	0
		Swelling face	1	0	1
		Eczema	1	0	1
		Rash erythematous	1	0	0
		Dermatitis exfoliative	1	0	1
		Skin exfoliation	1	0	1
		Photosensitivity reaction	4	0	4
		Pruritus	7	0	5
		Rash	16	1	15
		Rash macular	1	0	0
		Rash maculo-papular	4	0	3
		Rash vesicular	2	0	2
		Erythema nodosum	2	0	2
		Acne	7	0	5
		Alopecia	7	0	4
		Hyperhidrosis	12	0	8
		Hypohidrosis	1	0	1
		Henoch-Schonlein purpura	1	0	1
		Purpura	9	0	9
		Skin and subcutaneous tissue disorders	100	1	78
	Social circumstances	Physical assault	1	0	1
		Social circumstances	1	0	1
	Surgical and medical procedures	Drug therapy changed	2	0	2
		Therapy regimen changed	1	0	0
		Surgical and medical procedures	3	0	2
	Vascular disorders	Peripheral ischaemia	2	0	1
		Shock	1	0	0
		Hypotension	4	0	2
		Orthostatic hypotension	4	0	3
		Deep vein thrombosis	2	1	1
		Flushing	2	0	1
		Pallor	2	0	2
		Haemorrhage	2	0	0
		Hypertension	2	0	0
		Vascular disorders	21	1	10
	Reaction		1201	15	851