



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 150889

Seq: 1

Gender: F

Reported: 28/03/2000

Weight: 69.00

Hospitalisation:

Age: 39

Onset Date: 17/03/2000

DOB: 29/11/1960

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Headache	Severe		Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
	25.0 Milligram	Daily	
Batch:	Started: 17/03/2000	Stopped:	2D

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking lamictal, olanzapine and citalopram.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 151761

Seq: 1

Gender: M

Reported: 17/04/2000

Weight: 90.00

Hospitalisation:

Age: 21Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Somnolence		Awake 4hrs of nest 72hrs.	Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Oral application	100.0 Milligram	Daily	Oral
Batch:	Started: 03/03/2000	Stopped: 05/03/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking serzone. major depression with psychotic features since 14 years of age. patients grandfather has similar condition much later onset.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 152570

Seq: 1

Gender: M

Reported: 12/05/2000

Weight:

Hospitalisation:

Age: 54Y

Onset Date: 01/05/2000

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Aphasia	Required Specialist Consultation		
Asthenia			
Cerebrovascular disorder			
Paraesthesia			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia
	400.0 Milligram	Daily
Batch:	Started: 27/04/2000	Stopped: 01/05/2000

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking cipramil.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 152719

Seq: 1

Gender: M

Reported: 18/05/2000

Weight:

Hospitalisation:

Age: 42Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia		Bilateral.	
Dyskinesia		Left sided.	

Medicine Details:

QUETIAPINE (Suspected)	Reason: Unspecified schizophrenia
0.0	
Batch:	Started: 10/03/2000 Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking losec and sertraline.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 152969 **Seq:** 1 **Gender:** M
Reported: 24/05/2000 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 53Y
Onset Date: 01/05/2000 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Aphasia Asthenia Cerebrovascular disorder			Withdrawal of seroquel.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Oral application	400.0 Milligram Daily Oral
Batch:	Started: 27/04/2000 Stopped: 01/05/2000

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also takingn cipramil.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 153590

Seq: 1

Gender: F

Reported: 13/06/2000

Weight: 55.00

Hospitalisation:

Age: 35

Onset Date: 25/05/2000

DOB: 22/12/1964

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Myalgia		Muscle aches and pains.	Date of recovery 02/06/2000. required a visit to doctor.
Eye pain		Sore eyes.	
Influenza like illness			
Rash maculo-papular			

Medicine Details:

SEROQUEL (Suspected)	Reason:
0.0	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Previous allergy to penicillin and clozaril (agranulocytosis).



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 153744

Seq: 1

Gender: F

Reported: 16/06/2000

Weight: 55.00

Hospitalisation:

Age:

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rash maculo-papular		Rash with some area of annulation arms, legs	
Conjunctivitis		Sore eyes	
Influenza like illness			Seroguel ceased.
Myalgia			

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Tablet	0.0
	Oral
Batch:	Started: 25/05/2000
	Stopped: 30/05/2000

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Past history of allergy to penicillin - rash reaction occurred after 1st tablet and continued until medication ceased.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 154014

Seq: 1

Gender: M

Reported: 22/06/2000

Weight:

Hospitalisation:

Age: 35Y

Onset Date: 06/06/2000

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia	Severe	Severe dystonia.	Treated with benztropine 2mg imi - symptoms subsiding in 5 mins, completely resolved in 1 hour. seroquel ceased.
Somnolence			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Oral application	200.0 Milligram	Daily	Oral
Batch:	Started: 13/05/2000	Stopped: 06/06/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Tolerated 100mg bd quetiapine with some drowsiness - had relapse of paranoid thoughts ? after 3 days. dose increased to 200mg bd for 1.5 days - reduced dose to 100mg bd because of drowsiness. 24 hours later developed severe dystonia - general stiffness of muscles especially jaw muscles and oculogyric ones.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 154450

Seq: 1

Gender: F

Reported: 06/07/2000

Weight: 70.00

Hospitalisation:

Age: 44

Onset Date: 18/06/2000

DOB: 26/01/1956

Outcome: Death

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Sudden death		Patient died on 18/06/00. coronial enquiry.	

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified psychosis
0.0	
Batch:	Started: Stopped:
TEMAZEPAM (Suspected)	Reason: Specific disorders of sleep
0.0	
Batch:	Started: Stopped:
FLUPHENAZINE NOS (Suspected)	Reason: Unspecified psychosis
0.0	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 154674

Seq: 1

Gender: F

Reported: 10/07/2000

Weight: 68.00

Hospitalisation:

Age: 63Y

Onset Date: 20/04/2000

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Syncope		Syncopal episodes lasting about 3 minutes.	Ceased seroquel. re-start zyprexa.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
400.0 Milligram	Daily
Batch:	Started: 28/03/2000 Stopped: 06/07/2000

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Other data				Brain c.t. showed ischaemic change with old lacunar infarctions in basal ganglia / external capsule.

Additional Information:

Patient was exposed to zyprexa for over a year without such problems.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 154709

Seq: 1

Gender: M

Reported: 11/07/2000

Weight: 116.00

Hospitalisation:

Age: 49

Onset Date: 19/06/2000

DOB: 30/09/1950

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypertonia Dry mouth Headache Visual disturbance		Stiffness	Required a visit to doctor

Medicine Details:

SEROQUEL (Suspected)	Reason: Schizophrenia
25.0 Milligram	Daily
Batch:	Started: 06/06/2000 Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient was also taking fluvoxol.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 155627

Seq: 1

Gender: F

Reported: 31/07/2000

Weight: 88.00

Hospitalisation:

Age: 25

Onset Date: 07/07/2000

DOB: 08/05/1975

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypotension			Required a visit to doctor. dose reduced from 200mg bd to 100mg nocte on 7/7/2000. date of recovery: 17/7/2000.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
400.0 Milligram	Daily
Batch:	Started: 23/06/2000
	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 155628

Seq: 1

Gender: F

Reported: 31/07/2000

Weight:

Hospitalisation:

Age: 56

Onset Date: 06/06/2000

DOB: 30/06/1943

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Urinary retention			Required a visit to doctor. cessation of quetiapine.

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
	400.0 Milligram	Daily	
Batch:	Started: 16/04/2000	Stopped: 21/06/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking fluphenazine and benzhexol.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 155629

Seq: 1

Gender: F

Reported: 31/07/2000

Weight:

Hospitalisation:

Age: 36

Onset Date: 15/05/2000

DOB: 09/08/1963

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Urinary retention			Required a visit to doctor. cessation of quetiapine.

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
	200.0 Milligram	Daily	
Batch:	Started: 15/05/2000	Stopped: 16/06/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking benztropine, diazepam, depixol depot and flupenthixol.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 155653

Seq: 1

Gender: F

Reported: 31/07/2000

Weight:

Hospitalisation:

Age: 25Y

Onset Date: 15/06/2000

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperhidrosis			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Oral application	600.0 Milligram	Daily	Oral
Batch:	Started: 15/05/2000	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Anorexia nervosa onset age of 19, borderline personality. no known allergies.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 155861

Seq: 1

Gender: M

Reported: 04/08/2000

Weight:

Hospitalisation:

Age: 40Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Vomiting			Seroquel dose reduced to 300mg.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 14/06/2000	Stopped:	CONTIN

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Severe chronic paranoid schizophrenia since 21 years of age, vomiting with clozapine, this occurred when the patient was 39 years old.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 155907

Seq: 1

Gender: F

Reported: 07/08/2000

Weight: 45.00

Hospitalisation:

Age: 31Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rash		Generalised rash	Quetiapine ceased and given antihistamines.
Skin discolouration		Yellow pigmentation around eyes.	
Hepatic function abnormal			

Medicine Details:

ZOLOFT (Other drug)		Reason: Depression	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 13/07/2000	Stopped: 02/08/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Allergy to olanzapine - rash. galactorrhoea probably secondary to risperidone.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 156446

Seq: 1

Gender: F

Reported: 15/08/2000

Weight:

Hospitalisation:

Age: 29Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness			Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
100.0 Milligram	Daily
Batch:	Started: 30/03/2000 Stopped: 03/04/2000

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 156447

Seq: 1

Gender: M

Reported: 15/08/2000

Weight:

Hospitalisation:

Age: 62Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Thinking abnormal Amnesia Dizziness		Slow reaction time.	Seroquel discontinued.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started: 03/04/2000	Stopped: 28/05/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking aropax. history: schizoaffective disorder, asbestosis and head injury. the dosage stop date is not necessarily accurate but indicates that stoppage occurred sometime during the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 156448

Seq: 1

Gender: M

Reported: 15/08/2000

Weight:

Hospitalisation:

Age: 29Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness			Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 09/06/2000	Stopped: 16/06/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 156760

Seq: 1

Gender: M

Reported: 25/08/2000

Weight:

Hospitalisation:

Age: 36Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Delusion		Delusions paranoid.	Seroquel tapered off and stopped.
Psychotic disorder		Psychosis aggravated.	
Aggression			

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia	
Tablet	700.0 Milligram	Daily	Oral
Batch:	Started: 18/08/2000	Stopped: 23/08/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Dermatic intensification of paranoid delusions with secondary aggression.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 157144

Seq: 1

Gender: F

Reported: 29/08/2000

Weight: 75.00

Hospitalisation:

Age: 41

Onset Date: 16/08/2000

DOB: 13/10/1958

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug ineffective		Recurrence of psychotic symptoms.	Required a visit to doctor. changed therapy to risperidone.
Nausea			

Medicine Details:

PROZAC (Other drug)	Reason: Depression
30.0 Milligram	Daily
Batch:	Started: 26/02/1998 Stopped:
SEROQUEL (Suspected)	Reason: Unspecified psychosis
500.0 Milligram	Daily
Batch:	Started: 06/07/2000 Stopped: 21/08/2000

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 157460

Seq: 1

Gender: M

Reported: 11/09/2000

Weight: 110.00

Hospitalisation:

Age: 28Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Diarrhoea			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 01/07/2000	Stopped:	CONTIN

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient history: ulcerative colitis.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 159220

Seq: 1

Gender: F

Reported: 13/11/2000

Weight:

Hospitalisation:

Age: 27

Onset Date: 18/10/2000

DOB: 13/07/1973

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Periorbital oedema		Swollen puffy eyes	Ceased seroquel, required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)	Reason:
0.0	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient was also taking risperidone, lithium carbonate, avapro, thyroxine. patient recovered 26/10/00.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 159791

Seq: 1

Gender: M

Reported: 07/12/2000

Weight: 80.00

Hospitalisation:

Age: 37Y

Onset Date: 24/11/2000

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Extrapyramidal disorder	Severe	Facial grimacing, akathisia and tongue movements.	Cease seroquel.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 07/11/2000	Stopped: 01/12/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Previously had no eps on serenace.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 160033 **Seq:** 1 **Gender:** M
Reported: 15/12/2000 **Weight:** 70.00
Hospitalisation: Admitted to hospital **Age:** 20
Onset Date: 04/12/2000 **DOB:** 11/01/1980
Outcome: Recovered **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperbilirubinaemia Hypokalaemia Nausea Pyrexia			Required a visit to doctor, hospitalised.

Medicine Details:

QUETIAPINE (Suspected)	Reason: Unspecified schizophrenia
50.0 Milligram	Daily
Batch:	Started: 01/11/2000 Stopped: 28/12/2000

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	ALT = SGPT		04/12/2000	27	
	Bilirubin		04/12/2000	72	
	Creatine		04/12/2000	408	
	GGT = SGGT =		04/12/2000	20	
	Potassium		04/12/2000	2.9	
	SAP = ALP		04/12/2000	84	

Additional Information:

the dosage start date is not necessarily accurate but indicates that start occurred sometime during the month. the dosage stop date is not necessarily accurate but indicates that stoppage occurred sometime during the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 160294 **Seq:** 1 **Gender:** F
Reported: 28/12/2000 **Weight:** 90.00
Hospitalisation: Hospitalisation prolonged **Age:** 29
Onset Date: 06/12/2000 **DOB:** 21/04/1971
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Back pain Tongue oedema Constipation Somnolence Throat tightness		Back pain/stiffness. Tongue swelling.	Benztropine 2mg daily maintenance treatment. already hospitalised at time of reaction.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
400.0 Milligram	Daily
Batch:	Started: 02/12/2000 Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking fluanxol. still complains of constipation - possibly exacerbated now by benztropine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 160530

Seq: 1

Gender: M

Reported: 12/01/2001

Weight:

Hospitalisation:

Age: 68

Onset Date: 20/11/2000

DOB: 09/09/1932

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia			Quetiapine ceased. date of recovery 20/12/00

Medicine Details:

QUETIAPINE (Suspected)	Reason:
0.0	
Batch:	Started: 08/11/2000 Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Sodium				Sodium = 125 mmol/l

Additional Information:

Patient also taking phenytoin sodium, coloxyl with senna, sinemet.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 161119

Seq: 1

Gender: F

Reported: 01/02/2001

Weight: 110.00

Hospitalisation:

Age: 17

Onset Date: 26/12/2000

DOB: 24/06/1983

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Pyrexia Neutropenia		Fever 39 degrees	Required a visit to doctor.

Medicine Details:

ZYPREXA (Suspected)	Reason: Schizophrenia
20.0 Milligram Daily	
Batch:	Started: 04/12/2000 Stopped:
SEROQUEL (Suspected)	Reason: Schizophrenia
800.0 Milligram Daily	
Batch:	Started: 28/08/2000 Stopped: 21/12/2000
CARBAMAZEPINE (Suspected)	Reason: Other&unspecified epilepsy
1.2 Gram Daily	
Batch:	Started: L TERM Stopped: 29/01/2001
VIGABATRIN (Suspected)	Reason: Other&unspecified epilepsy
2.0 Gram Daily	
Batch:	Started: L TERM Stopped: 19/01/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Neutrophils	(1.7-7)	28/12/2000	1.3	

Additional Information:

Reaction occurred 22 days after commencing zyprexa. patient recovered 24/1/01.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 161261

Seq: 1

Gender: M

Reported: 07/02/2001

Weight: 90.00

Hospitalisation:

Age: 48Y

Onset Date: 01/12/2000

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperkinesia			

Medicine Details:

QUETIAPINE (Suspected)	Reason:		
	200.0 Milligram	Daily	
Batch:	Started: 16/11/2000	Stopped: 08/12/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 161412

Seq: 1

Gender: M

Reported: 12/02/2001

Weight: 98.00

Hospitalisation:

Age: 38Y

Onset Date: 03/02/2001

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Schizophreniform disorder Agitation Depression	Severe	Severe reaction	Zyban ceased

Medicine Details:

SEROQUEL (Suspected)		Reason:	
0.0			
Batch:	Started:	Stopped:	
ZYBAN SR (Suspected)		Reason: Smoker	
300.0 Milligram		Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 161474

Seq: 1

Gender: M

Reported: 14/02/2001

Weight: 90.00

Hospitalisation:

Age: 45Y

Onset Date: 27/12/2000

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Orthostatic hypotension		Bp 75/40	Ceased quetiapine

Medicine Details:

QUETIAPINE (Suspected)		Reason: Schizophrenia	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 14/12/2000	Stopped: 28/12/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Other data				Bp 75/40

Additional Information:

Patient recovered 29/12/00.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 162385 **Seq:** 1 **Gender:** F
Reported: 08/03/2001 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 35Y
Onset Date: 22/02/2001 **DOB:**
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Pneumonia			Treated with antibiotics, ceased quetiapine. was admitted to hospital.
Somnolence			

Medicine Details:

CIPRAMIL (Suspected)		Reason:	
	20.0 Milligram	Daily	
Batch:	Started:	Stopped:	
RISPERIDONE (Suspected)		Reason:	
	2.0 Milligram	Daily	
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason:	
	50.0 Milligram	Daily	
Batch:	Started:	Stopped: 22/02/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient recovered 28/2/01.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 162764

Seq: 1

Gender: M

Reported: 16/03/2001

Weight:

Hospitalisation:

Age: 68Y

Onset Date: 20/11/2000

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia			Quetiapine ceased. date of recovery: 2/1/2001.

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
	250.0 Milligram	Daily	
Batch:	Started: 07/11/2000	Stopped: 26/12/2000	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking phenytoin, coloxyl + senna, sinemet 100/25, multivitamin and thiamine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 162793

Seq: 1

Gender: M

Reported: 19/03/2001

Weight: 75.00

Hospitalisation:

Age: 21

Onset Date: 15/12/2000

DOB: 11/12/1979

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder		Acute psychosis	Changed to zyprexa, required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)	Reason: Schizophrenia
600.0 Milligram	Daily
Batch:	Started: 09/08/2000 Stopped: 27/02/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 162917

Seq: 1

Gender: M

Reported: 23/03/2001

Weight: 61.00

Hospitalisation:

Age: 28

Onset Date: 17/03/2001

DOB: 08/05/1972

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Grand mal convulsion			Date of recovery 17/03/01.

Medicine Details:

QUETIAPINE (Suspected)		Reason: Anxiety neurosis	
	400.0 Milligram	Daily	
Batch:	Started: 12/03/2001	Stopped: 17/03/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Long history of increasingly severe anxiety disorder with panick attacks and social anxiety.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 163439
Reported: 05/04/2001

Seq: 1

Gender: F
Weight: 65.00

Hospitalisation:

Onset Date: 28/01/2001
Outcome: Recovered

Age: 33Y
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness		Fleeting episodes of dizziness.	
Palpitations		Fleeting episodes of palpitations.	
Ventricular tachycardia		Non-sustained ventricular tachycardia.	

Medicine Details:

SODIUM VALPROATE (Other drug)	Reason: Other&unspecified epilepsy
200.0 Milligram	Daily
Batch:	Started:
Stopped:	
QUETIAPINE (Suspected)	Reason: Unspecified schizophrenia
200.0 Milligram	Daily
Batch:	Started: 01/10/2000
Stopped:	31/03/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The date of onset is not necessarily accurate but indicates onset sometime in the month. the dose start date for quetiapine is not necessarily accurate but indicates it was started sometime in the month. duration of symptoms unclear, but at least several months.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 164206 **Seq:** 1 **Gender:** F
Reported: 03/05/2001 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 53
Onset Date: 19/01/2001 **DOB:** 15/01/1948
Outcome: Recovered **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood pressure fluctuation			Pt hospitalised. therapy ceased.
Syncope			

Medicine Details:

QUETIAPINE (Suspected)	Reason: Unspecified schizophrenia
0.0	
Batch:	Started: 04/01/2001 Stopped: 15/01/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Creatine				Ck = 91.
	Serum drug level				Lithium level = 1.3

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 164325

Seq: 1

Gender: M

Reported: 07/05/2001

Weight: 65.00

Hospitalisation:

Age: 31

Onset Date:

DOB: 03/08/1969

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Sinusitis		Painful sinusitis lasted 1 hour.	Ceased quetiapine. required a visit to doctor.

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified psychosis	
	25.0 Milligram	Daily	
Batch:	Started: 23/03/2001	Stopped: 27/04/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Commenced quetiapine 25mg and gradually increased to 200mg bd.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 164397

Seq: 1

Gender: M

Reported: 10/05/2001

Weight: 108.00

Hospitalisation:

Age: 19Y

Onset Date: 20/04/2001

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperglycaemia			

Medicine Details:

RISPERIDONE (Other drug)		Reason: Unspecified psychosis	
Tablet	8.0 Milligram	Daily	Oral
Batch:	Started: 24/07/2000	Stopped:	
ZOLOFT (Other drug)		Reason:	
Tablet	250.0 Milligram	Daily	Oral
Batch:	Started: 12/09/2000	Stopped:	
DIAZEPAM (Other drug)		Reason:	
Tablet	12.5 Milligram	Daily	Oral
Batch:	Started: 22/01/2001	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	500.0 Milligram	Daily	Oral
Batch:	Started: 22/02/2001	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 164568

Seq: 1

Gender: F

Reported: 17/05/2001

Weight: 92.00

Hospitalisation:

Onset Date: 03/05/2001

Age: 36

DOB: 22/08/1964

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Speech disorder		Stuttering	
Grand mal convulsion			Date of recovery 04/05/01

Medicine Details:

XANAX (Suspected)		Reason:	
	3.0 Milligram	As necessary	
Batch:	Started: 07/04/1997	Stopped: 03/05/2001	
SEROQUEL (Suspected)		Reason:	
Oral application	400.0 Milligram	Daily	Oral
Batch:	Started: 29/11/2000	Stopped: 03/05/2001	
ZOLOFT (Suspected)		Reason: Anxiety neurosis	
	100.0 Milligram	Daily	
Batch:	Started: 23/03/1999	Stopped: 03/05/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 164570

Seq: 1

Gender: M

Reported: 17/05/2001

Weight: 100.00

Hospitalisation:

Age: 65

Onset Date:

DOB: 10/11/1935

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hepatic function abnormal Hepatocellular damage			Required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)	Reason:
0.0	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 164680

Seq: 1

Gender: M

Reported: 21/05/2001

Weight: 85.00

Hospitalisation:

Age: 56

Onset Date: 05/02/2001

DOB: 29/02/1944

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rash Antinuclear antibody positive Photosensitivity reaction Pruritus Xerophthalmia		Facial rash.	Required a visit to doctor.

Medicine Details:

EPILIM (Other drug)	Reason: Unspecifid affective psychosis
800.0 Milligram	Daily
Batch:	Started: 02/02/2001 Stopped:
SEROQUEL (Suspected)	Reason: Unspecifid affective psychosis
300.0 Milligram	Daily
Batch:	Started: 01/06/2000 Stopped: 12/03/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The dose start date for seroquel is not necessarily accurate but indicates seroquel was started sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 164974

Seq: 1

Gender: M

Reported: 23/05/2001

Weight:

Hospitalisation:

Age: 90Y

Onset Date: 23/02/2001

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness Fatigue Hypotension			Quetiapine ceased.

Medicine Details:

QUETIAPINE (Suspected)		Reason:	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 18/02/2001	Stopped:	23/02/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient history of worsening parkensons disease and confusion on olanzapine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 165214

Seq: 1

Gender: M

Reported: 06/06/2001

Weight: 120.00

Hospitalisation:

Age: 29

Onset Date: 28/03/2001

DOB: 14/11/1971

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypertension		Bp increased to 187/142.	Required a visit to doctor. reaction was life threatening. hypertension treated with teveten 300mg bd.
Affect lability		Psychomotor retardation, drowzy, irritable & woody	
Agitation			
Somnolence			

Medicine Details:

CIPRAMIL (Other drug)		Reason: Depression	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started: 10/06/1998	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 01/03/2001	Stopped: 17/05/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The date of onset is not necessarily accurate but indicates onset sometime in the month. history of schizo-affective disorder going back to 1992, though began with anxiety symptoms and depression.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 165647 **Seq:** 1 **Gender:** F
Reported: 20/06/2001 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 63Y
Onset Date: 25/05/2001 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neurosis		Stab wounds (intentional injury)	Patient was admitted to hospital

Medicine Details:

DIGOXIN (Other drug)		Reason:	
	0.0		
Batch:	Started:	Stopped:	
LIPEX (Other drug)		Reason:	
Tablet	0.0		Oral
Batch:	Started:	Stopped:	
PRAMIN (Other drug)		Reason:	
Tablet	0.0		Oral
Batch:	Started:	Stopped:	
SEROQUEL (Other drug)		Reason:	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 25/01/2001	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 165647

Seq: 1

Gender: F

Reported: 20/06/2001

Weight:

Hospitalisation: Admitted to hospital

Age: 63Y

Onset Date: 25/05/2001

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

QUETIAPINE (Suspected)

Reason:

0.0

Batch:

Started: 25/05/2001

Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 166147

Seq: 1

Gender: U

Reported: 05/07/2001

Weight: 70.00

Hospitalisation:

Age: 19

Onset Date: 04/05/2001

DOB: 01/10/1981

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hallucination			Seroquel ceased. required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
	40.0 Milligram	Daily	
Batch:	Started: 28/04/2001	Stopped: 30/05/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Frightening graphic visual hallucinations of dark clouds, bizarre creatures and demons. visual hallucinations worse when dose increased.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 166686

Seq: 1

Gender: M

Reported: 23/07/2001

Weight: 65.00

Hospitalisation:

Age: 19

Onset Date: 08/05/2001

DOB: 01/10/1981

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hallucination		Visual hallucinations	Required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified psychosis
500.0 Milligram	Daily
Batch:	Started: 28/04/2001 Stopped: 04/06/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Seroquel prescribed for psychosis with delusions and auditory hallucinations. about a week after starting seroquel, patient started to experience complex frightening visual hallucinations. these increased when dosage increased, then ceased 4 days after seroquel discontinued. has not had the same side effect with other antipsychotics (risperdal or zyprexa).



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 166707

Seq: 1

Gender: M

Reported: 23/07/2001

Weight:

Hospitalisation:

Age: 31

Onset Date: 16/07/2001

DOB: 03/12/1969

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Aggression			Physical restraint by nursing staff and midazolam and droperidol.

Medicine Details:

SODIUM VALPROATE (Other drug)		Reason: Otr spec symp psychopathol nec	
	1.5 Milligram	Daily	
Batch:	Started: 13/07/2001	Stopped:	
QUETIAPINE (Suspected)		Reason: Paranoia	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started: 13/07/2001	Stopped: 16/07/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 167083 **Seq:** 1 **Gender:** M
Reported: 01/08/2001 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 51Y
Onset Date: 20/06/2001 **DOB:**
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Confusional state Drug level increased Tremor Vomiting			All psychotropic medications ceased. rehydration and admitted to hospital.

Medicine Details:

MELLERIL (Interaction)	Reason:
150.0 Milligram	Daily
Batch:	Started: Stopped: 20/06/2001
SEROQUEL (Interaction)	Reason:
200.0 Milligram	Daily
Batch:	Started: 09/05/2001 Stopped: 20/06/2001
EPILIM (Interaction)	Reason:
400.0 Milligram	Daily
Batch:	Started: 13/06/2001 Stopped: 20/06/2001
LITHIUM CARBONATE (Interaction)	Reason:
150.0 Milligram	Daily
Batch:	Started: Stopped: 20/06/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 167083	Seq: 1	Gender: M
Reported: 01/08/2001		Weight:
Hospitalisation: Admitted to hospital		Age: 51Y
Onset Date: 20/06/2001		DOB:
Outcome: Recovered		Causality: Causality possible

Reaction Details:

Medicine Details:

GEMFIBROZIL (Other drug)		Reason: Othr&unspec metabolic diseases	
	1.2 Gram	Daily	
Batch:	Started: 17/04/2001	Stopped:	
RANITIDINE (Other drug)		Reason:	
	300.0 Milligram	Daily	
Batch:	Started:	Stopped:	
ACICLOVIR (Other drug)		Reason:	
	800.0 Milligram	Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 167614
Reported: 15/08/2001
Hospitalisation:
Onset Date: 21/05/2001
Outcome: Recovered

Seq: 1

Gender: M
Weight: 93.00
Age: 40Y
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rash		Rash on lower limbs, face, scalp.	Prenisolone, phenergan.

Medicine Details:

BENZTROPINE MESYLATE (Other drug)		Reason:	
	1.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped:
SODIUM VALPROATE (Other drug)		Reason:	
	500.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped:
FLUPHENAZINE NOS (Other drug)		Reason:	
	100.0 Milligram	Daily	
Batch:	Started:		Stopped:
FRUSEMIDE (Other drug)		Reason:	
	40.0 Milligram	Daily	
Batch:	Started: 21/05/2001		Stopped: CONTIN

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 167614

Seq: 1

Gender: M

Reported: 15/08/2001

Weight: 93.00

Hospitalisation:

Age: 40Y

Onset Date: 21/05/2001

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

QUETIAPINE (Suspected)

Reason: Unspecified psychosis

400.0 Milligram

Daily

Batch:

Started: 10/05/2001

Stopped: 22/05/2001

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 168114

Seq: 1

Gender: F

Reported: 04/09/2001

Weight: 94.00

Hospitalisation:

Age: 45

Onset Date: 16/08/2001

DOB: 30/03/1956

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Depression		Worsening of depression	Ceased seroquel. required a visit to doctor.
Dystonia			
Hyperkinesia			
Visual disturbance			

Medicine Details:

COGENTIN (Other drug)		Reason:		
Injection	1.0	Dose Unspecified	As necessary	Intravenous
Batch:	Started:	Stopped:		
DIAZEPAM (Other drug)		Reason:		
Injection	2.0	Millilitre	As necessary	Intravenous
Batch:	Started:	Stopped:		
MORPHINE SULPHATE (Other drug)		Reason:		
Injection	1.0	Dose Unspecified	As necessary	Intravenous
Batch:	Started:	Stopped:		
PANADEINE FORTE (Other drug)		Reason:		
Tablet	2.0	Dose Unspecified	As necessary	Oral
Batch:	Started:	Stopped:		

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient was also taking promethazine hcl, stemetil, tegretol cr, vioxx. patient recovered 29/8/01.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 168114
Reported: 04/09/2001
Hospitalisation:
Onset Date: 16/08/2001
Outcome: Recovered

Seq: 1

Gender: F
Weight: 94.00
Age: 45
DOB: 30/03/1956
Causality: Causality probable

Reaction Details:

Medicine Details:

ANDROCUR (Other drug)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
CHLORPROMAZINE HYDROCHLORIDE (Other drug)		Reason:	
Tablet	1.2 Gram	Daily	Oral
Batch:	Started:	Stopped:	
CIPRAMIL (Other drug)		Reason:	
Tablet	60.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
GASTRO-STOP (Other drug)		Reason:	
Capsule	8.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

Patient was also taking promethazine hcl, stemetil, tegretol cr, vioxx. patient recovered 29/8/01.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 168114
Reported: 04/09/2001
Hospitalisation:
Onset Date: 16/08/2001
Outcome: Recovered

Seq: 1

Gender: F
Weight: 94.00
Age: 45
DOB: 30/03/1956
Causality: Causality probable

Reaction Details:

Medicine Details:

MAXOLON (Other drug)		Reason:	
Injection	3.0 Dose Unspecified	Daily	Intravenous
Batch:	Started:	Stopped:	
MOGADON (Other drug)		Reason:	
Tablet	10.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
OGEN (Other drug)		Reason:	
Tablet	1.2 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
	0.0		
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

Patient was also taking promethazine hcl, stemetil, tegretol cr, vioxx. patient recovered 29/8/01.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 168277
Reported: 10/09/2001
Hospitalisation:
Onset Date: 31/07/2001
Outcome: Recovered

Seq: 1

Gender: M
Weight: 68.00
Age: 65Y
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neurosis			

Medicine Details:

RENITEC (Other drug)		Reason: Essential benign hypertension	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	CONTIN
FELODIPINE (Other drug)		Reason: Essential benign hypertension	
Oral application	10.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	CONTIN
EPILIM (Other drug)		Reason: Explosive personality disorder	
Tablet	1.2 Gram	Daily	Oral
Batch:	Started:	Stopped:	CONTIN
SEROQUEL (Suspected)		Reason: Explosive personality disorder	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 31/07/2001	Stopped:	07/08/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Persistent sexual disinhibition over 1 week abrupt onset with increased seroquel from 50 mg bd to 100 mg bd and abrupt cessation when seroquel reduced to 50mg bd after 1 week. patient has dementia with behavioral disturbance.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 168520

Seq: 1

Gender: M

Reported: 19/09/2001

Weight: 110.00

Hospitalisation:

Age: 33

Onset Date: 08/09/2001

DOB: 29/08/1968

Outcome: Recovered with sequelae

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Cardiac failure	Life threatening	Severe cardiac failure.	
Cardiomyopathy	Life threatening		Date of recovery 13.9.01. reactions were life threatening.

Medicine Details:

ZYPREXA (Other drug)	Reason:
5.0 Milligram Daily	
Batch:	Started: L TERM Stopped:
CLOMIPRAMINE HYDROCHLORIDE (Other drug)	Reason: Obsessive compulsive neurosis
150.0 Milligram Daily	
Batch:	Started: 01/01/1997 Stopped: CONTIN
SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
200.0 Milligram Daily	
Batch:	Started: 07/09/2001 Stopped: 11/09/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Sequelae: cardiac failure symptoms. the dose start date for clomipramine is not necessarily accurate but indicates the drug was started sometime in the year.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 168868

Seq: 1

Gender: F

Reported: 04/10/2001

Weight:

Hospitalisation:

Age: 60

Onset Date: 20/09/2001

DOB: 12/04/1941

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia			Quetiapine ceased.

Medicine Details:

QUETIAPINE (Suspected)	Reason: Unspecified schizophrenia
300.0 Milligram	Daily
Batch:	Started: 19/07/2001 Stopped: 20/09/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Neutrophils				Neutrophil count - 1.4.

Additional Information:

Neutropenia when on olanzapine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 168869 **Seq:** 1 **Gender:** M
Reported: 04/10/2001 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 51
Onset Date: 08/09/2001 **DOB:** 26/12/1949
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase incr			Patient was hospitalised. seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified neurosis
	900.0 Milligram	Daily
Batch:	Started:	Stopped: 22/06/2001
EFEXOR-XR (Suspected)		Reason: Depression
	300.0 Milligram	Daily
Batch:	Started: 30/07/2001	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Creatine		12/09/2001	1050	

Additional Information:

Efexor xr was initiated at 75mg daily on 4.7.01 increasing by 75mg increments to 300mg daily on 30.7.01.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 169102

Seq: 1

Gender: U

Reported: 12/10/2001

Weight: 100.00

Hospitalisation:

Age: 33Y

Onset Date: 02/10/2001

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia			

Medicine Details:

QUETIAPINE (Suspected)	Reason: Unspecified psychosis
800.0 Milligram	Daily
Batch:	Started: 02/09/2001 Stopped: 02/10/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Dose of quetiapine was increased to 800mg because of poor response to lower doses. history of akathisia with risperidone. patient recovered 6/10/01.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 169758

Seq: 1

Gender: M

Reported: 06/11/2001

Weight: 75.00

Hospitalisation:

Age: 43

Onset Date: 19/03/2001

DOB: 02/07/1957

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Somnolence		Severe sedation	

Medicine Details:

QUETIAPINE (Suspected)	Reason:
0.0	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 169759

Seq: 1

Gender: F

Reported: 06/11/2001

Weight: 90.00

Hospitalisation:

Age: 38

Onset Date: 21/03/2001

DOB: 24/10/1962

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Depersonalisation Nausea Somnolence			Required a visit to doctor. date of recovery 02/04/01.

Medicine Details:

QUILONUM SR (Other drug)		Reason:	
	1.3 Gram	Daily	
Batch:	Started: 27/08/1999	Stopped:	CONTIN
QUETIAPINE (Suspected)		Reason: Unspecified psychosis	
	100.0 Milligram	Daily	
Batch:	Started: 20/03/2001	Stopped:	28/03/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 169825 **Seq:** 1 **Gender:** F
Reported: 07/11/2001 **Weight:**
Hospitalisation: Treated in outpatient department only. **Age:** 23Y
Onset Date: 23/08/2001 **DOB:**
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion	Severe	Severe tonic clonic seizure.	Patient investigated at a&e. epilim has been instituted to prevent further seizures.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
	450.0 Milligram	Daily	
Batch:	Started:	Stopped:	CONTIN

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 169838

Seq: 1

Gender: F

Reported: 08/11/2001

Weight: 77.00

Hospitalisation:

Age: 37

Onset Date: 11/12/2000

DOB: 31/10/1963

Outcome: Recovered

Causality: Causality certain

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperkinesia		Restless legs at night during sleep.	Ceased seroquel, required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified psychosis
100.0 Milligram	Daily
Batch:	Started: 11/12/2000 Stopped: 21/10/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Symptoms resolved on ceasing seroquel and recurred when restarting.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 169962

Seq: 1

Gender: M

Reported: 16/11/2001

Weight: 102.00

Hospitalisation:

Age: 27Y

Onset Date: 28/06/2001

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Diabetes mellitus			Insulin injections then metformin tablets.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Oral application	700.0 Milligram Daily Oral
Batch:	Started: 19/09/2000 Stopped: 02/08/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Serum glucose				Bsl of 40.

Additional Information:

The date of onset is not necessarily accurate but indicates the onset sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 170167 **Seq:** 1 **Gender:** F
Reported: 21/11/2001 **Weight:** 70.00
Hospitalisation: Admitted to hospital **Age:** 45
Onset Date: 22/03/2001 **DOB:** 19/07/1955
Outcome: Recovered **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Urinary retention	Severe	Acute serev urinary retention.	Patient was hopsitalised. ceased seroquel.

Medicine Details:

ESTALIS CONTINUOUS (Other drug)		Reason:	
	0.0		
Batch:	Started:	Stopped:	
VALIUM (Other drug)		Reason:	
	0.0		
Batch:	Started:	Stopped:	
EFEXOR (Other drug)		Reason:	
	300.0 Milligram	Daily	
Batch:	Started:	Stopped:	CONTIN
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
	400.0 Milligram	Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 170370 **Seq:** 1 **Gender:** F
Reported: 27/11/2001 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 22
Onset Date: 10/09/2001 **DOB:** 15/03/1979
Outcome: Recovered **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia			Patient was hospitalised. date of recovery 17.9.01.

Medicine Details:

QUETIAPINE (Suspected)	Reason: Unspecified psychosis
800.0 Milligram	Daily
Batch:	Started: 01/08/2000 Stopped: 12/09/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The dose start date for quetiapine is not necessarily accurate but indicates the drug was started sometime in the month. patient history of schizophrenia.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 170851

Seq: 1

Gender: F

Reported: 05/12/2001

Weight: 90.00

Hospitalisation:

Age: 22

Onset Date:

DOB: 17/03/1979

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Myalgia			Ceased seroquel. required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)	Reason:
0.0	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 171020

Seq: 1

Gender: F

Reported: 14/12/2001

Weight: 85.00

Hospitalisation:

Age: 38

Onset Date: 20/11/2001

DOB: 24/04/1963

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dyspnoea		Breathlessness	Date of recovery 27/11/01
Agitation			

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
800.0 Milligram	Daily
Batch:	Started: 08/11/2001 Stopped: 25/11/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 171026

Seq: 1

Gender: F

Reported: 14/12/2001

Weight: 47.00

Hospitalisation:

Age: 50Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Extrapyramidal disorder		Parkinsons syndrome.	Seroquel ceased. date of recovery 12/12/01.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified psychosis
400.0 Milligram	Daily
Batch:	Started: 01/03/2000 Stopped: 04/12/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 171036 **Seq:** 1 **Gender:** F
Reported: 17/12/2001 **Weight:** 167.00
Hospitalisation: Hospitalisation prolonged **Age:** 25
Onset Date: 07/12/2001 **DOB:** 02/12/1976
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dyspnoea			Patient was hospitalised. date of recovery 10.12.01. rapid retitration of efexor over 36 hours to usual dose, reinitiation of valproate and titration of quetapine.

Medicine Details:

EFEXOR (Suspected)		Reason: Depression
	300.0 Milligram	Daily
Batch:	Started: 01/06/2001	Stopped: 05/12/2001
QUETIAPINE (Suspected)		Reason: Depression
	800.0 Milligram	Daily
Batch:	Started: 01/06/2001	Stopped: 05/12/2001
SODIUM VALPROATE (Suspected)		Reason:
	3.0 Gram	Daily
Batch:	Started: 01/06/2001	Stopped: 05/12/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The dose start dates for efexor and quetiapine are not necessarily accurate but indicates the drug was started sometime in the month. patient history of borderline personality disorder and major depression.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 171037 **Seq:** 1 **Gender:** F
Reported: 17/12/2001 **Weight:** 167.00
Hospitalisation: Hospitalisation prolonged **Age:** 25
Onset Date: 07/12/2001 **DOB:** 02/12/1976
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Anxiety Depersonalisation Drug withdrawal syndrome Hallucination Sleep disorder			Patient was hospitalised. date of recovery 10.12.01. rapid retitration of efexor over 36 hours to usual dose, reinitiation of valproate and titration of quetiapine.

Medicine Details:

EFEXOR (Suspected)	Reason: Depression
300.0 Milligram Daily Batch: Started: 01/06/2001 Stopped: 05/12/2001	
QUETIAPINE (Suspected)	Reason: Depression
800.0 Milligram Daily Batch: Started: 01/06/2001 Stopped: 05/12/2001	
SODIUM VALPROATE (Suspected)	Reason:
3.0 Gram Daily Batch: Started: Stopped: 05/12/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The dose start dates for efexor and quetiapine are not necessarily accurate but indicates the drugs were started sometime in the month. foices within her own head saying she is a bad person and should kill herself.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 171417 **Seq:** 1 **Gender:** F
Reported: 19/12/2001 **Weight:** 139.00
Hospitalisation: Admitted to hospital **Age:** 25
Onset Date: 03/12/2001 **DOB:** 02/12/1976
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Chest pain Dyspnoea Oedema peripheral			Patient was admitted to hospital and commenced on frusemide 80mg daily and slow k 2 daily.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	50.0 Milligram	As necessary	Oral
Batch:	Started: 01/08/2001	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started: 01/08/2001	Stopped:	
EPILIM (Suspected)		Reason:	
Tablet	3.0 Gram	Daily	Oral
Batch:	Started: 01/08/2001	Stopped:	
EFEXOR-XR (Suspected)		Reason: Depression	
Capsule	300.0 Milligram	Daily	Oral
Batch:	Started: 01/08/2001	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The dose start dates are not necessarily accurate but indicates seroquel, epilim, efexor xr, diazepam, were started sometime in the month. patient's father has ischaemic heart disease.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 171417 **Seq:** 1

Reported: 19/12/2001

Hospitalisation: Admitted to hospital

Onset Date: 03/12/2001

Outcome: Recovered

Gender: F

Weight: 139.00

Age: 25

DOB: 02/12/1976

Causality: Causality possible

Reaction Details:

Medicine Details:

DIAZEPAM (Suspected)

Reason:

Tablet

15.0 Milligram

Daily

Oral

Batch:

Started: 01/11/2001

Stopped:

Laboratory Investigations:

Additional Information:

The dose start dates are not necessarily accurate but indicates seroquel, epilim, efexor xr, diazepam, were started sometime in the month. patient's father has ischaemic heart disease.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 171929 **Seq:** 1 **Gender:** F
Reported: 14/01/2002 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 47
Onset Date: 05/10/2001 **DOB:** 11/06/1954
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Anaemia Fatigue Stomatitis Thrombocytopenia Weight increased			Required a visit to doctor. hospitalised.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified psychosis
200.0 Milligram	Daily
Batch:	Started: 01/12/2000 Stopped: 28/10/2001

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Haemoglobin Histology	115 - 165	05/10/2001	50	05/10/01 - marked macrocytic anaemia, moderate hypersegmentation of neutrophil s. moderate thrombocytopenia, mild polychromacia.
	Platelets	140 - 400	05/10/2001	59	

Additional Information:

The dose start and stop date is not necessarily accurate but indicates the drug was started and stopped sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 172600

Seq: 1

Gender: F

Reported: 14/02/2002

Weight: 100.00

Hospitalisation:

Onset Date: 01/01/2002

Age: 30

DOB: 01/07/1971

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dyskinesia		Tongue bitten, startles/jolt, arm thrown out.	

Medicine Details:

EPILIM (Other drug)	Reason:
800.0 Milligram	Daily
Batch:	Started: 02/11/2001
Stopped:	
ANAFRANIL (Other drug)	Reason:
200.0 Milligram	Daily
Batch:	Started: 02/11/2001
Stopped:	
SEROQUEL (Suspected)	Reason:
500.0 Milligram	Daily
Batch:	Started:
Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 172641
Reported: 13/02/2002
Hospitalisation:
Onset Date: 22/04/2001
Outcome: Unknown

Seq: 1

Gender: F
Weight:
Age: 44
DOB: 27/12/1956
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Delirium Leukopenia Neutropenia			Quetiapine ceased.

Medicine Details:

PREMIA 5 (Other drug)	Reason: Menopausal symptoms
5.0 Milligram Daily	
Batch:	Started: Stopped:
ASPIRIN (Other drug)	Reason:
600.0 Milligram Daily	
Batch:	Started: Stopped:
LORAZEPAM (Suspected)	Reason:
2.5 Milligram As necessary	
Batch:	Started: 19/04/2001 Stopped:
SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
300.0 Milligram Daily	
Batch:	Started: Stopped: 2W

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Neutrophils		22/04/2001	2.46	
	Neutrophils		23/04/2001	1.9	
	White blood cells		22/04/2001	4.14	
	White blood cells		23/04/2001	3.27	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 172641

Seq: 1

Gender: F

Reported: 13/02/2002

Weight:

Hospitalisation:

Age: 44

Onset Date: 22/04/2001

DOB: 27/12/1956

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

OLANZAPINE (Suspected)		Reason:	
	20.0 Milligram	Daily	
Batch:	Started: 21/04/2001	Stopped:	
ZUCLOPENTHIXOL ACETATE (Suspected)		Reason:	
	20.0 Milligram	Daily	
Batch:	Started:	Stopped: 18/04/2001	
VENLAFAXINE HYDROCHLORIDE (Suspected)		Reason:	
	300.0 Milligram	Daily	
Batch:	Started:	Stopped: 20/04/2001	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 173278 **Seq:** 1 **Gender:** F
Reported: 01/03/2002 **Weight:** 98.00
Hospitalisation: Admitted to hospital **Age:** 43Y
Onset Date: 24/01/2002 **DOB:**
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypotension Blood creatine phosphokinase incr Anuria Dyspnoea Generalised oedema Peripheral ischaemia		Decreased bp. Elevated ck. Not passing urine.	Patient was hospitalised. medication was reviewed and some withdrawn with polypharmacy being the major factor.

Medicine Details:

DERALIN (Other drug)		Reason: Anxiety neurosis	
Tablet	40.0 Milligram	Daily	Oral
Batch:	Started: 24/01/2002	Stopped:	CONTIN
DERALIN (Suspected)		Reason: Anxiety neurosis	
Tablet	80.0 Milligram	Daily	Oral
Batch:	Started: 17/01/2002	Stopped:	24/01/2002
CIPRAMIL (Suspected)		Reason: Depression	
Tablet	40.0 Milligram	Daily	Oral
Batch:	Started: 17/01/2002	Stopped:	24/01/2002
PAXAM (Suspected)		Reason: Other disturbance of sensation	
Tablet	4.0 Milligram	Daily	Oral
Batch:	Started: 17/01/2002	Stopped:	24/01/2002

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 173278

Seq: 1

Gender: F

Reported: 01/03/2002

Weight: 98.00

Hospitalisation: Admitted to hospital

Age: 43Y

Onset Date: 24/01/2002

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

PAXAM (Suspected)		Reason: Other disturbance of sensation	
Tablet	2.0 Milligram	Daily	Oral
Batch:	Started: 24/01/2002	Stopped: 24/01/2002	
NEURONTIN (Suspected)		Reason:	
Capsule	1.8 Gram	Daily	Oral
Batch:	Started: 21/01/2002	Stopped: 24/01/2002	
NEURONTIN (Suspected)		Reason:	
Capsule	300.0 Milligram	Daily	Oral
Batch:	Started: 24/01/2002	Stopped: 28/01/2002	
DROLEPTAN (Suspected)		Reason: Otr spec symp psychopathol nec	
Injection	5.0 Milligram	Daily	Intravenous
Batch:	Started: 17/01/2002	Stopped: 26/01/2002	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 173278

Seq: 1

Gender: F

Reported: 01/03/2002

Weight: 98.00

Hospitalisation: Admitted to hospital

Age: 43Y

Onset Date: 24/01/2002

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

ZYPREXA (Suspected)		Reason: Unspecified schizophrenia	
Oral application	20.0 Milligram	Daily	Oral
Batch:	Started: 15/01/2002	Stopped: 24/01/2002	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 21/01/2002	Stopped: 24/01/2002	
SERENACE (Suspected)		Reason: Unspecified psychosis	
Tablet	10.0 Milligram	Daily	Oral
Batch:	Started: 21/01/2002	Stopped: 24/01/2002	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 173703

Seq: 1

Gender: M

Reported: 19/03/2002

Weight:

Hospitalisation:

Age: 30

Onset Date: 06/01/2002

DOB: 22/01/1971

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Pyrexia	Required Specialist Consultation	Mild fever.	Treated with fluids. seroquel and droperidol ceased.
Blood creatine phosphokinase incr			
Confusional state			
Dystonia			
Hypertonia			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
	400.0 Milligram	Daily	
Batch:	Started: 15/12/2001	Stopped: 06/01/2002	
DROPERIDOL (Suspected)		Reason: Otr spec symp psychopathol nec	
	40.0 Milligram	Daily	
Batch:	Started: 05/01/2002	Stopped: 06/01/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 173754

Seq: 1

Gender: M

Reported: 21/03/2002

Weight: 105.00

Hospitalisation:

Age: 30

Onset Date: 24/01/2002

DOB: 18/05/1971

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperprolactinaemia			Required a visit to doctor.

Medicine Details:

SEROQUEL (Suspected)	Reason: Schizophrenia
250.0 Milligram	Daily
Batch:	Started: 01/08/2000 Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The dose start date is not necessarily accurate but indicates seroquel was started sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 174000 **Seq:** 1 **Gender:** F
Reported: 27/03/2002 **Weight:** 70.00
Hospitalisation: Admitted to hospital **Age:** 60
Onset Date: 04/03/2002 **DOB:** 04/06/1941
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Oculogyration Agitation Anorexia Coma Confusional state Malaise Renal failure acute Sepsis Syncope		Abnormal eye movements	Admitted to icu, initiated on dialysis.

Medicine Details:

QUETIAPINE (Suspected)	Reason: Depression
600.0 Milligram Daily	
Batch:	Started: Stopped: 04/03/2002
AVANZA (Suspected)	Reason: Depression
30.0 Milligram Daily	
Batch:	Started: 28/02/2002 Stopped: 04/03/2002
DIAMICRON (Suspected)	Reason: Diabetes mellitus
320.0 Milligram Daily	
Batch:	Started: Stopped: 04/03/2002
DIABEX (Suspected)	Reason: Diabetes mellitus
1.7 Gram Daily	
Batch:	Started: Stopped: 04/03/2002

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Creatinine		06/03/2002	616	
	Creatinine		12/03/2002	323	
	Creatinine		11/03/2002	235	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 174265 **Seq:** 1 **Gender:** M
Reported: 08/04/2002 **Weight:** 85.00
Hospitalisation: Admitted to hospital **Age:** 30
Onset Date: 11/03/2002 **DOB:** 07/05/1971
Outcome: Recovered **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness	Severe	Acute onset dizziness.	Patient presented to ed. frequent sips of water. advised to be reviewed by psychiatrist to have medication reviewed.
Dry mouth		Markedly dry mouth.	
Somnolence		Sedation.	
Tachycardia		Sinus tachycardia of 130bpm.	
Dysphagia			

Medicine Details:

ZOLOFT (Other drug)		Reason: Anxiety neurosis	
	100.0 Milligram	Daily	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Previously taking seroquel 500mg commencing february 2001. no previous allergies.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 174371 **Seq:** 1 **Gender:** M
Reported: 10/04/2002 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 37
Onset Date: 21/01/2002 **DOB:** 28/06/1964
Outcome: Recovered **Causality:** Causality certain

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase incr Choreoathetosis Dry mouth Dyskinesia Hypertonia Leukocytosis Mydriasis Neuroleptic malignant syndrome Pyrexia Urinary retention			Seroquel ceased. treated with dantrolene 25mg given. patient was hospitalised.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Injection	300.0 Milligram Daily Subcutaneous
Batch:	Started: 01/10/2001 Stopped: 23/01/2002

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Creatine		23/01/2002	2890	
	Creatine		24/01/2002	1830	
	Creatine		25/01/2002	864	
	Creatine		26/01/2002	677	
	Creatine		27/01/2002	650	
	Creatine		28/01/2002	430	

Additional Information:

The dose start date for seroquel is not necessarily accurate but indicates the drug was started sometime in the month. rechallenged with seroquel On the 8/2/02 and patient experienced same symptoms seroquel ceased again 9/2/02.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 174523

Seq: 1

Gender: F

Reported: 15/04/2002

Weight: 65.00

Hospitalisation:

Age: 25

Onset Date:

DOB: 12/11/1976

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tremor Dyskinesia		Whole body variable fine tremor	

Medicine Details:

VENTOLIN (Other drug)	Reason:
0.0	
Batch:	Started: Stopped:
EPILIM (Other drug)	Reason:
1.0 Gram Daily	
Batch:	Started: Stopped:
AROPAX (Other drug)	Reason:
20.0 Milligram Daily	
Batch:	Started: Stopped:
SEROQUEL (Suspected)	Reason:
200.0 Milligram Daily	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 174758

Seq: 1

Gender: F

Reported: 22/04/2002

Weight:

Hospitalisation:

Age: 21Y

Onset Date: 16/04/2002

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Galactorrhoea		Milk producing - not pregnant.	

Medicine Details:

PANADEINE (Other drug)		Reason: Pain	
		2.0 Dose Unspecified As necessary	
Batch:	Started:	Stopped:	
PARACETAMOL ELIXIR (Other drug)		Reason: Pain	
Oral Liquid		0.0 As necessary Oral	
Batch:	Started:	Stopped:	
TRAMAL SR (Other drug)		Reason: Pain	
		2.0 Dose Unspecified Daily	
Batch:	Started:	Stopped:	
MOCLOBEMIDE (Other drug)		Reason:	
		600.0 Milligram Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 174758

Seq: 1

Gender: F

Reported: 22/04/2002

Weight:

Hospitalisation:

Age: 21Y

Onset Date: 16/04/2002

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

AMOXICILLIN SODIUM (Other drug)		Reason: Other cellulitis and abscess
	1.5 Gram	Daily
Batch:	Started:	Stopped:
SEROQUEL (Suspected)		Reason:
	400.0 Milligram	Daily
Batch:	Started: 10/04/2002	Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 174836

Seq: 1

Gender: F

Reported: 26/04/2002

Weight:

Hospitalisation:

Age: 52

Onset Date: 16/04/2002

DOB: 28/05/1949

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypertonia Dyskinesia		Cog wheel rigidity of upper limbs. Oro-buccal dyskinesia.	Required a visit to doctor. cease quetiapine.

Medicine Details:

LITHICARB (Other drug)	Reason: Unspecified schizophrenia
1.2 Gram Daily	
Batch:	Started: Stopped:
THYROXINE SODIUM (Other drug)	Reason: Myxedema
50.0 Microgram Daily	
Batch:	Started: Stopped:
TEMAZEPAM (Other drug)	Reason:
10.0 Milligram Daily	
Batch:	Started: Stopped:
QUETIAPINE (Suspected)	Reason: Unspecified schizophrenia
300.0 Milligram Daily	
Batch:	Started: 01/02/2002 Stopped: 28/03/2002

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient has had epse with typical anti-psychotic. the dose start date for quetiapine is not necessarily accurate but indicates quetiapine was started sometime in the month. the dose stop date for quetiapine is not necessarily accurate but indicates quetiapine was stopped sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 175531

Seq: 1

Gender: F

Reported: 16/05/2002

Weight:

Hospitalisation:

Age: 17

Onset Date: 06/04/2002

DOB: 19/04/1984

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Leukopenia			Date of recovery 10.4.02. patient was already in hospital.
Pyrexia			
Rash			

Medicine Details:

CLOPIXOL (Other drug)		Reason: Otr spec symp psychopathol nec	
Tablet	5.0 Milligram	As necessary	Oral
Batch:	Started: 28/03/2002	Stopped:	
COGENTIN (Other drug)		Reason:	
Tablet	0.5 Milligram	Daily	Oral
Batch:	Started: 18/03/2002	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	700.0 Milligram	Daily	Oral
Batch:	Started: 18/03/2002	Stopped: 06/04/2002	
TERIL (Suspected)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 27/03/2002	Stopped: 06/04/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	White blood cells	6-12			Wbc - 2.82.

Additional Information:

Seroquel ceased on 06/04/02 for one day.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 175593
Reported: 20/05/2002

Seq: 1

Gender: F
Weight: 87.00

Hospitalisation:

Onset Date: 05/05/2002
Outcome: Recovered

Age: 50
DOB: 04/09/1951
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Confusional state		Disorientated to time and place.	Required a visit to doctor. date of recovery: 10/05/2002.
Blepharospasm		Frequent and prolonged blinking.	
Dyskinesia		Peri-oral dyskinesia.	
Tremor		Tremor in hands, stammer when speaking.	
Dizziness			
Drug level increased			

Medicine Details:

CARBAMAZEPINE (Suspected)		Reason: Manic-depression psycho,manic	
Oral application	2.0 Gram	Daily	Oral
Batch:	Started: 01/01/2002	Stopped: 06/05/2002	
LITHIUM CARBONATE (Suspected)		Reason: Manic-depression psycho,manic	
	1.0 Gram	Daily	
Batch:	Started: 01/01/2000	Stopped: 06/05/2002	
QUETIAPINE (Suspected)		Reason: Manic-depression psycho,manic	
Tablet	500.0 Milligram	Daily	Oral
Batch:	Started: 01/01/2000	Stopped: 06/05/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Serum drug level	< 40			Carbamazepine level 44.

Additional Information:

The dose start dates for all suspected drugs are not accurate but indicates suspected drugs were started sometime in the year.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 175739

Seq: 1

Gender: M

Reported: 29/05/2002

Weight:

Hospitalisation:

Age: 24

Onset Date: 01/05/2002

DOB: 21/02/1978

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase incr	Life threatening		
Neuroleptic malignant syndrome	Life threatening		Bromocriptine given, quetiapine withdrawn.

Medicine Details:

BENZTROPINE MESYLATE (Other drug)		Reason:	
Oral application	2.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 01/05/2002	
KEFZOL (Other drug)		Reason:	
	3.0 Gram	Daily	
Batch:	Started: 01/05/2002	Stopped: 02/05/2002	
QUETIAPINE (Suspected)		Reason:	
	400.0 Milligram	Daily	
Batch:	Started:	Stopped: 02/05/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 175854 **Seq:** 1 **Gender:** F
Reported: 03/06/2002 **Weight:** 84.00
Hospitalisation: Admitted to hospital **Age:** 46
Onset Date: 28/04/2002 **DOB:** 05/06/1955
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Constipation		Chronic constipation.	Patient was hospitalised. required a visit to doctor. treated with enemas and laxatives. dose reduced, laxative continued, second blockage 1 month later.

Medicine Details:

LITHIUM CARBONATE (Other drug)		Reason:	
	750.0 Milligram	Daily	
Batch:	Started:	Stopped:	CONTIN
CIPRAMIL (Other drug)		Reason: Depression	
	60.0 Milligram	Daily	
Batch:	Started:	Stopped:	CONTIN
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
	800.0 Milligram	Daily	
Batch:	Started: 01/01/2002	Stopped:	30/05/2002

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 176334

Seq: 1

Gender: F

Reported: 17/06/2002

Weight:

Hospitalisation:

Age: 60Y

Onset Date: 28/10/2001

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rhinitis Somnolence		Runny nose.	Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)	Reason:
25.0 Milligram	Daily
Batch:	Started: 01/10/2001
	Stopped: 3W

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The dose start date is not necessarily accurate but indicates the drug was started sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 177045

Seq: 1

Gender: F

Reported: 11/07/2002

Weight:

Hospitalisation:

Age: 31Y

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dyskinesia Hyperkinesia		Orofacial.	

Medicine Details:

EFEXOR (Other drug)	37.5 Milligram	Daily	Reason: Depression
Batch:	Started: 15/08/1999	Stopped:	
INDERAL (Other drug)	120.0 Milligram	Daily	Reason:
Batch:	Started: 17/05/2001	Stopped:	
COGENTIN (Other drug)	2.0 Gram	Daily	Reason: Paralysis agitans
Batch:	Started: 27/03/2002	Stopped:	
SEROQUEL (Suspected)	600.0 Milligram	Daily	Reason: Unspecified schizophrenia
Batch:	Started: 16/01/2002	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 178066

Seq: 1

Gender: M

Reported: 15/08/2002

Weight:

Hospitalisation:

Age: 81Y

Onset Date: 26/06/2002

DOB:

Outcome: Death, maybe drug

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dermatitis bullous Hepatic function abnormal Prothrombin level decreased Purpura			Date of death: 4.7.02. sodium valproate was ceased.

Medicine Details:

CALTRATE (Other drug)		Reason:	
	1.2 Gram	Daily	
Batch:	Started:	Stopped:	
OSTELIN 1000 (Other drug)		Reason:	
	1.0 Thousand Internal	Daily	
Batch:	Started:	Stopped:	
SODIUM VALPROATE (Suspected)		Reason:	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 22/06/2002	Stopped: 26/06/2002	
AUGMENTIN DUO FORTE (Suspected)		Reason:	
Tablet	2.0 Dose Unspecified	Daily	Oral
Batch:	Started: 21/06/2002	Stopped: 23/06/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	ALT = SGPT		26/06/2002	758	
	Bilirubin		26/06/2002	61	
	International		26/06/2002	32	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 178066

Seq: 1

Gender: M

Reported: 15/08/2002

Weight:

Hospitalisation:

Age: 81Y

Onset Date: 26/06/2002

DOB:

Outcome: Death, maybe drug

Causality: Causality possible

Reaction Details:

Medicine Details:

KARVEA (Suspected)		Reason:	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 23/06/2002	
ISCOVER (Suspected)		Reason:	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 23/06/2002	
QUETIAPINE (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started: 17/06/2002	Stopped: 23/06/2002	
SALCATONIN (Suspected)		Reason:	
Injection	100.0 Unit	Daily	Subcutaneous
Batch:	Started: 23/06/2002	Stopped: 28/06/2002	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 178797

Seq: 1

Gender: F

Reported: 06/09/2002

Weight:

Hospitalisation:

Age:

Onset Date: 01/06/2002

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Agitation Anxiety Confusional state			Seroquel ceased, oxazepam and sertraline doses decreased. commenced olanzapine.

Medicine Details:

ALENDRONATE SODIUM (Other drug)		Reason: Other diseases of bone	
Tablet	70.0 Milligram	Weekly	Oral
Batch:	Started:	Stopped:	CONTIN
RAMIPRIL (Other drug)		Reason: Essential benign hypertension	
Tablet	2.5 Milligram	Daily	Oral
Batch:	Started:	Stopped:	CONTIN
CALCIUM CARBONATE (Other drug)		Reason: Other diseases of bone	
Tablet	1.2 Gram	Daily	Oral
Batch:	Started:	Stopped:	CONTIN
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	23/04/2002

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 178797

Seq: 1

Gender: F

Reported: 06/09/2002

Weight:

Hospitalisation:

Age:

Onset Date: 01/06/2002

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SERTRALINE HYDROCHLORIDE (Suspected)			Reason:	Depression
Tablet	100.0	Milligram	Daily	Oral
Batch:	Started:	Stopped: 23/04/2002		
OXAZEPAM (Suspected)			Reason:	Disturbance of sleep
Tablet	30.0	Milligram	Daily	Oral
Batch:	Started:	Stopped: 23/04/2002		

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 178996

Seq: 1

Gender: F

Reported: 12/09/2002

Weight:

Hospitalisation:

Age: 30

Onset Date: 27/08/2002

DOB: 29/08/1971

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Agitation Chills Hyperhidrosis Insomnia			Patient recovered 28/8/02. ceased seroquel.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SOLIAN (Suspected)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 179353

Seq: 1

Gender: M

Reported: 24/09/2002

Weight:

Hospitalisation:

Age: 41Y

Onset Date: 17/09/2002

DOB:

Outcome: Death

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Fatigue			
Malaise			
Sudden death			

Medicine Details:

SEROQUEL (Interaction)		Reason:	
	0.0		
Batch:	Started:	Stopped:	
METHADONE HYDROCHLORIDE (Interaction)		Reason:	
	0.0		
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Coroner's case.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 179354 **Seq:** 1 **Gender:** M
Reported: 24/09/2002 **Weight:**
Hospitalisation: Admitted to hospital **Age:** 19Y
Onset Date: 10/09/2002 **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion		Convulsions 3 times.	Patient was hospitalised

Medicine Details:

SEROQUEL (Interaction)		Reason:	
	0.0		
Batch:	Started:	Stopped:	
METHADONE HYDROCHLORIDE (Interaction)		Reason:	
	0.0		
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

No history of epilepsy.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 179403
Reported: 25/09/2002

Seq: 1

Gender: F
Weight: 103.00

Hospitalisation:

Onset Date: 28/06/2002
Outcome: Recovered

Age: 49
DOB: 27/06/1953
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Mouth ulceration			Required a visit to doctor. recovered 23/9/02.

Medicine Details:

LOPERAMIDE HYDROCHLORIDE (Other drug)		Reason:	
		2.0 Dose Unspecified As necessary	
Batch:	Started: 01/12/2000	Stopped:	
PRAMIN (Other drug)		Reason: Nausea and vomiting	
Oral application		1.0 Dose Unspecified As necessary Oral	
Batch:	Started: 01/03/2000	Stopped:	
SOMAC (Other drug)		Reason: Other diseases of esophagus	
		1.0 Dose Unspecified Daily	
Batch:	Started: 01/12/2001	Stopped:	
TEGRETOL (Other drug)		Reason:	
		3.0 Dose Unspecified Daily	
Batch:	Started: 01/06/1995	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The onset date is not necessarily accurate but indicates onset sometime in the month. the dose start date is not necessarily accurate but indicates seroquel was started sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 179403

Seq: 1

Gender: F

Reported: 25/09/2002

Weight: 103.00

Hospitalisation:

Age: 49

Onset Date: 28/06/2002

DOB: 27/06/1953

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

ZOLOFT (Other drug)		Reason: Unspecified schizophrenia
	2.0 Dose Unspecified Daily	
Batch:	Started:	Stopped:
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia
Tablet	1.0 Dose Unspecified Daily	Oral
Batch:	Started: 01/05/2002	Stopped: 20/09/2002

Laboratory Investigations:

Additional Information:

The onset date is not necessarily accurate but indicates onset sometime in the month. the dose start date is not necessarily accurate but indicates seroquel was started sometime in the month.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 179940 **Seq:** 1 **Gender:** M
Reported: 18/10/2002 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 28
Onset Date: 15/09/2002 **DOB:** 28/01/1974
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome			

Medicine Details:

CLOZARIL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	450.0 Milligram	Daily	Oral
Batch:	Started: 13/09/2002	Stopped: 19/09/2002	
QUETIAPINE (Suspected)		Reason:	
Tablet	1.1 Gram	Daily	Oral
Batch:	Started: 07/07/2002	Stopped: 17/09/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
18/10/2002	Creatine		20/09/2002	2356	
18/10/2002	Creatine		21/09/2002	2073	
18/10/2002	Creatine		22/09/2002	991	
18/10/2002	Creatine		24/09/2002	248	

Additional Information:

Concomitant quetiapine was weaned off at the time of the event



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 179987
Reported: 21/10/2002
Hospitalisation:
Onset Date: 17/09/2002
Outcome: Recovered

Seq: 1

Gender: M
Weight:
Age: 28
DOB: 28/01/1974
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase incr Neuroleptic malignant syndrome Pyrexia Tachycardia			Clozapine and quetiapine ceased.

Medicine Details:

DIAZEPAM (Other drug)	Reason:
15.0 Milligram Daily	
Batch:	Started: 06/09/2002 Stopped: 17/09/2002
KENACOMB OTIC (Other drug)	Reason:
Ear Drops 6.0 Dose Unspecified Daily Topical	
Batch:	Started: Stopped: CONTIN
CLOZAPINE (Suspected)	Reason: Unspecified schizophrenia
Tablet 5.0 Milligram Daily Oral	
Batch:	Started: 16/09/2002 Stopped: 18/09/2002
QUETIAPINE (Suspected)	Reason:
Tablet 1.1 Gram Daily Oral	
Batch:	Started: 07/07/2002 Stopped: 17/09/2002

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
	Creatine		19/09/2002	3675	(ck - 3000).
	Creatine		21/09/2002	203	(ck - 3000).
	Creatine		24/09/2002	248	(ck - 3000).

Additional Information:

Previous exposure to drug.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 180261 **Seq:** 1 **Gender:** F
Reported: 31/10/2002 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 52Y
Onset Date: 23/09/2002 **DOB:**
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Cardiomyopathy Cardiomyopathy Confusional state Consciousness fluctuating Delirium Electrocardiogram abnormal Myocardial infarction Psychotic disorder Troponin increased	Severe		Haloperidol. Patient admitted to hospital. Started on digoxin, metoprolol, ramipril

Medicine Details:

HALOPERIDOL (Other drug)		Reason: Psychosis asso w otr phys cond	
Batch:	Started:	Stopped:	
TEMAZEPAM (Other drug)		Reason:	
Batch:	Started:	Stopped:	
CIPRAMIL (Other drug)		Reason:	
Oral application	40.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
OLANZAPINE (Suspected)		Reason:	
	0.0		
Batch:	Started:	Stopped: 28/09/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
17/12/2002	Other data				

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 180261

Seq: 1

Gender: F

Reported: 31/10/2002

Weight: 0.00

Hospitalisation: Admitted to hospital

Age: 52Y

Onset Date: 23/09/2002

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason: Unspecified psychosis

Tablet

600.0 Milligram

Daily

Oral

Batch:

Started: 28/09/2001

Stopped: 22/09/2002

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 180431 **Seq:** 1 **Gender:** F
Reported: 08/11/2002 **Weight:**
Hospitalisation: **Age:** 41Y
Onset Date: 07/10/2002 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Oedema peripheral		Oedema in both legs up to knees and in both hands	Seroquel ceased.

Medicine Details:

LAMOTRIGINE (Other drug)		Reason:	
	200.0 Milligram	Daily	
Batch:	Started:	Stopped:	
LITHIUM CARBONATE (Other drug)		Reason:	
	900.0 Milligram	Daily	
Batch:	Started:	Stopped:	
SODIUM VALPROATE (Other drug)		Reason: Other&unspecified epilepsy	
	3.0 Gram	Daily	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 07/10/2002	Stopped: 09/10/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Seroquel 200mg bd por given on 04/10/02 till 07/10/02, then changed to 400mg. nocte on 07/10/02.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 180832 **Seq:** 1 **Gender:** M
Reported: 19/12/2002 **Weight:** 94.00
Hospitalisation: Admitted to hospital **Age:** 43
Onset Date: 03/08/2001 **DOB:** 06/06/1958
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder	Life threatening	stable for a week and then florid psychotic reaction	Admitted to hospital.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started: 23/07/2001	Stopped: 03/08/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 181019

Seq: 1

Gender: F

Reported: 02/01/2003

Weight: 0.00

Hospitalisation:

Onset Date: 10/11/2002

Age: 88

DOB: 17/02/1914

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
International normalised ratio decreased	Required Visit to Doctor	Disturbance in anticoagulation.	Increase in Warfarin dose.
Prothrombin level increased	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Interaction)		Reason:	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
WARFARIN SODIUM (Interaction)		Reason:	
Tablet	2.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
COVERSYL (Other drug)		Reason:	
Tablet	4.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
FEFOL (Other drug)		Reason:	
Capsule	1.0 Dose Unspecified	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient history of appendicectomy, goitre - retrosternal, hearing - impaired, renal impairment, tuberculosis, heart murmur, hypertension, cerebrovascular insufficiency, iron deficiency - anaemia, helicobacter pylori infection, pulmonary embolism and telangiectasia.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 181761 **Seq:** 1 **Gender:** M
Reported: 16/01/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 24
Onset Date: 05/12/2002 **DOB:** 20/12/1977
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Myocarditis Cough Diarrhoea Pleuritic pain Pneumonia primary atypical Pyrexia Vomiting		Myocarditis, fever, diarrhoea, vomiting, pleuritic chest pain, pleurodynia.	Metoprolol and given cardiac monitoring.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	
CLOZARIL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started: 20/11/2002	Stopped: 09/12/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
16/01/2003	Chest X-ray				
16/01/2003	Electrocardiograph				
16/01/2003	Other data				
16/01/2003	Troponin				

Additional Information:

Myocarditis was not mentioned on the hospital adverse reaction report. The patient recovered without sequelae.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 181854 **Seq:** 1 **Gender:** F
Reported: 21/01/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 63Y
Onset Date: 08/08/2001 **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Renal impairment		Also has renal impairment secondary to dehydration, and hyperkalaemia.	
Bradycardia		Bradycardia, hypotension, black bowel motion, dizzy and collapsed.	Atenolol ceased.
Circulatory collapse			
Dizziness			
Hyperkalaemia			
Hypotension			
Melaena			

Medicine Details:

FELODUR ER (Suspected)		Reason: Essential benign hypertension	
Tablet	10.0 Milligram		Oral
Batch:	Started:	Stopped: 09/08/2001	
TEGRETOL (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 09/08/2001	
TENORMIN (Suspected)		Reason: Essential benign hypertension	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 09/08/2001	
SEROQUEL (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 15/07/2001	Stopped: 09/08/2001	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
21/01/2003	Creatinine		09/08/2001	334	
21/01/2003	Potassium		09/08/2001	7.7	

Additional Information:

Patient also taking Lithium, Largactil, Modecate, Tazac and Lipitor.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 182035

Seq: 1

Gender: F

Reported: 24/01/2003

Weight: 0.00

Hospitalisation:

Onset Date: 25/10/2002

Age: 34

DOB: 19/04/1968

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Galactorrhoea		Lactation - Non-Puerperal	

Medicine Details:

EPILIM (Suspected)		Reason: Unspecified schizophrenia	
	2.0 Gram	Daily	
Batch:	Started:	Stopped:	Contin
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	Contin
SOLIAN (Suspected)		Reason: Unspecified schizophrenia	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	Contin
LUVOX (Suspected)		Reason: Unspecified schizophrenia	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	Contin

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 182620

Seq: 1

Gender: F

Reported: 10/02/2003

Weight: 4.00

Hospitalisation:

Age: 99U

Onset Date: 09/11/2002

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug withdrawal syndrome neonatal		Jittery, hypertonic, poor feeding, withdrawal syndrome from maternal Seroquel.	
Feeding disorder neonatal			
Hypertonia			

Medicine Details:

AMISULPRIDE (Other drug)		Reason:	Unspecified schizophrenia	
Batch:	Started:	Stopped:		
MULTIVITAMINS (Other drug)		Reason:	Unspec vitamin deficien states	
Batch:	Started:	Stopped:		
COLOXYL WITH SENNA (Other drug)		Reason:		
Batch:	Started:	Stopped:		
SEROQUEL (Suspected)		Reason:	Unspecified psychosis	
Tablet	1.0 Gram	Daily	Oral	
Batch:	Started:	Stopped:		

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Baby 1 day old, weight 4kg.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 182723 **Seq:** 1 **Gender:** M
Reported: 11/02/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 44Y
Onset Date: 08/11/2002 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome Blood creatine phosphokinase incr Confusional state Hallucination Leukocytosis		Confusion, hallucinations, increased white cell count with increased neutrophils. Possible neuroleptic malignant syndrome. Creatine phosphokinase increased.	Quetiapine ceased. Diazepam given prn for confusion.

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 03/11/2002	Stopped: 08/11/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
11/02/2003	C-Reactive Protein		08/11/2002	7.8	
11/02/2003	Creatine		08/11/2002	1500	
11/02/2003	Creatine		12/11/2002	218	
11/02/2003	Neutrophils		08/11/2002	14.4	
11/02/2003	Neutrophils		12/11/2002	8.4	
11/02/2003	White blood cells		08/11/2002	19.7	
11/02/2003	White blood cells		12/11/2002	13.7	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 183568 **Seq:** 1 **Gender:** M
Reported: 28/02/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 27
Onset Date: **DOB:** 10/06/1975
Outcome: Recovered 16/02/2003 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Constipation		Extreme constipation.	

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped: 25/01/2003

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 183909

Seq: 1

Gender: F

Reported: 06/03/2003

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Anxiety	Required Visit to Doctor	Patient became "strung out" and paranoid, not liking to be left alone in the evenings and fearing that someone wanted to mutilate her. After dose increase she became quite psychotic, even delirious and her personality changed - she became aggressive and rude and lost judgment of appropriate behaviour.	Seroquel ceased.
Abnormal behaviour	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	2 Years

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient has quietened down quite a lot, but she has not gone back to her previous personality. She is still psychotic but not so floridly so. Carries on dual conversations with two different voices.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 183909

Seq: 1

Gender: F

Reported: 06/03/2003

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Aggression	Required Visit to Doctor		
Delirium	Required Visit to Doctor		
Drug ineffective	Required Visit to Doctor		
Fear	Required Visit to Doctor		
Paranoia	Required Visit to Doctor		
Personality change	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	2 Years

Laboratory Investigations:

Additional Information:

Patient has quietened down quite a lot, but she has not gone back to her previous personality. She is still psychotic but not so floridly so. Carries on dual conversations with two different voices.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 183909

Seq: 1

Gender: F

Reported: 06/03/2003

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder	Required Visit to Doctor		
Schizophrenia	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	2 Years

Laboratory Investigations:

Additional Information:

Patient has quietened down quite a lot, but she has not gone back to her previous personality. She is still psychotic but not so floridly so. Carries on dual conversations with two different voices.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 183941

Seq: 1

Gender: M

Reported: 14/01/2003

Weight: 64.00

Hospitalisation:

Age: 22

Onset Date:

DOB: 22/12/1980

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Leukopenia	Required Visit to Doctor	Leucopaenia, neutropaenia, lymphopaemia, thrombocytopaenia and elevated LFT's, iatrogenic hepatitis.	Cessation of Seroquel
Hepatitis	Required Visit to Doctor		
Lymphopenia	Required Visit to Doctor		
Neutropenia	Required Visit to Doctor		
Thrombocytopenia	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia
Tablet	100.0 Milligram	Oral
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
14/01/2003	ALT = SGPT	<40	02/12/2002	27	
14/01/2003	ALT = SGPT	<40	09/12/2002	149	
14/01/2003	AST = SGOT	<35	02/12/2002	28	
14/01/2003	AST = SGOT	<35	09/12/2002	385	
14/01/2003	Lymphocytes	1-4	02/12/2002	0.9	
14/01/2003	Neutrophils	2.0-7.5	02/12/2002	1.3	
14/01/2003	Platelets	150-400	02/12/2002	107	

Additional Information:

181539 is a duplicate



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 183941

Seq: 1

Gender: M

Reported: 14/01/2003

Weight: 64.00

Hospitalisation:

Age: 22

Onset Date:

DOB: 22/12/1980

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason: Schizophrenia

Tablet

100.0 Milligram

Oral

Batch:

Started:

Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
14/01/2003	White blood cells	4-11	02/12/2002	2.5	

Additional Information:

181539 is a duplicate



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 184176

Seq: 1

Gender: U

Reported: 20/03/2003

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder		Acute onset of psychosis, confusion and irritability, tingling sensation or dysaesthesia of both arms.	
Confusional state			
Irritability			
Paraesthesia			

Medicine Details:

SEROQUEL (Suspected)	Reason: Schizophrenia
Tablet	300.0 Milligram
	Daily
	Oral
Batch:	Started: 06/11/2002
	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Also taking - Oral hypoglycaemic and Fat Blaster.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 184208 **Seq:** 1 **Gender:** F
Reported: 20/03/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 85
Onset Date: 25/02/2003 **DOB:** 02/05/1917
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Syncope Convulsion Dysphasia Movement disorder Orthostatic hypotension		Syncope, postural hypotension, convulsive episode, expressive dysphasia, chorieform movements.	Given Midazolam and Phenergan.

Medicine Details:

AVANZA (Suspected)		Reason: Depression	
Tablet	60.0 Milligram	As necessary	Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
EFEXOR-XR (Suspected)		Reason: Depression	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 184439

Seq: 1

Gender: F

Reported: 27/03/2003

Weight: 55.00

Hospitalisation:

Age: 19

Onset Date: 22/01/2003

DOB: 06/12/1983

Outcome: Recovered

26/02/2003

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Nausea	Required Visit to Doctor	Nausea, vomiting, severe sedation.	Seroquel ceased.
Sedation	Required Visit to Doctor		
Vomiting	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Tablet	Oral
Batch:	Started: 21/01/2003 Stopped: 24/02/2003

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 184661 **Seq:** 1 **Gender:** M
Reported: 04/04/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 29
Onset Date: 11/12/2002 **DOB:** 13/08/1973
Outcome: Recovered with sequelae 29/03/2003 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperglycaemia		Development of hyperglycaemia with symptoms of thirst, tiredness, polyuria, sweating, polydipsia, candida.	Commencement of insulin therapy.
Candidiasis			
Fatigue			
Hyperhidrosis			
Polydipsia			
Polyuria			
Thirst			

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified psychosis	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started: 09/12/2002	Stopped: 24/03/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient's sister has type I Diabetes (on insulin).
Patient also taking Sertraline and Ramipril.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 184696 **Seq:** 1 **Gender:** F
Reported: 07/04/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 33
Onset Date: 19/03/2003 **DOB:** 24/08/1969
Outcome: Recovered 19/03/2003 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Syncope Electrocardiogram QT prolonged		Patient had a syncopal episode.	Seroquel ceased.

Medicine Details:

SERZONE (Other drug)	Reason: Depression
100.0 Milligram Daily	
Batch:	Started: Stopped:
SEROQUEL (Suspected)	Reason: Unspecified psychosis
100.0 Milligram Daily	
Batch:	Started: 19/03/2003 Stopped: 19/03/2003

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
07/04/2003	Electrocardiograph				

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 184730 **Seq:** 1 **Gender:** F
Reported: 07/04/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 27
Onset Date: 14/03/2003 **DOB:**
Outcome: Recovered 15/03/2003 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Leukopenia	Caused or prolonged inpatient hospitalisation	Possible drug interaction, leucopenia, neutropenia	Seroquel was ceased.
Neutropenia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SODIUM VALPROATE (Other drug)		Reason: Other&unspecified epilepsy	
Tablet	1200.0 Milligram	Daily	Oral
Batch:	Started: 21/01/2003	Stopped: 16/03/2003	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	1400.0 Milligram	Daily	Oral
Batch:	Started: 21/01/2003	Stopped: 16/03/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
07/04/2003	leucocytes		14/03/2003	2.4	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 184807

Seq: 1

Gender: M

Reported: 09/04/2003

Weight: 53.00

Hospitalisation:

Age: 51

Onset Date:

DOB: 01/02/1952

Outcome: Recovered

27/03/2003

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Depressed level of consciousness	Required Visit to Doctor	Became "foggy".	Given Benztropine.

Medicine Details:

HALOPERIDOL (Other drug)		Reason: Unspecified psychosis
	5.0 Milligram	Daily
Batch:	Started: 19/03/2003	Stopped: 20/03/2003
PERICYAZINE (Other drug)		Reason: Unspecified psychosis
Tablet	5.0 Milligram	Daily Oral
Batch:	Started: 20/03/2003	Stopped: 26/03/2003
QUETIAPINE (Suspected)		Reason: Unspecified psychosis
Tablet	100.0 Milligram	Daily Oral
Batch:	Started: 26/03/2003	Stopped: 30/03/2003

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

On Quetiapine 100mg but no so much on 50mg.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 185246

Seq: 1

Gender: F

Reported: 24/04/2003

Weight: 83.00

Hospitalisation:

Age: 36

Onset Date: 15/02/2003

DOB: 18/08/1966

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Visual field defect	Required Visit to Doctor	Appear visual field deficit - bilateral, temporal	Reduce Quetiapine

Medicine Details:

MIRTAZAPINE (Other drug)		Reason: Depression	
Tablet	60.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason: Unspecified psychosis	
Tablet	1500.0 Milligram	Reducing	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 185564 **Seq:** 1 **Gender:** M
Reported: 07/05/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 28
Onset Date: **DOB:** 19/09/1974
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Gastric ulcer		Oesophagitis and gastric ulceration	
Oesophagitis		Oesophagitis and gastric ulceration	

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	Contin
TRAMADOL HYDROCHLORIDE (Suspected)		Reason: Otr&unsp vertebrogen pain synd	
	150.0 Milligram	Daily	
Batch:	Started:	Stopped:	Contin

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 186485

Seq: 1

Gender: M

Reported: 02/06/2003

Weight: 0.00

Hospitalisation:

Age: 27Y

Onset Date: 20/03/2003

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia	Caused or prolonged inpatient hospitalisation	Neutropenia	Ceased Seroquel and Chlorpromazine, no further Droperidol given.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped: 21/03/2003	
DROPERIDOL (Suspected)		Reason: Otr spec symp psychopathol nec	
Injection	10.0 Milligram	1 time	Intramuscular
Batch:	Started:	Stopped:	
CHLORPROMAZINE HYDROCHLORIDE (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 18/03/2003	Stopped: 21/03/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
02/06/2003	Creatinine				
02/06/2003	Neutrophils	(2-7.5)	03/04/2003	1.24	
02/06/2003	Neutrophils	(2-7.5)	28/03/2003	1.09	
02/06/2003	Neutrophils	(2-7.5)	20/03/2003	1.61	
02/06/2003	White blood cells		20/03/2003	3.5	
02/06/2003	White blood cells		28/03/2003	2.8	
02/06/2003	White blood cells		03/04/2003	2.7	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 186520

Seq: 1

Gender: F

Reported: 02/06/2003

Weight: 0.00

Hospitalisation:

Age: 21Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Vision blurred Accommodation disorder Visual disturbance		Worsened blurred vision and difficulty with near and far sight.	

Medicine Details:

PROTHIADEN (Suspected)		Reason:	
Batch:	Started:	Stopped: Oral	
PHENERGAN (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The patient had changed from Amisulpride to Seroquel due to hyperprolactinaemia.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 186970

Seq: 1

Gender: M

Reported: 16/06/2003

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date: 10/06/2003

DOB:

Outcome: Recovered

10/06/2003

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Salivary hypersecretion Dystonia Tongue paralysis Torticollis		Salivation, dystonia, torticollis and movements of tongue.	Cogentin 2mg/IM given.

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SOLIAN (Suspected)		Reason: Schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 01/06/2003	Stopped: 10/06/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Poor compliance and medications.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 188153
Reported: 03/07/2003
Hospitalisation:
Onset Date:
Outcome: Recovered

Seq: 1

Gender: F
Weight: 120.00
Age: 38
DOB: 15/06/1965
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Chest discomfort	Required Visit to Doctor	Hollow feeling in the central chest.	Symptoms settled when Epilim was added to medications.
Asthenia	Required Visit to Doctor	Limpness of both wrists and weakness of the extremities.	
Dizziness	Required Visit to Doctor	Non postural dizziness and light headedness.	
Jaw disorder	Required Visit to Doctor	Tension in masticatory muscles.	
Paraesthesia	Required Visit to Doctor	Tingling of finger tips and around the mouth.	
Dizziness	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Batch:	Started:
	Stopped: Contin

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Seroquel started mid 2002. Reaction onset date: mid 2002



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 188264
Reported: 09/07/2003

Seq: 1

Gender: F

Weight: 0.00

Hospitalisation:

Onset Date: 13/02/2003

Age: 29

DOB: 04/02/1974

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rhabdomyolysis Pyrexia Neuroleptic malignant syndrome Somnolence Acidosis Blood creatine phosphokinase incr		Admitted with rhabdomyolysis secondary to seizures. Elevated temp (to 39 degrees celsius). Neuroleptic malignant syndrome. Spent most of the day sleeping and was difficult to rouse.	Ceased Valproate, Venlafaxine and Quetiapine 13/02/03. Pt resuscitated, intubated and ventilated and required inotropes.

Medicine Details:

STILNOX (Interaction)		Reason:	
Batch:	Started:	Stopped:	
QUETIAPINE (Interaction)		Reason: Convulsions	
	150.0 Milligram Daily		
Batch:	Started:	S TERM Stopped:	
SODIUM VALPROATE (Interaction)		Reason: Convulsions	
	1.0 Gram Daily		
Batch:	Started:	Stopped:	
VENLAFAXINE HYDROCHLORIDE (Interaction)		Reason:	
	150.0 Milligram Daily		
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
09/07/2003	Creatine				

Additional Information:

Patient also taking Valproate, Venlafaxine, Panadol, Stilnox, Sandomigran, Mersyndol, Diazepam, Phenergan and Ventolin. Valproate and Venlafaxine were both restarted without adverse effect.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 188264

Seq: 1

Gender: F

Reported: 09/07/2003

Weight: 0.00

Hospitalisation:

Onset Date: 13/02/2003

Age: 29

DOB: 04/02/1974

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion			
Depressed level of consciousness			
Hyperkalaemia			

Medicine Details:

STILNOX (Interaction)		Reason:	
Batch:	Started:	Stopped:	
QUETIAPINE (Interaction)		Reason: Convulsions	
	150.0 Milligram Daily		
Batch:	Started:	S TERM	Stopped:
SODIUM VALPROATE (Interaction)		Reason: Convulsions	
	1.0 Gram Daily		
Batch:	Started:	Stopped:	
VENLAFAXINE HYDROCHLORIDE (Interaction)		Reason:	
	150.0 Milligram Daily		
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

Patient also taking Valproate, Venlafaxine, Panadol, Stilnox, Sandomigran, Mersyndol, Diazepam, Phenergan and Ventolin. Valproate and Venlafaxine were both restarted without adverse effect.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 188672

Seq: 1

Gender: M

Reported: 21/07/2003

Weight: 0.00

Hospitalisation:

Age: 33

Onset Date: 10/03/2003

DOB: 24/06/1969

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Diabetes mellitus		Diabetes Mellitus	Diet and Diaformin 1/2 tab daily.

Medicine Details:

SEROQUEL (Suspected)		Reason: Hallucinations	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 27/02/2003	Stopped: 20/03/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
21/07/2003	Serum glucose				

Additional Information:

Patient also taking Efexor XR and Colgout/Pro gout.
Family history of type 2 diabetes (late onset) in both grand mothers. Ongoing diabetes despite stopping quetiapine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 188765

Seq: 1

Gender: F

Reported: 24/07/2003

Weight: 0.00

Hospitalisation:

Age: 72

Onset Date: 01/05/2003

DOB: 16/02/1931

Outcome: Recovered

30/05/2003

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood thyroid stimulating hormone		Possible effect on TSH.	Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason: Disturbance of speech	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started: 01/05/2003	Stopped: 30/05/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The patient was concurrently suffering from dementia, decreased thyroid function, chronic diarrhoea, hypokalaemia and decreased vitamin B12. She had previously undergone a bowel resection for an intestinal obstruction.

Patient history: Thyroid problems, Chronic diarrhoea and Dementia.

Patient also taking Thyroxine, Ranitidine, Chlorvescent., Neo-Cytamen, Folate Sodium, Imodium and Temazepam.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 189091

Seq: 1

Gender: F

Reported: 30/07/2003

Weight: 70.00

Hospitalisation:

Age: 54

Onset Date: 10/07/2003

DOB: 20/05/1949

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Vision blurred	Required Visit to Doctor	Blurred vision, dry mouth.	
Dry mouth	Required Visit to Doctor		

Medicine Details:

SEROQUEL (Interaction)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 26/05/2003	Stopped:	
PROTHIADEN (Interaction)		Reason:	
Capsule	25.0 Milligram	Daily	Oral
Batch:	Started: 27/02/2003	Stopped:	
PROTHIADEN (Interaction)		Reason:	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started: 10/07/2003	Stopped:	
RISPERDAL (Interaction)		Reason:	
Tablet	2.0 Milligram	Daily	Oral
Batch:	Started: 02/09/2002	Stopped: 03/06/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 189091

Seq: 1

Gender: F

Reported: 30/07/2003

Weight: 70.00

Hospitalisation:

Age: 54

Onset Date: 10/07/2003

DOB: 20/05/1949

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

ZYPREXA (Interaction)

Reason:

Tablet

12.5 Milligram

Daily

Oral

Batch:

Started: 02/09/2002

Stopped: 03/06/2003

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 189200

Seq: 1

Gender: M

Reported: 06/08/2003

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Gravitational oedema		The patient developed bilateral dependent oedema of the ankles. Seroquel was stopped, and the event improved/resolved. There was no obvious congestive heart failure, ECG was normal, there was no obvious renal or hepatic impairment based on laboratory test value, and no local disease to explain the symptoms.	

Medicine Details:

SEROQUEL (Suspected)	Reason: Psychosis associated w other &unspec intracranial
Tablet	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
06/08/2003	Other data				

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 189783 **Seq:** 1 **Gender:** M
Reported: 22/08/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 99u
Onset Date: **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Priapism	Caused or prolonged inpatient hospitalisation	Priapism	

Medicine Details:

SEROQUEL (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 189907
Reported: 28/08/2003

Seq: 1

Gender: F
Weight: 75.00
Age: 17
DOB: 01/01/1986
Causality: Causality possible

Hospitalisation:

Onset Date:
Outcome: Recovered 27/05/2003

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug level increased	Required Visit to Doctor	Drug level increased - Tegretol	
Affect lability	Required Visit to Doctor	Emotionally labile	
Sedation	Required Visit to Doctor	Excessive sedation	
Condition aggravated	Required Visit to Doctor	Increased seizures	
Drug interaction	Required Visit to Doctor	Interaction	
Obsessive-compulsive disorder	Required Visit to Doctor	Very obsessive	

Medicine Details:

CARBAMAZEPINE (Interaction)		Reason: Epilepsy	
Tablet	1.8 Gram	Daily	Oral
Batch:	Started:	Stopped: 27/05/2003	
CLOBAZAM (Interaction)		Reason: Epilepsy	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
QUETIAPINE (Interaction)		Reason: Unspecified psychosis	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 26/02/2003	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
28/08/2003	Other data				

Additional Information:

Onset 04/2003. History: Has mental retardation in addition to generalised epilepsy and schizophrenia.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 189924 **Seq:** 1 **Gender:** M
Reported: 28/08/2003 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 32
Onset Date: 06/08/2003 **DOB:** 12/11/1970
Outcome: Recovered 20/08/2003 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Priapism		Experienced priapism without resolution with ice packs, EMLA cream or oral pseudoephedrine.	Surgical - bilateral glandulo-corura shunt.

Medicine Details:

SEROQUEL (Suspected)		Reason: Paranoid type schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started: 15/05/2002	Stopped: 12/08/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient has history of schizophrenia (been on Seroquel a long time). Continued to have delusions, diazepam and temazepam was initiated. Had no known allergies before this. May have erectile dysfunction. First report - "very rare" according PI.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 190481

Seq: 1

Gender: F

Reported: 15/09/2003

Weight: 0.00

Hospitalisation:

Age: 55Y

Onset Date:

DOB:

Outcome: Death, maybe drug

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Myocarditis	Caused or prolonged inpatient hospitalisation	Acute myocarditis	

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
		Oral	
Batch:	Started:	Stopped:	
ZYPREXA (Suspected)		Reason: Unspecified schizophrenia	
Tablet		20.0 Milligram	
		Daily	
		Oral	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
15/09/2003	Other data				

Additional Information:

The patient had no history of cardiac problems.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 190705

Seq: 1

Gender: F

Reported: 19/09/2003

Weight: 60.00

Hospitalisation:

Age: 87

Onset Date: 26/05/2003

DOB: 14/10/1915

Outcome: Recovered

31/05/2003

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Cardiac arrest	Life threatening	Cardiac arrest with ECG, prolonged QT.	Hospitalised.
Electrocardiogram QT prolonged	Life threatening		

Medicine Details:

QUETIAPINE (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started: 25/05/2003	Stopped: 26/05/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 191291

Seq: 1

Gender: F

Reported: 14/10/2003

Weight: 0.00

Hospitalisation:

Age: 30

Onset Date:

DOB: 24/06/1973

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Neutropenia	Ceased Serquel.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started: 24/07/2003	Stopped: 12/08/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient was also taking Clozaril and Solian.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 191801

Seq: 1

Gender: F

Reported: 03/11/2003

Weight: 0.00

Hospitalisation:

Onset Date: 30/10/2003

Age: 32

DOB: 20/03/1971

Outcome: Recovered without treatment 31/10/2003

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Erythema	Required Visit to Doctor	Itchy, erythematous rash on the face.	Cessation of Seroquel.
Pruritus	Required Visit to Doctor	Itchy, erythematous rash on the face.	Cessation of Seroquel.

Medicine Details:

ZYPREXA (Other drug)		Reason:	
Tablet	15.0 Milligram	1 time	Oral
Batch:	Started:	Stopped:	
COGENTIN (Other drug)		Reason:	
Injection	2.0 Milligram	As necessary	Intramuscular
Batch:	Started: 26/10/2003	Stopped:	
LARGACTIL (Other drug)		Reason:	
Tablet	150.0 Milligram	As necessary	Oral
Batch:	Started: 26/10/2003	Stopped:	
TEMAZE (Other drug)		Reason:	
Tablet	20.0 Milligram	As necessary	Oral
Batch:	Started: 26/10/2003	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 191801

Seq: 1

Gender: F

Reported: 03/11/2003

Weight: 0.00

Hospitalisation:

Age: 32

Onset Date: 30/10/2003

DOB: 20/03/1971

Outcome: Recovered without treatment 31/10/2003

Causality: Causality possible

Reaction Details:

Medicine Details:

Benztrop (Other drug)		Reason:	
Tablet	2.0 Milligram	As necessary	Oral
Batch:	Started: 26/10/2003	Stopped:	
ANTENEX (Other drug)		Reason:	
Tablet	10.0 Milligram	As necessary	Oral
Batch:	Started: 26/10/2003	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	50.0 Milligram	1 time	Oral
Batch: Unknown	Started: 30/10/2003	Stopped: 30/10/2003	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 192419
Reported: 24/11/2003

Seq: 1

Gender: M

Weight: 0.00

Hospitalisation:

Onset Date: 02/11/2003

Age: 23

DOB: 22/02/1980

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Myocarditis	Caused or prolonged inpatient hospitalisation	Myocarditis, red blood cell sedimentation rate increased, ventricular dysfunction, pyrexia, headache, tachycardia.	Panadol, aspirin
C-reactive protein increased	Caused or prolonged inpatient hospitalisation		
Headache	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZARIL (Suspected)		Reason: Schizophrenia	
Tablet	125.0 Milligram	Daily	Oral
Batch:	Started: 10/10/2003	Stopped: 05/11/2003	
SEROQUEL (Suspected)		Reason:	
	1.0 Dose Unspecified	Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
24/11/2003	C-Reactive Protein		17/11/2003	<5	
24/11/2003	C-Reactive Protein		11/11/2003	74	
24/11/2003	C-Reactive Protein		10/11/2003	125	
24/11/2003	Creatine				
24/11/2003	Echocardiogram				
24/11/2003	Electrocardiograph				
24/11/2003	Erythrocyte		17/11/2003	40	

Additional Information:

Risk factors for myocardial disease were stated as drug abuse (last time approx. 4 months ago) and clozaril treatment.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 192419
Reported: 24/11/2003
Hospitalisation:
Onset Date: 02/11/2003
Outcome: Recovered

Seq: 1

Gender: M
Weight: 0.00
Age: 23
DOB: 22/02/1980
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Pyrexia	Caused or prolonged inpatient hospitalisation		
Red blood cell sedimentation rate increased	Caused or prolonged inpatient hospitalisation		
Tachycardia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZARIL (Suspected)		Reason: Schizophrenia	
Tablet	125.0 Milligram	Daily	Oral
Batch:	Started: 10/10/2003	Stopped: 05/11/2003	
SEROQUEL (Suspected)		Reason:	
	1.0 Dose Unspecified	Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
24/11/2003	Erythrocyte sedimentation rate		10/11/2003	77	
24/11/2003	Hepatitis C				
24/11/2003	Other data				
24/11/2003	Troponin				

Additional Information:

Risk factors for myocardial disease were stated as drug abuse (last time approx. 4 months ago) and clozaril treatment.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 192419

Seq: 1

Gender: M

Reported: 24/11/2003

Weight: 0.00

Hospitalisation:

Age: 23

Onset Date: 02/11/2003

DOB: 22/02/1980

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Troponin I increased	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZARIL (Suspected)		Reason: Schizophrenia	
Tablet	125.0 Milligram	Daily	Oral
Batch:	Started: 10/10/2003	Stopped: 05/11/2003	
SEROQUEL (Suspected)		Reason:	
	1.0 Dose Unspecified	Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

Risk factors for myocardial disease were stated as drug abuse (last time approx. 4 months ago) and clozaril treatment.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 193033

Seq: 1

Gender: F

Reported: 10/12/2003

Weight: 75.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Constipation	Caused or prolonged inpatient hospitalisation	August 2001 - Severe colonic loading, constipation.	Received weekly enema treatment and laxatives.

Medicine Details:

SEROQUEL (Suspected)		Reason: Schizophrenia	
Tablet	1.0	Dose Unspecified Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Approximately three years after starting (1998) Seroquel patient experienced severe clonic loading with constipation.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 193274

Seq: 1

Gender: F

Reported: 17/12/2003

Weight: 0.00

Hospitalisation:

Age: 17

Onset Date: 05/12/2003

DOB: 15/01/1986

Outcome: Recovered

05/12/2003

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Depressed level of consciousness		Consciousness impaired.	Required ICU admission, given Flumazenil 500mg iv with rapid response.

Medicine Details:

SEROQUEL (Interaction)		Reason: Otr spec symp psychopathol nec	
Batch:	Started:	Stopped:	
MIDAZOLAM (Interaction)		Reason: Otr spec symp psychopathol nec	
Injection	10.0 Milligram	As necessary	Intramuscular
Batch:	Started:	Stopped:	
DROPERIDOL (Interaction)		Reason: Otr spec symp psychopathol nec	
Injection	5.0 Milligram	As necessary	Intramuscular
Batch:	Started:	Stopped:	
Abilify (Interaction)		Reason: Otr spec symp psychopathol nec	
Tablet	15.0 Milligram	Daily	Oral
Batch:	Started: 26/11/2003	Stopped: 05/12/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient was also taking Levlen, Ferro-Gradmet, Nicabate, Mylanta.
Aripiprazole commenced 1 week prior (26/11/03).
Multiple drug interactions many have pre this event.cipitated



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 193274

Seq: 1

Gender: F

Reported: 17/12/2003

Weight: 0.00

Hospitalisation:

Onset Date: 05/12/2003

Age: 17

DOB: 15/01/1986

Outcome: Recovered

05/12/2003

Causality: Causality possible

Reaction Details:

Medicine Details:

LAMICTAL (Interaction)		Reason:	
Tablet	137.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
DIAZEPAM (Interaction)		Reason: Otr spec symp psychopathol nec	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
EPILIM (Interaction)		Reason:	
Tablet	1000.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

Patient was also taking Levlen, Ferro-Gradmet, Nicabate, Mylanta.
Aripiprazole commenced 1 week prior (26/11/03).
Multiple drug interactions many have pre this event.cipitated



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 193407

Seq: 1

Gender: F

Reported: 22/12/2003

Weight: 0.00

Hospitalisation:

Age: 25

Onset Date:

DOB: 13/12/1978

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia		Dystonia, Diabetes mellitus NOS, Suicidal ideation, Weight increased.	Benzotropine 4mg/day was given to treat Dystonia and also given Benadryl cough syrup and Metformin.
Diabetes mellitus			
Suicidal ideation			
Weight increased			

Medicine Details:

CLOZARIL (Suspected)		Reason: Schizophrenia	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 06/09/1996	Stopped:	Contin
SEROQUEL (Suspected)		Reason:	
	550.0 Milligram	Daily	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Other drugs: Citalopram and Valproate Sodium. Patient needed care 24 hours a day. Onset date 2002. Seroquel initiated on 550mg/day increased to 650mg/day before being discontinued. Clozaril was increased to 300mg/day and continued. This report is a duplicate of 189882.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 193608

Seq: 1

Gender: F

Reported: 06/01/2004

Weight: 45.00

Hospitalisation:

Age: 10

Onset Date:

DOB: 14/06/1993

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperglycaemia	Caused or prolonged inpatient hospitalisation	Polydipsia, polyuria, abdominal pain, hyperglycaemia, glycosuria, ketonuria.	Insulin.
Abdominal pain	Caused or prolonged inpatient hospitalisation		
Glycosuria	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped: 18/12/2003

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
06/01/2004	Other data				
06/01/2004	Serum glucose				

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 193608

Seq: 1

Gender: F

Reported: 06/01/2004

Weight: 45.00

Hospitalisation:

Age: 10

Onset Date:

DOB: 14/06/1993

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Ketonuria	Caused or prolonged inpatient hospitalisation		
Polydipsia	Caused or prolonged inpatient hospitalisation		
Polyuria	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped: 18/12/2003

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 193988

Seq: 1

Gender: F

Reported: 19/01/2004

Weight: 0.00

Hospitalisation:

Age: 10

Onset Date:

DOB: 14/06/1993

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Diabetes mellitus insulin-dependen	Caused or prolonged inpatient hospitalisation	Hyperglycaemia and ketones in urine.	
Hyperglycaemia	Caused or prolonged inpatient hospitalisation		
Ketonuria	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 15/09/2003	S TERM	Stopped: 20/12/2003

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
19/01/2004	Other data				
19/01/2004	Serum glucose				

Additional Information:

Seroquel was stopped and the diabetes mellitus was reported to have resolved on the same day.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 194012
Reported: 21/01/2004
Hospitalisation:
Onset Date: 09/12/2003
Outcome: Recovered

Seq: 1

Gender: M
Weight: 0.00
Age: 99U
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Circulatory collapse	Life threatening	Sudden collapse, prolonged unconsciousness, and hypotension.	Quetiapine ceased.
Tachycardia	Life threatening	Tachyarrhythmia	
Electrocardiogram QT prolonged	Life threatening		
Hypotension	Life threatening		
Loss of consciousness	Life threatening		

Medicine Details:

QUETIAPINE (Suspected)		Reason: Obsessive compulsive neurosis	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 10/11/2003	
FLUOXETINE HYDROCHLORIDE (Suspected)		Reason: Depression	
Capsule	80.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 10/11/2003	
ERYTHROMYCIN (Suspected)		Reason: Ac upr resp inf,mult,unsp stes	
	400.0 Milligram	Daily	
Batch:	Started:	Stopped: 10/11/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
21/01/2004	Electrocardiograph		09/12/2003	Long QTc on	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 194136

Seq: 1

Gender: M

Reported: 29/01/2004

Weight: 0.00

Hospitalisation:

Age: 39Y

Onset Date: 22/06/2003

DOB:

Outcome: Recovered

30/06/2003

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Constipation	Caused or prolonged inpatient hospitalisation	Constipation and urinary retention.	Catheterisation.
Urinary retention	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)	Reason: Schizophrenia
Tablet	500.0 Milligram
	Daily
	Oral
Batch:	Started: 16/06/2003
	Stopped: 24/06/2003

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also administered: Diazepam, Coloxyl with Senna, Lactulose.
Reaction occurred following increase dose from 250mg daily to 500mg daily.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 194162

Seq: 1

Gender: M

Reported: 30/01/2004

Weight: 77.00

Hospitalisation:

Age: 48

Onset Date: 02/11/2003

DOB: 14/05/1955

Outcome: Recovered

24/11/2003

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Insulin resistance	Life threatening	Insulin resistance resulting in presentation with diabetic ketoacidosis, diabetes mellitus aggravated.	Unknown insulin regimen.
Diabetes mellitus	Life threatening		
Diabetic ketoacidosis			

Medicine Details:

QUETIAPINE (Suspected)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
30/01/2004	Haemoglobin				
30/01/2004	Serum glucose				

Additional Information:

Previous to commencing quetiapine had been a well controlled type 2 diabetic.
Patient was also taking Metformin, Glimepiride, Glibendomide, cardizem CD, Enalapril, Gemfibrozil, Efexor.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 194684

Seq: 1

Gender: F

Reported: 17/02/2004

Weight: 70.00

Hospitalisation:

Age: 50

Onset Date:

DOB: 02/10/1953

Outcome: Recovered

03/02/2004

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Confusional state	Required Visit to Doctor	Confusion, night terrors, sleep walking, tremor, sweats, fear and shoulder cramps.	
Muscle spasms	Required Visit to Doctor	Leg and shoulder cramps.	
Fear	Required Visit to Doctor		
Hyperhidrosis	Required Visit to Doctor		
Sleep terror	Required Visit to Doctor		

Medicine Details:

LITHIUM CARBONATE (Suspected)			Reason:	
Tablet	250.0	Milligram	Daily	Oral
Batch:	Started:		Stopped:	
ENDEP (Suspected)			Reason:	
Tablet	50.0	Milligram	Daily	Oral
Batch:	Started:		Stopped:	
SEROQUEL (Suspected)			Reason:	
Tablet	150.0	Milligram	Daily	Oral
Batch:	Started:		Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Onset date: 09/03. Dose start and stop dates for all drugs: 06/03 an 07/03.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 194684

Seq: 1

Gender: F

Reported: 17/02/2004

Weight: 70.00

Hospitalisation:

Age: 50

Onset Date:

DOB: 02/10/1953

Outcome: Recovered

03/02/2004

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Sleep walking	Required Visit to Doctor		
Tremor	Required Visit to Doctor		

Medicine Details:

LITHIUM CARBONATE (Suspected)		Reason:	
Tablet	250.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
ENDEP (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

Onset date: 09/03. Dose start and stop dates for all drugs: 06/03 an 07/03.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 194751

Seq: 1

Gender: M

Reported: 19/02/2004

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date: 14/02/2004

DOB:

Outcome: Recovered

15/02/2004

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Life threatening	Neuroleptic malignant syndrome.	Benztropine

Medicine Details:

HALOPERIDOL (Suspected)		Reason: Unspecified psychosis
	5.7 Milligram	Daily
Batch:	Started: 06/02/2004	Stopped: 11/02/2004
QUETIAPINE (Suspected)		Reason: Unspecified psychosis
Tablet	100.0 Milligram	Daily Oral
Batch:	Started: 06/02/2004	Stopped: 14/02/2004

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient was also taking Paracetamol and Sodium Valproate.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 194976

Seq: 1

Gender: U

Reported: 27/02/2004

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Constipation Dehydration		Constipation - severe, dehydration.	Manual disimpaction.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	500.0 Milligram	Daily	
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also administered: Lithium, Thyroxine, Omeprazole, Citracal, Ferrogradumet, Mirtazapine.
Constipation was unresponsive to oral laxatives, enemas and golytely. Patient presented to ED 3 times.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 195452

Seq: 1

Gender: M

Reported: 12/03/2004

Weight: 0.00

Hospitalisation:

Age: 55

Onset Date:

DOB: 26/02/1949

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Leukopenia		Leucopenia, thrombocytopenia and neutropenia.	
Neutropenia			
Thrombocytopenia			

Medicine Details:

QUETIAPINE (Suspected)		Reason:	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started: 19/01/2004	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
12/03/2004	Neutrophils				
12/03/2004	Platelets				
12/03/2004	White blood cells				

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 196772

Seq: 1

Gender: F

Reported: 23/04/2004

Weight: 0.00

Hospitalisation:

Age: 94Y

Onset Date: 06/04/2004

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Loss of consciousness		Patient collapsed	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 06/04/2004	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Event considered serious due to medical importance.
Report 196777 is a duplicate of this report.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 196797
Reported: 27/04/2004

Seq: 1

Gender: F
Weight: 0.00
Age: 22

Hospitalisation:

Onset Date:
Outcome: Recovered

DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Accidental overdose	Caused or prolonged inpatient hospitalisation	Accidental overdose, grand mal convulsion, medication error.	
Grand mal convulsion	Caused or prolonged inpatient hospitalisation		
Medication error	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Interaction)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 02/06/2003	Stopped: 15/06/2003	
NEFAZODONE HYDROCHLORIDE (Interaction)		Reason:	
	400.0 Milligram	Daily	
Batch:	Started: 15/06/2003	Stopped:	
LAMOTRIGINE (Other drug)		Reason: Convulsions	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

History: Epilepsy and Depression. The patient should have been taking Quetiapine, but rather had been prescribed Nefazodone.
Internal Medicine Journal: 2004 Vol: 34 issue: Page (s): 133-134.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 197392

Seq: 1

Gender: F

Reported: 17/05/2004

Weight: 84.00

Hospitalisation:

Age: 49

Onset Date: 15/03/2004

DOB: 19/12/1954

Outcome: Recovered

Causality: Causality certain

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Weight increased		Weight gain 3-4 kg with fluid retention, pitting oedema.	Stopped Seroquel
Fluid retention			
Pitting oedema			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Symptoms stopped when Seroquel ceased and occurred again when resuming.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 197647

Seq: 1

Gender: M

Reported: 27/05/2004

Weight: 65.00

Hospitalisation:

Age: 29

Onset Date: 08/04/2004

DOB: 22/09/1974

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
White blood cell count decreased		Patient developed reduced white cell count.	Cease Seroquel and start aripiprazole.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started: 15/10/2003	Stopped: 14/05/2004	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
27/05/2004	Neutrophils		08/04/2004	1.7	
27/05/2004	Neutrophils		04/05/2004	1.4	
27/05/2004	Neutrophils		19/05/2004	2.8	
27/05/2004	White blood cells		08/04/2004	5.0	
27/05/2004	White blood cells		04/05/2004	3.5	
27/05/2004	White blood cells		19/05/2004	5.3	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 197676

Seq: 1

Gender: F

Reported: 27/05/2004

Weight: 50.00

Hospitalisation:

Age: -1

Onset Date: 18/03/2004

DOB: 03/05/2004

Outcome: Unknown

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Nail discolouration		Seven day history of nail changes (yellowing and brown ridges on the fingernails only).	sodium valproate ceased.
Nail disorder			

Medicine Details:

TEMAZEPAM (Other drug)		Reason:	
	20.0 Milligram	As necessary	Oral
Batch:	Started:	Stopped:	
CITALOPRAM HYDROBROMIDE (Other drug)		Reason: Depression	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SODIUM VALPROATE (Suspected)		Reason:	
	200.0 Milligram	2 times	Oral
Batch:	Started: 18/03/2004	S TERM	Stopped: 29/03/2004
QUETIAPINE (Suspected)		Reason:	
Tablet	125.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

No dietary deficiencies, non smoker.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 197796
Reported: 02/06/2004

Seq: 1

Gender: M
Weight: 90.00

Hospitalisation:

Onset Date: 20/05/2004

Age: 55

DOB: 29/03/1949

Outcome: Recovered

21/05/2004

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypotension	Life threatening	Hypotension, tachycardia, ST-elevation, collapse, vomiting.	
Circulatory collapse	Life threatening		
Electrocardiogram ST segment elevation	Life threatening		
Tachycardia	Life threatening		
Vomiting	Life threatening		

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 20/05/2004	Stopped: 21/05/2004	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Prior to that the patient was taking Olanzapine 5mg for 3 years. Olanzapine was ceased on 19/05/04.
History of PSE to conventional outopsydots.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 197896

Seq: 1

Gender: F

Reported: 04/06/2004

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Electrocardiogram abnormal	Required Visit to Doctor	ECG results abnormal.	Seroquel changed to Abilify 30mg.

Medicine Details:

Abilify (Other drug)		Reason:	
Tablet	30.0 Milligram	Oral	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	1.0 Gram	Oral	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Doctor changed patient medication to Abilify (Aripiprazole) 30mg and the problem continued but ceased when Abilify dose was reduced to 15mg.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198124

Seq: 1

Gender: F

Reported: 15/06/2004

Weight: 60.00

Hospitalisation:

Age: 34

Onset Date: 05/06/2004

DOB: 09/03/1970

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome	Required Visit to Doctor	Serotonin syndrome, tachycardia, dizzy, sweating and mild confusion.	
Confusional state	Required Visit to Doctor		
Dizziness	Required Visit to Doctor		
Hyperhidrosis	Required Visit to Doctor		
Tachycardia	Required Visit to Doctor		

Medicine Details:

ARTHRO-AID (Other drug)		Reason: Other diseases of joint	
Capsule	750.0 Milligram	As necessary	Oral
Batch:	Started:	Stopped:	Ongoing
PANADEINE FORTE (Other drug)		Reason: Pain	
Tablet	Dose Unspecified	As necessary	Oral
Batch:	Started:	Stopped:	Ongoing
AROPAX (Suspected)		Reason:	
Tablet	40.0 Milligram	Daily	Oral
Batch:	Started: 01/01/2003	Stopped:	08/06/2004
SEROQUEL (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started: 05/06/2003	Stopped:	08/06/2004

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198132
Reported: 15/06/2004

Seq: 1

Gender: F

Weight: 0.00

Hospitalisation:

Onset Date: 23/04/2004

Age: 42

DOB: 13/02/1962

Outcome: Recovered

28/04/2004

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Confusional state	Required Visit to Doctor	Confusion, memory lapses, sweating, flushing and muscle cramps.	
Amnesia	Required Visit to Doctor		
Flushing	Required Visit to Doctor		
Hyperhidrosis	Required Visit to Doctor		
Muscle spasms	Required Visit to Doctor		

Medicine Details:

DIAZEPAM (Other drug)		Reason:	
	10.0 Milligram	Daily	
Batch:	Started:	Stopped:	
CLOMIPRAMINE HYDROCHLORIDE (Suspected)		Reason: Obsessive compulsive neurosis	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started: 19/03/2004	Stopped: 23/04/2004	
QUETIAPINE (Suspected)		Reason:	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 28/04/2004	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198190
Reported: 16/06/2004
Hospitalisation:
Onset Date: 13/03/2004
Outcome: Recovered

Seq: 1

Gender: M
Weight: 0.00
Age: 42
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Priapism		Priapism and agitation.	Nebulised 5mg salbutamol with no effect (twice). Transferred to A & E. Withdraw blood and fluid from penile area to resolve the situation. Injected adrenaline 1:10,000 diluted 1 in 10ml. Urologist injected aramine to subside.
Agitation			

Medicine Details:

DROPERIDOL (Suspected)		Reason:	
Injection	10.0 Milligram	Daily	
Batch:	Started: 13/03/2004	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
CHLORPROMAZINE HYDROCHLORIDE (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 13/03/2004	Stopped:	
DIAZEPAM (Suspected)		Reason:	
Tablet	10.0 Milligram	Daily	Oral
Batch:	Started: 13/03/2004	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Large amounts of alcohol injected previous night (18 schooners). Priapism resolved but was exacerbated by chlorpromazine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198361 **Seq:** 1 **Gender:** F
Reported: 21/06/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 37
Onset Date: 09/06/2004 **DOB:** 07/09/1966
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Atrial fibrillation Heart rate increased Heart rate irregular Influenza Tachycardia		Patient complained of the flu, had an irregular pulse and showed atrial fibrillation and heart rate of 126 bpm on ECG.	

Medicine Details:

CLOZARIL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	350.0 Milligram	Daily	Oral
Batch:	Started: 10/03/2004	Stopped: 13/09/2004	Contin
SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 09/06/2004	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
21/06/2004	Electrocardiograph				

Additional Information:

Family history: myocardial infarction. Father died of myocardial infarction at the age of 55 years. Brother had myocardial infarction at the age of 40 years.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198647

Seq: 1

Gender: F

Reported: 02/07/2004

Weight: 0.00

Hospitalisation:

Age: 20

Onset Date:

DOB: 01/07/1984

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Electrocardiogram abnormal		Abnormal ECG; prolonged QTC interval.	Dose of Serquel was reduced to 500mg daily and next ECG was normal.
Electrocardiogram QT prolonged			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	1400.0 Milligram	Daily	Oral
Batch:	Started: 27/05/2004	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
02/07/2004	Other data				

Additional Information:

Patient was also taking Intal inhaler, Ventolin, Luvox, Solian.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198729

Seq: 1

Gender: F

Reported: 05/07/2004

Weight: 85.00

Hospitalisation:

Age: 58Y

Onset Date: 15/01/2004

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Malaise	Required Specialist Consultation	Increased blood sugar levels, diarrhoea and nausea.	Seroquel dose decreased, Diaformin dose increased and referred to Endocrinologist.
Blood glucose increased	Required Specialist Consultation		
Diarrhoea	Required Specialist Consultation		

Medicine Details:

SEROQUEL (Suspected)		Reason: Depression	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Symptoms aggravated with increased dose of Diaformin and decreased dose of Seroquel. Also taking Zoloft, Diaformin, Diamicon, Lipitor and Lipid.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198729

Seq: 1

Gender: F

Reported: 05/07/2004

Weight: 85.00

Hospitalisation:

Age: 58Y

Onset Date: 15/01/2004

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Nausea	Required Specialist Consultation		

Medicine Details:

SEROQUEL (Suspected)		Reason: Depression	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Additional Information:

Symptoms aggravated with increased dose of Diaformin and decreased dose of Seroquel. Also taking Zoloft, Diaformin, Diamicon, Lipitor and Lopid.



THERAPEUTIC GOODS ADMINISTRATION Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198986
Reported: 15/07/2004

Seq: 1

Gender: M
Weight: 0.00

Hospitalisation:

Onset Date: 28/04/2004

Age: 55Y

Outcome: Recovered

29/04/2004

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Pyrexia	Life threatening	Febrile, tachycardia, tachypnoea, very stiff (immobile), dry mouth and neuroleptic malignant syndrome.	Seroquel ceased. Given Cogentin 2mg oral daily and withheld Valproate and IV fluid hydration.
Dry mouth	Life threatening		
Hypertonia	Life threatening		
Mobility decreased	Life threatening		
Neuroleptic malignant syndrome	Life threatening		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started: 24/04/2004	Stopped: 29/04/2004	
EPILIM (Suspected)		Reason: Unspecified schizophrenia	
	1.0 Gram	Daily	
Batch:	Started: 24/04/2004	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking Epilim, Coloxyl with Senna and Lactulose.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 198986

Seq: 1

Gender: M

Reported: 15/07/2004

Weight: 0.00

Hospitalisation:

Age: 55Y

Onset Date: 28/04/2004

DOB:

Outcome: Recovered

29/04/2004

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tachycardia	Life threatening		
Tachypnoea	Life threatening		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started: 24/04/2004	Stopped: 29/04/2004	
EPILIM (Suspected)		Reason: Unspecified schizophrenia	
	1.0 Gram	Daily	
Batch:	Started: 24/04/2004	Stopped:	

Laboratory Investigations:

Additional Information:

Patient also taking Epilim, Coloxyl with Senna and Lactulose.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 199074
Reported: 16/07/2004

Seq: 1

Gender: U
Weight: 0.00
Age: 99U

Hospitalisation:

Onset Date: 09/01/2004

Outcome: Recovered

16/01/2004

DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Renal failure acute	Caused or prolonged inpatient hospitalisation	ARF and hypernatraemia - ?diabetes insipidus.	Withheld Lithium and Quetiapine.
Azotaemia	Caused or prolonged inpatient hospitalisation		
Blood creatinine increased	Caused or prolonged inpatient hospitalisation		

Medicine Details:

LITHIUM CARBONATE (Suspected)		Reason:		
Tablet	500.0 Milligram	Daily	Oral	
Batch:	Started:	L TERM	Stopped:	09/01/2004
QUETIAPINE (Suspected)		Reason:		
Tablet	200.0 Milligram	Daily	Oral	
Batch:	Started:	L TERM	Stopped:	10/01/2004

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
16/07/2004	Creatinine		10/01/2004	397	
16/07/2004	Creatinine		16/01/2004	125	
16/07/2004	Serum drug level	0.6-1	09/01/2004	1.11	
16/07/2004	Serum drug level	0.6-1	03/09/2003	0.74	
16/07/2004	Sodium	135-145	09/01/2004	150	
16/07/2004	Sodium	135-145	14/01/2004	155	
16/07/2004	Sodium	135-145	16/01/2004	140	

Additional Information:

Patient also taking Ostelin, Nexium, Metoprolol, Oxazepam and Venlafaxine.
Patient history: Long term manic depressive on Lithium.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 199074

Seq: 1

Gender: U

Reported: 16/07/2004

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date: 09/01/2004

DOB:

Outcome: Recovered

16/01/2004

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug level increased	Caused or prolonged inpatient hospitalisation		
Hypernatraemia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

LITHIUM CARBONATE (Suspected)		Reason:		
Tablet	500.0 Milligram	Daily	Oral	
Batch:	Started:	L TERM	Stopped:	09/01/2004
QUETIAPINE (Suspected)		Reason:		
Tablet	200.0 Milligram	Daily	Oral	
Batch:	Started:	L TERM	Stopped:	10/01/2004

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
16/07/2004	Urea		10/01/2004	24	
16/07/2004	Urea		16/01/2004	11.4	

Additional Information:

Patient also taking Ostelin, Nexium, Metoprolol, Oxazepam and Venlafaxine.
Patient history: Long term manic depressive on Lithium.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 199462

Seq: 1

Gender: M

Reported: 28/07/2004

Weight: 0.00

Hospitalisation:

Age: 64

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Therapeutic response unexpected		Patients parkinsonian symptoms responded by the next day, with pronounced improvement by the third day - Drug effect unexpected	

Medicine Details:

QUETIAPINE (Suspected)		Reason: Schizophrenia	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	Continued

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Quetiapine was increased to 50mg/daily. We do not consider the improvement in EPS as spontaneous following Amisulpride withdrawal, as these symptoms persisted to the same degree until the addition of Quetiapine. This report is a seq to 199302. History: of chronic paranoid schizophrenia of about 15 years duration. Also a 10 year history of poorly treated diabetes mellitus.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 199516

Seq: 1

Gender: F

Reported: 30/07/2004

Weight: 55.00

Hospitalisation:

Age: 21

Onset Date: 15/04/2004

DOB: 28/08/1982

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Alopecia		Hair loss from scalp.	

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified psychosis	
Tablet	700.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 199900

Seq: 1

Gender: F

Reported: 11/08/2004

Weight: 60.00

Hospitalisation:

Age: 22

Onset Date: 30/07/2004

DOB: 30/09/1981

Outcome: Recovered

05/08/2004

Causality: Causality certain

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rash maculo-papular		Patient developed a maculopapular dry rash seconday to Seroquel.	
Pruritus			

Medicine Details:

SEROQUEL (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Suspected drug is cert/rechallenge. During rash developed 2/52 after first exposure, recurred within 24 hours of taking Seroquel 1/12 later.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 199974 **Seq:** 1 **Gender:** M
Reported: 13/08/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 46
Onset Date: **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperglycaemia	Caused or prolonged inpatient hospitalisation	Patient developed hyperglycaemia and lack of effect.	Patient weaned of Seroquel and commenced with Amisulpride. Metformin given for diabetes.
Drug ineffective	Caused or prolonged inpatient hospitalisation		
Lethargy	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CITALOPRAM HYDROBROMIDE (Other drug)		Reason:	
Tablet	40.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
OMEPRAZOLE (Other drug)		Reason:	
	20.0 Milligram	Daily	
Batch:	Started:	Stopped:	
ROFECOXIB (Other drug)		Reason:	
	25.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
13/08/2004	Serum glucose				Blood sugar level was 27.4.

Additional Information:

Type II diabetes mellitus (untreated).



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 199974 **Seq:** 1 **Gender:** M
Reported: 13/08/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 46
Onset Date: **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Thirst	Caused or prolonged inpatient hospitalisation		
Weight decreased	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CITALOPRAM HYDROBROMIDE (Other drug)		Reason:	
Tablet	40.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
OMEPRAZOLE (Other drug)		Reason:	
	20.0 Milligram	Daily	
Batch:	Started:	Stopped:	
ROFECOXIB (Other drug)		Reason:	
	25.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

Type II diabetes mellitus (untreated).



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 200188

Seq: 1

Gender: M

Reported: 20/08/2004

Weight: 100.00

Hospitalisation:

Onset Date: 15/06/2004

Age: 26

DOB: 11/10/1977

Outcome: Recovered

11/08/2004

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Fatigue	Life threatening	Seroquel making patient very tired and weak, only able to walk a few minutes before exhausted and unable to lift weights he previously could lift.	Seroquel dose reduced.
Asthenia	Life threatening		

Medicine Details:

SODIUM VALPROATE (Other drug)		Reason:	
1.0 Gram			
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 08/10/2003	Stopped: 06/08/2004	0
SOLIAN (Suspected)		Reason:	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 08/10/2003	Stopped: 06/08/2004	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 200387 **Seq:** 1 **Gender:** M
Reported: 30/08/2004 **Weight:** 92.00
Hospitalisation: Admitted to hospital **Age:** 38
Onset Date: 23/08/2004 **DOB:** 17/12/1965
Outcome: Recovered 24/08/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Urinary retention	Caused or prolonged inpatient hospitalisation	Patient developed acute urinary retention.	Catheterized.

Medicine Details:

AVANZA (Other drug)		Reason:	
Tablet	30.0 Milligram	Daily	
Batch:	Started: 15/06/2002	Stopped:	
AVANZA (Suspected)		Reason:	
Tablet	30.0 Milligram	Daily	Oral
Batch:	Started: 15/06/2002	Stopped:	0
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
	800.0 Milligram	Daily	
Batch:	Started: 15/05/2003	Stopped:	0
Valpam (Suspected)		Reason:	
	25.0 Milligram	Daily	
Batch:	Started: 15/02/2004	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 200498 **Seq:** 1 **Gender:** F
Reported: 02/09/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 31
Onset Date: 21/07/2004 **DOB:** 24/11/1972
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Intestinal obstruction	Caused or prolonged inpatient hospitalisation	Bowel obstruction	Ceased Seroquel and Cipramil

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet			
Batch:	Started: 29/06/2004	Stopped: 01/08/2004	
CIPRAMIL (Suspected)		Reason: Depression	
Tablet		Oral	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

History of wilms tumor as a child, and had undergone a nephrectomy and radiotherapy treatment. She had a history of bowel obstructions, which had settled with conservative management, and had undergone a bowel resection in 2002.
History of recurrent bowel obstruction.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 200605
Reported: 07/09/2004

Seq: 1

Gender: M

Weight: 0.00

Hospitalisation:

Onset Date: 25/07/2004

Age: 39

DOB: 30/01/1965

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Myocarditis	Caused or prolonged inpatient hospitalisation	Patient developed shortness of breath, neuroleptic malignant syndrome and myocarditis. Electrocardiogram abnormal - not specified.	Antihypertensive drug nos.
Dyspnoea	Caused or prolonged inpatient hospitalisation		
Electrocardiogram abnormal	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZAPINE (Other drug)		Reason: Unspecified schizophrenia	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0
SOLIAN (Suspected)		Reason: Unspecified schizophrenia	
	800.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
07/09/2004	Other data				

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 200605

Seq: 1

Gender: M

Reported: 07/09/2004

Weight: 0.00

Hospitalisation:

Age: 39

Onset Date: 25/07/2004

DOB: 30/01/1965

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZAPINE (Other drug)		Reason: Unspecified schizophrenia	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0
SOLIAN (Suspected)		Reason: Unspecified schizophrenia	
	800.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 200622 **Seq:** 1 **Gender:** F
Reported: 07/09/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 31
Onset Date: 09/08/2004 **DOB:** 20/12/1972
Outcome: Recovered 30/08/2004 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Musculoskeletal stiffness	Caused or prolonged inpatient hospitalisation	Patient experienced stiffness, confusion, felt vague and had delusions.	
Blood creatine phosphokinase incr	Caused or prolonged inpatient hospitalisation		
Confusional state	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 05/05/2004	S TERM	Stopped: 11/08/2004

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
07/09/2004	Other data				

Additional Information:

The patient was on Aldazine 25mg daily for many years. She changed to Seroquel because of Akathisia on 5/5/04.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 200622 **Seq:** 1 **Gender:** F
Reported: 07/09/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 31
Onset Date: 09/08/2004 **DOB:** 20/12/1972
Outcome: Recovered 30/08/2004 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Delusion	Caused or prolonged inpatient hospitalisation		
Disturbance in attention	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 05/05/2004	S TERM	Stopped: 11/08/2004

Laboratory Investigations:

Additional Information:

The patient was on Aldazine 25mg daily for many years. She changed to Seroquel because of Akathisia on 5/5/04.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 201099 **Seq:** 1 **Gender:** F
Reported: 23/09/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 22
Onset Date: 29/08/2004 **DOB:** 04/06/1982
Outcome: Recovered 04/09/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Infantile apnoeic attack Bradycardia Hypothermia Premature labour	Required Visit to Doctor Required Visit to Doctor	Baby born at 36 weeks gestation spontaneous rupture of membranes, prolonged labour induced with syntocinon infusion by normal vaginal delivery. Time to establish respiration 5 min. transient bradycardia associated with decreased temperature.	Required ventilation, ICU

Medicine Details:

FLUOXETINE HYDROCHLORIDE (Suspected)		Reason: Depression	
Capsule	40.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 201316

Seq: 1

Gender: F

Reported: 28/09/2004

Weight: 60.00

Hospitalisation:

Age: 26

Onset Date: 15/08/2004

DOB: 21/12/1977

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Oedema peripheral	Required Visit to Doctor	Patient experienced bilateral lower limb oedema.	

Medicine Details:

QUETIAPINE (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started: 01/06/2004	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 201321 **Seq:** 1 **Gender:** F
Reported: 28/09/2004 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 16
Onset Date: 15/12/2003 **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Overdose	Caused or prolonged inpatient hospitalisation	The patient took an overdose of 2g of Seroquel during December 2003. She was admitted to intensive care and remained in a coma for the first four to six days. She then developed pneumonia and so remained in intensive care for two weeks. She also experienced dehydration and loss of appetite, no neurological damage was observed.	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	2.0 Gram	Total	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 201328

Seq: 1

Gender: M

Reported: 28/09/2004

Weight: 80.00

Hospitalisation:

Age: 39

Onset Date: 01/04/2003

DOB: 27/09/1963

Outcome: Recovered

01/04/2003

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Flushing Dysphasia Nausea Orthostatic hypotension		The patient experienced flushing, dysphasia, postural hypotension and nausea.	Seroquel ceased

Medicine Details:

CIPRAMIL (Other drug)		Reason: Depression	
Tablet	40.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SEREPAX (Other drug)		Reason: Otr spec symp psychopathol nec	
Tablet	60.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	50.0 Milligram		Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 201894

Seq: 1

Gender: F

Reported: 21/10/2004

Weight: 85.00

Hospitalisation:

Age: 48

Onset Date: 15/04/2004

DOB: 16/05/1955

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Psoriasis	Required Visit to Doctor	Flare up of psoriasis.	Continued creams

Medicine Details:

DAIVONEX (Other drug)		Reason:	
Cream		Topical	
Batch:	Started:	Stopped:	
ADVANTAN (Other drug)		Reason:	
Ointment		Topical	
Batch:	Started:	Stopped:	
AVANZA (Other drug)		Reason: Depression	
Tablet	30.0 Milligram	Daily	Oral
Batch:	Started: 15/03/2004	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 01/03/2004	Stopped: 30/09/2004	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202383

Seq: 1

Gender: F

Reported: 09/11/2004

Weight: 0.00

Hospitalisation:

Age: 25Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome Autonomic nervous system imbalance Blood creatine phosphokinase increased Depressed level of consciousness Muscle rigidity Pyrexia		Neuroleptic malignant syndrome, altered conscious state, fever, neuromuscular rigidity, autonomic instability and creatinine phosphokinase increased.	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	
LITHIUM CARBONATE (Suspected)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
09/11/2004	Creatine				Cratinine phosphokinase level also increased to 3600.

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202659

Seq: 1

Gender: U

Reported: 18/11/2004

Weight: 0.00

Hospitalisation:

Age: 31

Onset Date:

DOB: 28/02/1973

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		The patient had suicidal ideation and was violent.	
Aggression			

Medicine Details:

CIPRAMIL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202673

Seq: 1

Gender: U

Reported: 18/11/2004

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Suicidal ideation.	

Medicine Details:

RISPERIDONE (Suspected)		Reason:	
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	
AVANZA (Suspected)		Reason:	
Tablet	60.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202691

Seq: 1

Gender: U

Reported: 18/11/2004

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Suicidal and homicidal ideation.	
Homicidal ideation			

Medicine Details:

QUETIAPINE (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:
FLUOXETINE HYDROCHLORIDE (Suspected)	Reason:
Capsule	Oral
Batch:	Started: Stopped:
HALOPERIDOL (Suspected)	Reason:
Batch:	Started: Stopped:
EFEXOR (Suspected)	Reason:
Batch:	Started: Stopped: Oral

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202709

Seq: 1

Gender: U

Reported: 18/11/2004

Weight: 0.00

Hospitalisation:

Age: 20

Onset Date:

DOB: 19/03/1984

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Suicidal ideation.	

Medicine Details:

CIPRAMIL (Suspected)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202791

Seq: 1

Gender: U

Reported: 18/11/2004

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Overdose		Patient overdosed.	

Medicine Details:

QUETIAPINE (Suspected)		Reason:	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202808

Seq: 1

Gender: U

Reported: 18/11/2004

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Suicidal ideation and suicide attempt.	
Suicide attempt			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	0
LARGACTIL (Suspected)		Reason:	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 202810

Seq: 1

Gender: U

Reported: 18/11/2004

Weight: 0.00

Hospitalisation:

Age: 24

Onset Date:

DOB: 30/11/1979

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Akathisia Homicidal ideation Suicidal ideation		Patient experienced akathisia, homicide attempt, suicidal and homicidal ideation.	

Medicine Details:

SEROQUEL (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 203008

Seq: 1

Gender: F

Reported: 24/11/2004

Weight: 0.00

Hospitalisation:

Age: 33

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Mouth ulceration		Stevens-Johnson syndrome type reaction. The patient developed ulcers in the mouth and vaginal ulcers, but there was no skin involvement.	
Vaginal ulceration			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 203972 **Seq:** 1 **Gender:** M
Reported: 06/01/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 35Y
Onset Date: **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Cardiomyopathy	Caused or prolonged inpatient hospitalisation	The patient's cardiac function has slowly deteriorated since starting Seroquel. He has been diagnosed with possible cardiomyopathy, endomyocarditis and endocarditis.	Seroquel ceased.
Endocarditis	Caused or prolonged inpatient hospitalisation		
Myocarditis	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started:	L TERM	Stopped: 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 203973

Seq: 1

Gender: F

Reported: 06/01/2005

Weight: 0.00

Hospitalisation:

Age: 49

Onset Date: 02/09/2002

DOB: 03/11/1952

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperglycaemia		The patient developed hyperglycaemia, weight gain of 22 kg and increased blood sugar level.	Seroquel ceased.
Weight increased			

Medicine Details:

SEROQUEL (Suspected)		Reason: Delirium	
Tablet	500.0 Milligram	Daily	Oral
Batch:	Started: 16/07/2001	Stopped: 19/09/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
06/01/2005	Other data				Blood suger increased 6.8 and 6.2

Additional Information:

Medical history: Allergic rhinitis and asthma.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204283 **Seq:** 1 **Gender:** F
Reported: 17/01/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 24
Onset Date: 19/12/2004 **DOB:** 13/05/1980
Outcome: Recovered 24/12/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Chest pain	Caused or prolonged inpatient hospitalisation	Chest pain, muscles aching and soreness, sinus tachycardia, dispensed Serquel in error.	
Medication error	Caused or prolonged inpatient hospitalisation		
Myalgia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZARIL (Suspected)		Reason:	
Tablet	450.0 Milligram	Daily	Oral
Batch:	Started: 21/08/2004	Stopped:	18/12/2004
SEROQUEL (Suspected)		Reason:	
Tablet	230.0 Milligram	Daily	Oral
Batch:	Started: 19/12/2004	Stopped:	21/12/2004

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
17/01/2005	Serum drug level				Plasma clozapine level of 385 microg/L on 23 Dec.
17/01/2005	Serum drug level				Plasma quetiapine of <25 microg/L on 23 Dec

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204283 **Seq:** 1 **Gender:** F
Reported: 17/01/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 24
Onset Date: 19/12/2004 **DOB:** 13/05/1980
Outcome: Recovered 24/12/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Sinus tachycardia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZARIL (Suspected)		Reason:	
Tablet	450.0 Milligram	Daily	Oral
Batch:	Started: 21/08/2004	Stopped:	18/12/2004

SEROQUEL (Suspected)		Reason:	
Tablet	230.0 Milligram	Daily	Oral
Batch:	Started: 19/12/2004	Stopped:	21/12/2004

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204421 **Seq:** 1 **Gender:** F
Reported: 22/01/2005 **Weight:** 52.00
Hospitalisation: Admitted to hospital **Age:** 42
Onset Date: **DOB:** 22/12/1962
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Urinary retention	Caused or prolonged inpatient hospitalisation	Patient experienced repeated episodes of urinary retention with 2 hospital admissions.	Escitalopram, Seroquel and Edronax discontinued.
Overdose	Caused or prolonged inpatient hospitalisation	patient taking 40mg- 20mg maximum daily dose	

Medicine Details:

Escitalopram (Suspected)		Reason: Depression	
Tablet	40.0 Milligram	Daily	Oral
Batch:	Started: 15/04/2004	Stopped: 15/08/2004	
SEROQUEL (Suspected)		Reason:	
Tablet	5.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
EDRONAX (Suspected)		Reason:	
Tablet	4.0 Milligram	Daily	Oral
Batch:	Started: 15/06/2004	Stopped: 15/08/2004	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The patient has a history of urinary retention on TCA's.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204552 **Seq:** 1 **Gender:** F
Reported: 24/01/2005 **Weight:** 90.00
Hospitalisation: Admitted to hospital **Age:** 25
Onset Date: 06/12/2004 **DOB:** 16/10/1979
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Photosensitivity reaction	Caused or prolonged inpatient hospitalisation	Photosensitivity, admitted for worsening psychosis	Quetiapine reduced and Abilify commenced.
Drug ineffective	Caused or prolonged inpatient hospitalisation		

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified psychosis	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient admitted for worsening psychosis, not skin reaction.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204674

Seq: 1

Gender: F

Reported: 27/01/2005

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Death

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Death		The patient died in her sleep. A coroner's report stated that the cause of death was considered to be epilepsy.	

Medicine Details:

SODIUM VALPROATE (Other drug)		Reason:	
Batch:	Started:	Stopped: Oral	
SEROQUEL (Suspected)		Reason: Other atyp forms schizophrenia	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Concomitant disease: Intellectual disturbances, disturbance in attention.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204681
Reported: 27/01/2005
Hospitalisation:
Onset Date: 13/12/2004
Outcome: Unknown

Seq: 1

Gender: F
Weight: 0.00
Age: 70
DOB: 21/06/1934
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia Blepharospasm Serotonin syndrome Tardive dyskinesia Tremor		Llip smacking, blephharospasm, tardive dyskinesia, tremor, involving right arm and legs, lower limb, serotoucrgic syndrome.	Benztropine 1mg x 2, Diazepam.

Medicine Details:

LITHIUM CARBONATE (Other drug)	Reason:
Tablet Batch: 500.0 Milligram Started: Stopped:	Oral
CALTRATE (Other drug)	Reason:
Tablet Batch: 600.0 Milligram Started: Stopped:	Oral
ASPIRIN (Other drug)	Reason:
Tablet Batch: 150.0 Milligram Started: Stopped:	Oral
IRON (Other drug)	Reason:
Oral Liquid, Syrup Batch: Started: Stopped:	Oral

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204681

Seq: 1

Gender: F

Reported: 27/01/2005

Weight: 0.00

Hospitalisation:

Age: 70

Onset Date: 13/12/2004

DOB: 21/06/1934

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason:

Tablet

600.0 Milligram

Daily

Oral

Batch:

Started:

Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204738
Reported: 31/01/2005

Seq: 1

Gender: M
Weight: 0.00

Hospitalisation:

Onset Date: 08/01/2004

Age: 73

Outcome: Recovered

09/01/2004

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Somnolence	Required Visit to Doctor	Patient experienced somnolence.	Stop MS Contin.

Medicine Details:

BENZYL PENICILLIN (Other drug)	Reason: Other cellulitis and abscess
11.0 Gram	Intravenous
Batch:	Started: 02/01/2004 Stopped:
THYROXINE SODIUM (Other drug)	Reason: Myxedema
100.0 Milligram	Oral
Batch:	Started: Stopped:
METOPROLOL TARTRATE (Other drug)	Reason: Acute myocard infarc,no hypert
25.0 Milligram	Oral
Batch:	Started: 03/01/2004 Stopped:
ASPIRIN (Other drug)	Reason: Acute myocard infarc,no hypert
150.0 Milligram	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204738

Seq: 1

Gender: M

Reported: 31/01/2005

Weight: 0.00

Hospitalisation:

Age: 73

Onset Date: 08/01/2004

DOB:

Outcome: Recovered

09/01/2004

Causality: Causality possible

Reaction Details:

Medicine Details:

PHYTOMENADIONE (Other drug)		Reason:	
	10.0 Milligram		Oral
Batch:	Started: 05/01/2004	Stopped:	
AMANTADINE HYDROCHLORIDE (Other drug)		Reason: Paralysis agitans	
	200.0 Milligram	Daily	Oral
Batch:	Started: L TERM	Stopped:	
MADOPAR (Other drug)		Reason: Paralysis agitans	
	3.0 Dose Unspecified	Daily	Oral
Batch:	Started: L TERM	Stopped:	
PERGOLIDE (Other drug)		Reason: Paralysis agitans	
	2.0 Milligram	Daily	Oral
Batch:	Started: L TERM	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204738
Reported: 31/01/2005

Seq: 1

Gender: M
Weight: 0.00
Age: 73

Hospitalisation:

Onset Date: 08/01/2004

DOB:

Outcome: Recovered

09/01/2004

Causality: Causality possible

Reaction Details:

Medicine Details:

PRAVASTATIN SODIUM (Other drug)		Reason: Chron isch heart dis no hyper	
	40.0 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped:
ISOSORBIDE MONONITRATE (Other drug)		Reason: Chron isch heart dis no hyper	
	60.0 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped:
Morphine Mixture (Suspected)		Reason: Otr&unsp vertebrogen pain synd	
	30.0 Milligram	As necessary	Oral
Batch:	Started: 05/01/2004	Stopped:	
MS CONTIN (Suspected)		Reason: Otr&unsp vertebrogen pain synd	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started: 05/01/2004	Stopped: 08/01/2004	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204738

Seq: 1

Gender: M

Reported: 31/01/2005

Weight: 0.00

Hospitalisation:

Age: 73

Onset Date: 08/01/2004

DOB:

Outcome: Recovered

09/01/2004

Causality: Causality possible

Reaction Details:

Medicine Details:

QUETIAPINE (Suspected)

Reason: Unspecified psychosis

Tablet

50.0 Milligram

Daily

Oral

Batch:

Started:

Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204761 **Seq:** 1 **Gender:** F
Reported: 01/02/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 38
Onset Date: 18/11/2004 **DOB:**
Outcome: Recovered 07/12/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Electrocardiogram QT prolonged	Caused or prolonged inpatient hospitalisation	Prolonged QT interval - collapse, drowsiness, jerking movements previous few days.	Stop Quetiapine and Amitriptyline
Circulatory collapse	Caused or prolonged inpatient hospitalisation		
Dyskinesia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

HUMULIN NPH (Other drug)	Reason: Diabetes mellitus
Injection 10.0 Unit Subcutaneous	
Batch:	Started: Stopped:
IRBESARTAN (Other drug)	Reason: Essential benign hypertension
150.0 Milligram Oral	
Batch:	Started: Stopped:
ATORVASTATIN (Other drug)	Reason: Othr&unspec metabolic diseases
40.0 Milligram	
Batch:	Started: Stopped:
METHADONE HYDROCHLORIDE (Other drug)	Reason:
20.0 Milligram Oral	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
01/02/2005	Electrocardiograph		18/11/2004	499	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204761 **Seq:** 1 **Gender:** F
Reported: 01/02/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 38
Onset Date: 18/11/2004 **DOB:**
Outcome: Recovered 07/12/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Somnolence	Caused or prolonged inpatient hospitalisation		

Medicine Details:

ACTRAPID (Other drug)		Reason: Diabetes mellitus	
Injection	6.0 Unit	Subcutaneous	
Batch:	Started:	Stopped:	
MOTILIUM (Other drug)		Reason:	
	3.0 Dose Unspecified	Oral	
Batch:	Started:	Stopped:	
METOCLOPRAMIDE HYDROCHLORIDE (Other drug)		Reason:	
	30.0 Milligram	Oral	
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason: Depression	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 15/02/2004	Stopped: 22/11/2004	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204761

Seq: 1

Gender: F

Reported: 01/02/2005

Weight: 0.00

Hospitalisation: Admitted to hospital

Age: 38

Onset Date: 18/11/2004

DOB:

Outcome: Recovered

07/12/2004

Causality: Causality possible

Reaction Details:

Medicine Details:

AMITRIPTYLINE HYDROCHLORIDE (Suspected)

Reason: Depression

Tablet

250.0 Milligram

Daily

Oral

Batch:

Started: 15/02/2004

Stopped: 19/11/2004 0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204775

Seq: 1

Gender: F

Reported: 01/02/2005

Weight: 0.00

Hospitalisation:

Age: 39

Onset Date: 02/09/2002

DOB: 03/11/1962

Outcome: Recovered

07/05/2003

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperglycaemia		Patient developed hyperglycaemia a(6.8) and weight gain of 22kg.	Seroquel stopped.
Weight increased			

Medicine Details:

SEROQUEL (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	500.0 Milligram	Daily	Oral
Batch:	Started: 16/07/2001	Stopped: 19/09/2002	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
01/02/2005	Serum glucose				Blood sugar: 6.8 and 6.2.

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 204956

Seq: 1

Gender: F

Reported: 05/02/2005

Weight: 0.00

Hospitalisation:

Onset Date: 01/01/2005

Age: 32Y

Outcome: Unknown

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Alopecia		Hair loss - partial.	
Alopecia			

Medicine Details:

LAMOTRIGINE (Other drug)		Reason:	
Tablet	250.0 Milligram	Oral	
Batch:	Started: 25/06/2004	Stopped:	
Escitalopram (Other drug)		Reason:	
Tablet	20.0 Milligram	Oral	
Batch:	Started: 17/12/2004	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 25/12/2004	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

when the dose reduced to 50mg/day, the adverse event improved



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205041

Seq: 1

Gender: F

Reported: 08/02/2005

Weight: 0.00

Hospitalisation:

Age: 40

Onset Date:

DOB: 10/12/1964

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tic		Patient developed a moderate tic in her right eye.	

Medicine Details:

EPILIM (Other drug)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	
Lexapro (Suspected)		Reason:	
	40.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	
EDRONAX (Suspected)		Reason:	
Tablet	16.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

History of alcohol and Benzodiazapine dependence.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205145 **Seq:** 1 **Gender:** M
Reported: 10/02/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 70Y
Onset Date: **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Depressed level of consciousness	Caused or prolonged inpatient hospitalisation	The patient was noted to be unarousable.	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

History: Dementia, high blood pressure, diabetes mellitus, urinary tract infection.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205146

Seq: 1

Gender: F

Reported: 10/02/2005

Weight: 0.00

Hospitalisation:

Onset Date: 01/11/2004

Age: 64

Outcome: Not yet recovered

DOB:

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Leukopenia		Patient developed Leukopenia and Neutropenia.	Seroquel discontinued and treatment changed to Olanzapine.
Neutropenia			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started: 15/12/2003	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205197 **Seq:** 1 **Gender:** M
Reported: 11/02/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 50
Onset Date: **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Liver function test abnormal	Caused or prolonged inpatient hospitalisation	The patient experienced worsening of liver function tests.	

Medicine Details:

SEROQUEL (Suspected)			Reason:		
Tablet	200.0	Milligram	Daily	Oral	
Batch:	Started:	L TERM		Stopped:	
VENLAFAXINE HYDROCHLORIDE (Suspected)			Reason:		
	75.0	Milligram	Daily		
Batch:	Started:	Stopped:			

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
11/02/2005	Other data				Liver scan was normal.

Additional Information:

History: Liver function test abnormal. Anormal liver function tests prior to hospital admissin, which has worsened after his co-medication was switched from Citalopram to Venlafaxine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205206

Seq: 1

Gender: M

Reported: 14/02/2005

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Death, maybe drug

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Patient developed non-serious neutropenia and died due respiratory failure.	
Respiratory failure			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	2.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient died due to respiratory failure on an unknown date.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205462

Seq: 1

Gender: M

Reported: 22/02/2005

Weight: 0.00

Hospitalisation:

Onset Date: 20/12/2005

Age: 38

DOB: 26/01/1967

Outcome: Recovered

07/02/2005

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Pain		The patient experienced painful sustained retraction of the testes for more than 12 hours. He had two episodes, each associated with a single missed dose fo Quetiapine Fumarate while taking Phenelzine.	
Drug withdrawal syndrome			
Genital pain			
Testicular retraction			

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started: 27/04/2004	Stopped:	
PHENELZINE SULPHATE (Suspected)		Reason: Depression	
	30.0 Milligram	Daily	
Batch:	Started: 12/10/2004	Stopped: 08/02/2005	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205765

Seq: 1

Gender: F

Reported: 06/03/2005

Weight: 78.00

Hospitalisation:

Age: 32

Onset Date: 01/03/2004

DOB: 26/08/1971

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness	Required Specialist Consultation	Dizziness, constipation,blackouts,nausea,muscle spasms uncontrolled body shakes	none as yet
Amnesia	Required Specialist Consultation	Memory loss{severe}	
Abdominal pain	Required Specialist Consultation	Severe intestinal pains,	
Insomnia	Required Specialist Consultation	Sleeplessness or at times can't keep awake	

Medicine Details:

SEROQUEL (Suspected)		Reason:		
Tablet	100.0 Milligram	1 time	Oral	
Batch:	Started: 10/10/1996	Stopped:	0	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205765

Seq: 1

Gender: F

Reported: 06/03/2005

Weight: 78.00

Hospitalisation:

Age: 32

Onset Date: 01/03/2004

DOB: 26/08/1971

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Suicide attempt	Required Specialist Consultation	did try suicide few times by injecting large amounts of the drug	
Constipation	Required Specialist Consultation		
Loss of consciousness	Required Specialist Consultation		
Muscle spasms	Required Specialist Consultation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	1 time	Oral
Batch:	Started: 10/10/1996	Stopped:	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 205765

Seq: 1

Gender: F

Reported: 06/03/2005

Weight: 78.00

Hospitalisation:

Age: 32

Onset Date: 01/03/2004

DOB: 26/08/1971

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Nausea	Required Specialist Consultation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	1 time	Oral
Batch:	Started: 10/10/1996	Stopped:	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 206132

Seq: 1

Gender: F

Reported: 17/03/2005

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Akathisia	Caused or prolonged inpatient hospitalisation	Patient developed Akathisia-like symptoms and extrapyramidal side effects.	
Extrapyramidal disorder	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason: Specific disorders of sleep	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 15/06/2004	Stopped: 15/09/2004	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Occurred 6 months after ceasing Seroquel.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 206432

Seq: 1

Gender: F

Reported: 01/04/2005

Weight: 0.00

Hospitalisation:

Onset Date: 09/02/2005

Age: 26Y

Outcome: Recovered

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia		The patient experienced a severe dystonic reaction.	Cogentin 2mg IM.

Medicine Details:

PAXAM (Other drug)		Reason:	
Tablet	3.0 Milligram	Oral	
Batch:	Started:	Stopped: 14/02/2005	
EPILIM (Other drug)		Reason:	
Tablet	1.0 Gram	Oral	
Batch:	Started:	Stopped:	
SERENACE (Suspected)		Reason:	
Injection	2.0 Milligram	As necessary	Intramuscular
Batch:	Started: 08/02/2005	Stopped: 14/02/2005	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 08/02/2005	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Discharged on 14/02/05 with Seroquel 400, Epilim 1000.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 206433

Seq: 1

Gender: M

Reported: 01/04/2005

Weight: 79.00

Hospitalisation:

Onset Date: 09/02/2005

Age: 32Y

Outcome: Recovered

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia		The patient experienced a severe dystonic reaction.	Cogentin 2mg IM.

Medicine Details:

PAXAM (Other drug)		Reason:	
Tablet	6.0 Milligram	Oral	
Batch:	Started: 31/01/2005	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started: 08/02/2005	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 206719
Reported: 07/04/2005

Seq: 1

Gender: F

Weight: 0.00

Hospitalisation:

Onset Date: 13/02/2003

Age: 29

DOB: 04/02/1974

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug interaction	Caused or prolonged inpatient hospitalisation	The patient was admitted to hospital with rhabdomyolysis secondary to seizures.	The patient was resuscitated, intubated, ventilated and required inotropes. Valproate, Venlafaxine and Quetiapine were ceased.
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		

Medicine Details:

PANADOL (Other drug)	Reason:
Batch:	Started: Stopped:
SANDOMIGRAN (Other drug)	Reason:
Batch:	Started: Stopped:
MERSYNDOL (Other drug)	Reason:
Batch:	Started: Stopped:
DIAZEPAM (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

A drug interaction between Stilnos, Quetiapine, Valproate and Venlafaxine was suspected. Valproate, Venlafaxine and Quetiapine were withdrawn. Valproate and Venlafaxine were subsequently restarted without adverse event.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 206719

Seq: 1

Gender: F

Reported: 07/04/2005

Weight: 0.00

Hospitalisation:

Age: 29

Onset Date: 13/02/2003

DOB: 04/02/1974

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

PROMETHAZINE HYDROCHLORIDE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SALBUTAMOL (Other drug)		Reason:	
Batch:	Started:	Stopped:	
STILNOX (Suspected)		Reason: Convulsions	
Tablet		Oral	
Batch:	Started:	Stopped:	0
QUETIAPINE (Suspected)		Reason:	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 13/02/2003	

Laboratory Investigations:

Additional Information:

A drug interaction between Stilnos, Quetiapine, Valproate and Venlafaxine was suspected. Valproate, Venlafaxine and Quetiapine were withdrawn. Valproate and Venlafaxine were subsequently restarted without adverse event.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 206719

Seq: 1

Gender: F

Reported: 07/04/2005

Weight: 0.00

Hospitalisation:

Age: 29

Onset Date: 13/02/2003

DOB: 04/02/1974

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SODIUM VALPROATE (Suspected)		Reason: Convulsions	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	0
VENLAFAXINE HYDROCHLORIDE (Suspected)		Reason:	
	150.0 Milligram	Daily	
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Additional Information:

A drug interaction between Stilnos, Quetiapine, Valproate and Venlafaxine was suspected. Valproate, Venlafaxine and Quetiapine were withdrawn. Valproate and Venlafaxine were subsequently restarted without adverse event.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207335 **Seq:** 1 **Gender:** M
Reported: 21/04/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 55
Onset Date: 09/03/2005 **DOB:** 19/04/1949
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia	Caused or prolonged inpatient hospitalisation	The patient experienced relapse psychosis, worsening of tardive dyskinesia and neutrophilia, vomiting, diarrhoea and leucocytosis and elevated liver enzymes. He may have been non-compliant with Clozaril treatment.	Clozaril dosage increased from 400mg/day to 450mg/day. Started electro-convulsive therapy.
Diarrhoea	Caused or prolonged inpatient hospitalisation		

Medicine Details:

QUETIAPINE (Suspected)	Reason:
Tablet 100.0 Milligram	Oral
Batch:	Started: Stopped:
EFEXOR (Suspected)	Reason:
75.0 Milligram	Oral
Batch:	Started: Stopped:
VALIUM (Suspected)	Reason:
Batch:	Started: Stopped:
CLOZARIL (Suspected)	Reason: Unspecified schizophrenia
Tablet 400.0 Milligram	Daily Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207335 **Seq:** 1 **Gender:** M
Reported: 21/04/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 55
Onset Date: 09/03/2005 **DOB:** 19/04/1949
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hepatic enzyme increased	Caused or prolonged inpatient hospitalisation		
Leukocytosis	Caused or prolonged inpatient hospitalisation		
Neutrophilia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

QUETIAPINE (Suspected)		Reason:	
Tablet	100.0 Milligram		Oral
Batch:	Started:	Stopped:	
EFEXOR (Suspected)		Reason:	
	75.0 Milligram		Oral
Batch:	Started:	Stopped:	
VALIUM (Suspected)		Reason:	
Batch:	Started:	Stopped:	
CLOZARIL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207335 **Seq:** 1 **Gender:** M
Reported: 21/04/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 55
Onset Date: 09/03/2005 **DOB:** 19/04/1949
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Vomiting	Caused or prolonged inpatient hospitalisation		

Medicine Details:

QUETIAPINE (Suspected)		Reason:	
Tablet	100.0 Milligram	Oral	
Batch:	Started:	Stopped:	
EFEXOR (Suspected)		Reason:	
	75.0 Milligram	Oral	
Batch:	Started:	Stopped:	
VALIUM (Suspected)		Reason:	
Batch:	Started:	Stopped:	
CLOZARIL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207536

Seq: 1

Gender: F

Reported: 02/05/2005

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia		The patient experienced dystonia.	Quetiapine ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207636

Seq: 1

Gender: F

Reported: 05/05/2005

Weight: 0.00

Hospitalisation:

Onset Date: 28/02/2003

Age: 46

DOB: 31/05/1956

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Electrocardiogram QT prolonged		Electrocardiogram QT prolonged (QTc 494).	Quetiapine ceased and Risperidone started.

Medicine Details:

ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)		Reason: Other diseases of esophagus	
	20.0 Milligram	Daily	
Batch:	Started:	Stopped:	
METFORMIN HYDROCHLORIDE (Other drug)		Reason: Diabetes mellitus	
Tablet	2.0 Gram	Daily Oral	
Batch:	Started:	Stopped:	
DIAZEPAM (Other drug)		Reason: Anxiety neurosis	
	15.0 Milligram	Daily	
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
Tablet	800.0 Milligram	Daily Oral	
Batch:	Started:	Stopped: 28/02/2003	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207760

Seq: 1

Gender: M

Reported: 12/05/2005

Weight: 0.00

Hospitalisation:

Age: 28

Onset Date: 20/04/2005

DOB: 02/01/1977

Outcome: Recovered with sequelae

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Diabetic ketoacidosis	Life threatening	Patient was admitted to ICU with diabetic ketoacidosis following a 3 week history of weight loss (10 kg), polyuria.	Fluid and electrolyte replacement. Insulin. Zyprexa and Seroquel ceased. Abilify commenced
Polyuria	Life threatening		
Weight decreased	Life threatening		

Medicine Details:

ZYPREXA (Suspected)		Reason:	
Tablet	20.0 Milligram	1 time	Oral
Batch:	Started: 01/04/2004	Stopped: 02/05/2005	
SEROQUEL (Suspected)		Reason:	
Tablet	400.0 Milligram	1 time	Oral
Batch:	Started: 01/04/2004	Stopped: 02/05/2005	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
12/05/2005	Biochemistry				Hypokalemia, hyperglycaemia

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207974

Seq: 1

Gender: M

Reported: 19/05/2005

Weight: 70.00

Hospitalisation:

Age: 27

Onset Date: 21/01/2005

DOB: 08/08/1977

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Neutropenia suspected while on Quetiapine.	Cessation of medication.

Medicine Details:

QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 14/12/2004	Stopped: 22/03/2005	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 207977 **Seq:** 1 **Gender:** M
Reported: 19/05/2005 **Weight:** 0.00
Hospitalisation: Required a visit to the doctor **Age:** 25
Onset Date: **DOB:** 09/11/1979
Outcome: Recovered 08/03/2005 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Suspected neutropenia persisted.	Quetiapine ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started: 30/12/2004	Stopped:	15/02/2005

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208415

Seq: 1

Gender: F

Reported: 02/06/2005

Weight: 38.00

Hospitalisation:

Age: 34

Onset Date: 15/01/2004

DOB: 31/01/1969

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Oral mucosal blistering	Incapacity/disability	After four months of Seroquel treatment the patient developed oral blisters of a moderate intensity.	

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 15/09/2003	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208416

Seq: 1

Gender: M

Reported: 02/06/2005

Weight: 0.00

Hospitalisation:

Age: 51Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Circulatory collapse		Three weeks after beginning treatment with Seroquel the patient collapsed at home.	Taken to the emergency room.

Medicine Details:

ZOLOFT (Suspected)		Reason: Depression	
Tablet		Oral	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking cholesterol lowering drugs. Concomitant disease: diabetes mellitus



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208442

Seq: 1

Gender: F

Reported: 03/06/2005

Weight: 0.00

Hospitalisation:

Age: 25

Onset Date:

DOB: 30/11/1979

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Homicidal ideation Akathisia Hallucination, auditory Suicidal ideation Suicide attempt		The patient experienced homicidal ideation, suicidal ideation, a suicide attempt, auditory hallucinations and akathisia .She found herself at her parents' house carrying a knife with the intention to kill them.	

Medicine Details:

SEROQUEL (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Report 208441 is the first sequence to this report.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208454

Seq: 1

Gender: M

Reported: 03/06/2005

Weight: 0.00

Hospitalisation:

Age: 32

Onset Date:

DOB: 13/06/1972

Outcome: Unrelated death

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation	Death	The patient was violently suicidal with multiple suicidal acts whilst on Efexor. He developed voice hallucinations, which were treated with Seroquel. This led to an overdose of suicidal intention and delirium.	Treated with Chlorpromazine.
Delirium	Death		
Suicide attempt	Death		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	
EFEXOR (Suspected)		Reason:	
	300.0 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient drank a bottle of vodka, fell over aspirated and died. Not a suicide but a death.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208710

Seq: 1

Gender: F

Reported: 16/06/2005

Weight: 0.00

Hospitalisation:

Onset Date: 15/03/2001

Age: 99U

Outcome: Unknown

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Suspected- In March 2001, patient developed moderate neutropenia, and was monitored regularly with blood tests. Neutropenia was considered to be fluctuating. Seroquel was eventually ceased due to risk. event resolved on cessation	

Medicine Details:

OXAZEPAM (Other drug)		Reason:	
Tablet	60.0 Milligram	Oral	
Batch:	Started:	Stopped:	
EPILIM (Other drug)		Reason:	
Tablet	1000.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason:	
Tablet	650.0 Milligram	Oral	
Batch:	Started: 15/11/2000	Stopped:	19/09/2002 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208713

Seq: 1

Gender: M

Reported: 16/06/2005

Weight: 0.00

Hospitalisation:

Age: 29

Onset Date: 21/05/2005

DOB: 01/11/1975

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Swollen tongue		Patient experienced swollen tongue and difficulty speaking, shakey and trouble with co-ordination.	Treated with Cogentin 2mg oral 02/02/05 and 1mg 02/03/05..
Coordination abnormal			
Nervousness			
Speech disorder			

Medicine Details:

OMEPRAZOLE (Other drug)		Reason:	
	20.0 Milligram		
Batch:	Started: 19/05/2005	Stopped:	
CLOPIXOL-ACUPHASE (Suspected)		Reason:	
Injection	100.0 Milligram	Daily	Intramuscular
Batch:	Started: 20/05/2005	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started: 20/05/2005	Stopped:	
OLANZAPINE (Suspected)		Reason:	
Tablet	10.0 Milligram	Daily	Oral
Batch:	Started: 21/05/2005	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208821

Seq: 1

Gender: M

Reported: 21/06/2005

Weight: 0.00

Hospitalisation:

Onset Date: 11/05/2005

Age: 59

DOB: 11/04/1946

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypotension Cheyne-Stokes respiration Confusional state Delirium Dysarthria Hallucination Sedation		The patient experienced hypotension (BP 86/58), oversedation, decreased GCS, was not easily rousable, delirium, hallucinations, confusion, slurred speech, cheyne-stokes breathing and deterioration of heart failure.	Seroquel withheld, increased Dobutamine and increased Oxygen (nasal prongs).

Medicine Details:

PRAVASTATIN SODIUM (Other drug)	Reason:
Batch:	Started: Stopped:
MAGMIN (Other drug)	Reason:
Batch:	Started: Stopped:
RAMIPRIL (Other drug)	Reason:
Batch:	Started: Stopped: 0
DIGOXIN (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208821

Seq: 1

Gender: M

Reported: 21/06/2005

Weight: 0.00

Hospitalisation:

Age: 59

Onset Date: 11/05/2005

DOB: 11/04/1946

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

TEMAZEPAM (Other drug)	Reason:
Batch:	Started: Stopped:
SOTALOL HYDROCHLORIDE (Other drug)	Reason:
Batch:	Started: Stopped:
SLOW-K (Other drug)	Reason:
Batch:	Started: Stopped:
FRUSEMIDE (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208821

Seq: 1

Gender: M

Reported: 21/06/2005

Weight: 0.00

Hospitalisation:

Age: 59

Onset Date: 11/05/2005

DOB: 11/04/1946

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

CLEXANE (Other drug)	Reason:
Batch:	Started: Stopped:
WARFARIN SODIUM (Other drug)	Reason:
Batch:	Started: Stopped:
QUININE (Other drug)	Reason:
Batch:	Started: Stopped:
SPIRONOLACTONE (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208821

Seq: 1

Gender: M

Reported: 21/06/2005

Weight: 0.00

Hospitalisation:

Age: 59

Onset Date: 11/05/2005

DOB: 11/04/1946

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason:

Tablet

200.0 Milligram

Daily

Oral

Batch:

Started: 11/05/2005

Stopped: 12/05/2005

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208856

Seq: 1

Gender: F

Reported: 21/06/2005

Weight: 0.00

Hospitalisation:

Onset Date: 19/05/2005

Age: 34Y

Outcome: Unknown

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion		Patient experienced a seizure ten to eleven days after stopping Xanax therapy.	Xanax ceased.
Drug withdrawal syndrome			

Medicine Details:

XANAX (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:
AURORIX (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:
SEROQUEL (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

This was the second in three years under same circumstances. Both occurred within 7-10 days of abrupt cessation of Xanax



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208859

Seq: 1

Gender: F

Reported: 21/06/2005

Weight: 0.00

Hospitalisation:

Onset Date: 15/02/2005

Age: 39Y

Outcome: Unknown

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypermetropia	Incapacity/disability	The patient developed long-sightedness and began to experience headaches.	Lenses changed to accomodate her long sightedness.
Headache	Incapacity/disability		

Medicine Details:

DOTHIEPIN HYDROCHLORIDE (Other drug)		Reason:	
	150.0 Milligram		Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	30.0 Milligram	Daily	Oral
Batch:	Started: 15/02/2005	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

History: Depression, short-sighted and myopia. Patient had been short-sighted since the age of 12.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208957
Reported: 23/06/2005

Seq: 1

Gender: F
Weight: 0.00

Hospitalisation:

Onset Date: 30/03/2005

Age: 41Y

Outcome: Recovered

15/04/2005

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Intestinal obstruction	Caused or prolonged inpatient hospitalisation	The patient suffered a manic episode, which was not controlled by a 600mg dose of Seroquel, therefore the patient's physician increased the dose to 1200mg daily. The patient developed a severe partial bowel obstruction, secondary to faecal impaction.	The dose of Seroquel was reduced, the patient underwent two treatments with Glycoprep (macrogol 3350) for bowel evacuation.
Faecaloma	Caused or prolonged inpatient hospitalisation		

Medicine Details:

AROPAX (Other drug)		Reason:	
	20.0 Milligram		
Batch:	Started:	Stopped:	
VALIUM (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	1.2 Gram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

600mg dose increased the Seroquel dose was 1200mg daily.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 208957

Seq: 1

Gender: F

Reported: 23/06/2005

Weight: 0.00

Hospitalisation:

Age: 41Y

Onset Date: 30/03/2005

DOB:

Outcome: Recovered

15/04/2005

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Therapy regimen changed	Caused or prolonged inpatient hospitalisation		

Medicine Details:

AROPAX (Other drug)		Reason:	
	20.0 Milligram		
Batch:	Started:	Stopped:	
VALIUM (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	1.2 Gram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

600mg dose increased the Seroquel dose was 1200mg daily.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209439 **Seq:** 1 **Gender:** M
Reported: 04/07/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 30Y
Onset Date: 01/04/2003 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hepatitis	Caused or prolonged inpatient hospitalisation	The patient developed hepatitis.	Dose of Seroquel reduced, observation and follow up at Gastro Clinic on several occasions.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	500.0 Milligram	Daily	Oral
Batch:	Started: 15/03/2003	Stopped: 15/04/2003	0
CIPRAMIL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
04/07/2005	ALT = SGPT				ALT 268.
04/07/2005	AST = SGOT				AST 93.
04/07/2005	Albumin				ALB 48.
04/07/2005	Bilirubin				Bili 15.
04/07/2005	SAP = ALP				ALP 104.

Additional Information:

Initially taking Olanzapine which was ceased (unknown why) 4/52 ago, and Seroquel initiated.
Marked fatty infiltrate of liver. Reviewed - Gastro Clinic 01/09/04. ALT now 179 (was 500).



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209498
Reported: 06/07/2005

Seq: 1

Gender: F
Weight: 0.00
Age: 38
DOB: 08/07/1966
Causality: Causality possible

Hospitalisation:

Onset Date:
Outcome: Recovered

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Vomiting		experienced night seats, vomiting and tiredness. she was grumpy from feeling tired at work	
Night sweats		experienced night sweats within the first month of taking efexor XR 225mg, resolved when within 7 to 10 days of reducing dose to 150mg	
Therapy regimen changed		gradual increase in dose from 75mg to 225mg	
Fatigue			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	
EFEXOR-XR (Suspected)		Reason: Depression	
Capsule	225.0 Milligram	Daily	Oral
Batch:	Started: 15/04/2005	Stopped:	Continuing

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Current conditions: Schizophrenia.Psychotic disorder, Smoker, Overweight



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209576 **Seq:** 1 **Gender:** F
Reported: 07/07/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 59
Onset Date: 16/08/2004 **DOB:** 29/06/1945
Outcome: Recovered 04/07/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	Patient developed neuroleptic malignant syndrome, fevers to 40 degrees, decreased level of consciousness, creatinine kinase increased, white level count increased, neutrophils increased.	Withheld Dothiepin and Quetiapine.
Blood creatine phosphokinase incr	Caused or prolonged inpatient hospitalisation		
Depressed level of consciousness	Caused or prolonged inpatient hospitalisation		

Medicine Details:

DIAZEPAM (Other drug)	Reason:
Batch:	Started: Stopped:
ASPIRIN (Other drug)	Reason:
Batch:	Started: Stopped:
THIAMINE (Other drug)	Reason:
Batch:	Started: Stopped:
CENTRUM TABLETS (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
07/07/2005	Neutrophils				Neutrophils 10.39.
07/07/2005	White blood cells				WCC 12.4.

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209576 **Seq:** 1 **Gender:** F
Reported: 07/07/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 59
Onset Date: 16/08/2004 **DOB:** 29/06/1945
Outcome: Recovered 04/07/2004 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutrophil count increased	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		
White blood cell count increased	Caused or prolonged inpatient hospitalisation		

Medicine Details:

COLOXYL (Other drug)	Reason:
Batch:	Started: Stopped:
FRUSEMIDE (Other drug)	Reason:
Batch:	Started: Stopped:
METFORMIN HYDROCHLORIDE (Other drug)	Reason:
Batch:	Started: Stopped:
METOPROLOL TARTRATE (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209576

Seq: 1

Gender: F

Reported: 07/07/2005

Weight: 0.00

Hospitalisation: Admitted to hospital

Age: 59

Onset Date: 16/08/2004

DOB: 29/06/1945

Outcome: Recovered

04/07/2004

Causality: Causality possible

Reaction Details:

Medicine Details:

PRAVACHOL (Other drug)		Reason:
Batch:	Started:	Stopped:
SOMAC (Other drug)		Reason:
Batch:	Started:	Stopped:
RAMIPRIL (Other drug)		Reason:
Batch:	Started:	Stopped:
GLYCERYL TRINITRATE (Other drug)		Reason:
Batch:	Started:	Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209576 **Seq:** 1 **Gender:** F
Reported: 07/07/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 59
Onset Date: 16/08/2004 **DOB:** 29/06/1945
Outcome: Recovered 04/07/2004 **Causality:** Causality possible

Reaction Details:

Medicine Details:

NOVORAPID (Other drug)		Reason:	
Batch:	Started:	Stopped:	
PROTAPHANE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
DOTHIEPIN HYDROCHLORIDE (Suspected)		Reason: Depression	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 01/07/2004	
QUETIAPINE (Suspected)		Reason: Hallucinations	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 01/07/2004	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209636

Seq: 1

Gender: M

Reported: 08/07/2005

Weight: 0.00

Hospitalisation:

Age: 34

Onset Date:

DOB: 03/07/1971

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dysuria		The patient commenced treatment with Seroquel approximately three years ago on a lower dose. The patient began Seroquel 800mg. On an unknown date the patient developed difficulty with urination, which resolved spontaneously within two to three hours. On re-introduction of Seroquel the event recurred.	
Therapy regimen changed			

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Tablet	800.0 Milligram
	Daily
	Oral
Batch:	Started:
	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209780 **Seq:** 1 **Gender:** F
Reported: 13/07/2005 **Weight:** 70.00
Hospitalisation: Admitted to hospital **Age:** 29
Onset Date: 15/12/2004 **DOB:** 10/06/1975
Outcome: Recovered 12/06/2005 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Constipation	Caused or prolonged inpatient hospitalisation	The patient experienced severe constipation with mega colon and sub-acute gut obstruction. She had an increasing problem with no result for 3 - 4 weeks. She became dehydrated and was vomiting.	Given IV fluids and gastrografin enema. Seroquel ceased.
Dehydration	Caused or prolonged inpatient hospitalisation		

Medicine Details:

LAMICTAL (Other drug)		Reason: Other&unspecified epilepsy	
	200.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped:
RIVOTRIL (Other drug)		Reason: Other&unspecified epilepsy	
	3.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped:
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 10/06/2005	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209780 **Seq:** 1 **Gender:** F
Reported: 13/07/2005 **Weight:** 70.00
Hospitalisation: Admitted to hospital **Age:** 29
Onset Date: 15/12/2004 **DOB:** 10/06/1975
Outcome: Recovered 12/06/2005 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Vomiting	Caused or prolonged inpatient hospitalisation		

Medicine Details:

LAMICTAL (Other drug)		Reason: Other&unspecified epilepsy	
	200.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped:
RIVOTRIL (Other drug)		Reason: Other&unspecified epilepsy	
	3.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped:
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started:		Stopped: 10/06/2005

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 209781 **Seq:** 1 **Gender:** F
Reported: 13/07/2005 **Weight:** 72.00
Hospitalisation: Required a visit to the doctor **Age:** 47
Onset Date: **DOB:** 04/02/1958
Outcome: Recovered 30/05/2004 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Constipation		The patient experienced severe constipation leading to mega colon.	Seroquel dose reduced over two weeks until ceased.

Medicine Details:

EFEXOR-XR (Other drug)		Reason: Depression	
	150.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped:
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped: 12/05/2004

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Low dose 25mg Seroquel tried again on 3 occasions in September 04.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210087

Seq: 1

Gender: M

Reported: 25/07/2005

Weight: 0.00

Hospitalisation:

Age: 81

Onset Date: 12/06/2005

DOB: 10/04/1924

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Pruritus	Caused or prolonged inpatient hospitalisation	Patient experienced itchy skin which then developed into a rash on the chest and legs.	Oral antihistamines.
Rash	Caused or prolonged inpatient hospitalisation		

Medicine Details:

AUGMENTIN DUO FORTE (Other drug)		Reason:
Batch:	Started:	Stopped:
Ciprol (Other drug)		Reason:
Batch:	Started:	Stopped:
GLICLAZIDE (Other drug)		Reason:
Batch:	Started:	Stopped:
ZOCOR (Other drug)		Reason:
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210087

Seq: 1

Gender: M

Reported: 25/07/2005

Weight: 0.00

Hospitalisation:

Age: 81

Onset Date: 12/06/2005

DOB: 10/04/1924

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SPIRIVA (Other drug)	Reason:
Batch:	Started: Stopped:
PANADOL (Other drug)	Reason:
Batch:	Started: Stopped:
VENTOLIN NEBULES (Other drug)	Reason:
Batch:	Started: Stopped:
ENDONE (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210087

Seq: 1

Gender: M

Reported: 25/07/2005

Weight: 0.00

Hospitalisation:

Age: 81

Onset Date: 12/06/2005

DOB: 10/04/1924

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

OXYCONTIN (Other drug)		Reason:	
Batch:	Started:	Stopped:	
ANGININE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SERENACE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	12.5 Milligram	As necessary	Oral
Batch:	Started: 09/06/2005	Stopped: 16/06/2005	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210134

Seq: 1

Gender: M

Reported: 27/07/2005

Weight: 0.00

Hospitalisation:

Onset Date: 03/07/2005

Age: 69Y

Outcome: Recovered

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Therapy regimen changed		The patient developed pitting oedema on the distal third right and left leg, which coincided with increased dose of Quetiapine and commencement of Venlafaxine.	Dose of Quetiapine was reduced to 150mg.
Gravitational oedema			

Medicine Details:

MADOPAR (Other drug)		Reason:	
	3.0	Dose Unspecified	Oral
Batch:	Started:	Stopped: 24/06/2005	
BENZHEXOL HYDROCHLORIDE (Other drug)		Reason:	
	6.0	Milligram	Oral
Batch:	Started:	Stopped:	
ASPIRIN (Other drug)		Reason:	
	100.0	Milligram	
Batch:	Started:	Stopped:	
ALPRAZOLAM (Other drug)		Reason:	
	2.0	Milligram	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210134

Seq: 1

Gender: M

Reported: 27/07/2005

Weight: 0.00

Hospitalisation:

Age: 69Y

Onset Date: 03/07/2005

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

CITALOPRAM HYDROBROMIDE (Other drug)		Reason:	
	20.0 Milligram		
Batch:	Started:	Stopped: 28/06/2005	
COLOXYL WITH SENNA (Other drug)		Reason:	
	2.0 Dose Unspecified		
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 24/06/2005	
EFEXOR-XR (Suspected)		Reason:	
Capsule	75.0 Milligram	Daily	Oral
Batch:	Started: 01/07/2005	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210213

Seq: 1

Gender: F

Reported: 28/07/2005

Weight: 0.00

Hospitalisation:

Onset Date: 20/06/2005

Age: 41

DOB: 04/04/1964

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia		The patient developed mild tardive dyskinesia.	

Medicine Details:

CIPRAMIL (Other drug)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	
EFEXOR (Suspected)		Reason:	
			Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: S TERM	Stopped:	0
OLANZAPINE (Suspected)		Reason:	
	5.0 Milligram	Daily	Oral
Batch:	Started: 11/09/2004	Stopped: 29/09/2004	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210404

Seq: 1

Gender: F

Reported: 04/08/2005

Weight: 0.00

Hospitalisation:

Age: 53

Onset Date: 15/01/2005

DOB: 27/04/1951

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Psoriasis	Caused or prolonged inpatient hospitalisation	Patient experienced worsening psoriasis with bleeding, blood cholesterol increased, no menstruation, facial flushing, teeth clenching/grinding, "grinding made teeth fillings fall out", purple discolouration of skin on feet, peeling of both feet, "bad circulation", candida, agitation, patient also experienced hypermania and biting of tongue, while tapering Efexor.	

Medicine Details:

NEURONTIN (Other drug)		Reason:
Batch:	Started:	Stopped:
VALIUM (Other drug)		Reason:
Batch:	Started:	Stopped:
XANAX (Other drug)		Reason:
Batch:	Started:	Stopped:
PARIET (Other drug)		Reason:
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The patient's concurrent illnesses include psoriasis (both parents also have psoriasis, hypertension and pain. The patient was 'medically retired' due to psychiatric problems which she has had since she was 12 years old. The patient has a past history of major back surgery during which time, she tested positive for 'staph and helicabacter' infections. The patient was previously hospitalised with psoriasis while taking Prozac and experienced mania while taking Cortisone. The patient has a familial history of hypercholesterolaemia and her father has bipolar disorder.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210404

Seq: 1

Gender: F

Reported: 04/08/2005

Weight: 0.00

Hospitalisation:

Onset Date: 15/01/2005

Age: 53

DOB: 27/04/1951

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug withdrawal syndrome	Caused or prolonged inpatient hospitalisation	patient experienced forgetfulness while taking Efeoxr, hypomania while tapering and was suicidal after stopping therapy	
Agitation	Caused or prolonged inpatient hospitalisation		
Amenorrhoea	Caused or prolonged inpatient hospitalisation		

Medicine Details:

RENITEC (Other drug)			Reason:		
Batch:		Started:		Stopped:	
DI-GESIC (Other drug)			Reason:		
Batch:		Started:		Stopped:	
PETHIDINE HYDROCHLORIDE (Other drug)			Reason:		
Batch:		Started:		Stopped:	
VITAMINS (Other drug)			Reason:		
Batch:		Started:		Stopped:	

Laboratory Investigations:

Additional Information:

The patient's concurrent illnesses include psoriasis (both parents also have psoriasis, hypertension and pain. The patient was 'medically retired' due to psychiatric problems which she has had since she was 12 years old. The patient has a past history of major back surgery during which time, she tested positive for 'staph and helicabacter' infections. The patient was previously hospitalised with psoriasis while taking Prozac and experienced mania while taking Cortisone. The patient has a familial history of hypercholesterolaemia and her father has bipolar disorder.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210404

Seq: 1

Gender: F

Reported: 04/08/2005

Weight: 0.00

Hospitalisation:

Onset Date: 15/01/2005

Age: 53

DOB: 27/04/1951

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood cholesterol increased	Caused or prolonged inpatient hospitalisation		
Bruxism	Caused or prolonged inpatient hospitalisation		
Candidiasis	Caused or prolonged inpatient hospitalisation		

Medicine Details:

EFEXOR-XR (Suspected)		Reason: Anxiety neurosis	
Capsule	150.0 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped: 15/04/2005 0
SEROQUEL (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	Continuing.

Laboratory Investigations:

Additional Information:

The patient's concurrent illnesses include psoriasis (both parents also have psoriasis, hypertension and pain. The patient was 'medically retired' due to psychiatric problems which she has had since she was 12 years old. The patient has a past history of major back surgery during which time, she tested positive for 'staph and helicabacter' infections. The patient was previously hospitalised with psoriasis while taking Prozac and experienced mania while taking Cortisone. The patient has a familial history of hypercholesterolaemia and her father has bipolar disorder.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210404

Seq: 1

Gender: F

Reported: 04/08/2005

Weight: 0.00

Hospitalisation:

Onset Date: 15/01/2005

Age: 53

DOB: 27/04/1951

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dermatitis exfoliative	Caused or prolonged inpatient hospitalisation		
Flushing	Caused or prolonged inpatient hospitalisation		
Haemorrhage subcutaneous	Caused or prolonged inpatient hospitalisation		

Medicine Details:

Neurontin Details:		
NEURONTIN (Other drug)	Reason:	
Batch:	Started:	Stopped:
Valium Details:		
VALIUM (Other drug)	Reason:	
Batch:	Started:	Stopped:
Xanax Details:		
XANAX (Other drug)	Reason:	
Batch:	Started:	Stopped:
Pariet Details:		
PARIET (Other drug)	Reason:	
Batch:	Started:	Stopped:

Laboratory Investigations:

Additional Information:

The patient's concurrent illnesses include psoriasis (both parents also have psoriasis, hypertension and pain. The patient was 'medically retired' due to psychiatric problems which she has had since she was 12 years old. The patient has a past history of major back surgery during which time, she tested positive for 'staph and helicabacter' infections. The patient was previously hospitalised with psoriasis while taking Prozac and experienced mania while taking Cortisone. The patient has a familial history of hypercholesterolaemia and her father has bipolar disorder.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210404
Reported: 04/08/2005

Seq: 1

Gender: F

Weight: 0.00

Hospitalisation:

Onset Date: 15/01/2005

Age: 53

DOB: 27/04/1951

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Mania	Caused or prolonged inpatient hospitalisation		
Memory impairment	Caused or prolonged inpatient hospitalisation		
Poor peripheral circulation	Caused or prolonged inpatient hospitalisation		

Medicine Details:

RENITEC (Other drug)	Reason:
Batch:	Started: Stopped:
DI-GESIC (Other drug)	Reason:
Batch:	Started: Stopped:
PETHIDINE HYDROCHLORIDE (Other drug)	Reason:
Batch:	Started: Stopped:
VITAMINS (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Additional Information:

The patient's concurrent illnesses include psoriasis (both parents also have psoriasis, hypertension and pain. The patient was 'medically retired' due to psychiatric problems which she has had since she was 12 years old. The patient has a past history of major back surgery during which time, she tested positive for 'staph and helicabacter' infections. The patient was previously hospitalised with psoriasis while taking Prozac and experienced mania while taking Cortisone. The patient has a familial history of hypercholesterolaemia and her father has bipolar disorder.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210404

Seq: 1

Gender: F

Reported: 04/08/2005

Weight: 0.00

Hospitalisation:

Onset Date: 15/01/2005

Age: 53

DOB: 27/04/1951

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Skin discolouration	Caused or prolonged inpatient hospitalisation		
Tongue biting	Caused or prolonged inpatient hospitalisation		
Tooth disorder	Caused or prolonged inpatient hospitalisation		

Medicine Details:

EFEXOR-XR (Suspected)		Reason: Anxiety neurosis	
Capsule	150.0 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped: 15/04/2005 0
SEROQUEL (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	Continuing.

Laboratory Investigations:

Additional Information:

The patient's concurrent illnesses include psoriasis (both parents also have psoriasis, hypertension and pain. The patient was 'medically retired' due to psychiatric problems which she has had since she was 12 years old. The patient has a past history of major back surgery during which time, she tested positive for 'staph and helicabacter' infections. The patient was previously hospitalised with psoriasis while taking Prozac and experienced mania while taking Cortisone. The patient has a familial history of hypercholesterolaemia and her father has bipolar disorder.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210560

Seq: 1

Gender: F

Reported: 10/08/2005

Weight: 0.00

Hospitalisation:

Age: 17Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Toxic epidermal necrolysis	Incapacity/disability	Patient developed toxic epidermal necrolysis.	Ceased Lamictal, Quetiapine, Chlorpromazine HCL, Lithium salt, Sodium Valproate, Biperiden. Treatment with Risperdone was started.

Medicine Details:

LAMICTAL (Suspected)	Reason: Unspecifid affective psychosis
Tablet	Oral
Batch:	Started: Stopped:
QUETIAPINE (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:
CHLORPROMAZINE HYDROCHLORIDE (Suspected)	Reason:
Batch:	Started: Stopped:
LITHIUM CARBONATE (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210560

Seq: 1

Gender: F

Reported: 10/08/2005

Weight: 0.00

Hospitalisation:

Age: 17Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality probable

Reaction Details:

Medicine Details:

SODIUM VALPROATE (Suspected)		Reason:	
Batch:	Started:	Stopped: Oral	
BIPERIDEN HYDROCHLORIDE (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 210982 **Seq:** 1 **Gender:** F
Reported: 22/08/2005 **Weight:** 120.00
Hospitalisation: Admitted to hospital **Age:** 32
Onset Date: 05/08/2005 **DOB:** 01/08/1973
Outcome: Recovered 12/08/2005 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Asthma	Caused or prolonged inpatient hospitalisation	The patient experienced a moderate severity asthma attack.	Nebs, Prednisolone, Oxygen, Potassium and Magnesium supplements given. Coversyl, Cipramil and Seroquel ceased.

Medicine Details:

COVERSYL (Suspected)		Reason: Essential benign hypertension	
Tablet	4.0 Milligram	Daily	Oral
Batch:	Started: 04/08/2005	Stopped: 05/08/2005	
CIPRAMIL (Suspected)		Reason: Depression	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started: 27/07/2005	Stopped: 10/08/2005	
SEROQUEL (Suspected)		Reason: Manic-depression psycho,manic	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 27/07/2005	Stopped: 11/08/2005	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211097

Seq: 1

Gender: M

Reported: 25/08/2005

Weight: 0.00

Hospitalisation:

Age: 46

Onset Date: 08/08/2005

DOB: 27/02/1959

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tachycardia		Patient experienced tachycardia 90-110, elevated creatinine kinase reported as 246, suspected neuroleptic malignant syndrome.	Clopine withheld.
Blood creatine phosphokinase incr			
Neuroleptic malignant syndrome			
Pyrexia			

Medicine Details:

LORAZEPAM (Other drug)		Reason:	
Tablet	6.0 Milligram	Oral	
Batch:	Started:	Stopped:	0
CLONAZEPAM (Other drug)		Reason:	
Batch:	Started:	Stopped:	
PARACETAMOL (Other drug)		Reason:	
Tablet	4.0 Gram	Oral	
Batch:	Started:	Stopped:	
OLANZAPINE (Suspected)		Reason:	
Tablet	20.0 Milligram	Oral	
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211097

Seq: 1

Gender: M

Reported: 25/08/2005

Weight: 0.00

Hospitalisation:

Age: 46

Onset Date: 08/08/2005

DOB: 27/02/1959

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

Aripiprazole (Suspected)		Reason:	
Tablet	15.0 Milligram	Oral	
Batch:	Started:	Stopped:	0
QUETIAPINE (Suspected)		Reason:	
Batch:	Started:	Stopped:	
CLOPINE (Suspected)		Reason:	
Tablet	125.0 Milligram	Daily	Oral
Batch:	Started: 26/07/2005	Stopped:	09/08/2005

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211113 **Seq:** 1 **Gender:** M
Reported: 25/08/2005 **Weight:** 0.00
Hospitalisation: Required a visit to the doctor **Age:** 40
Onset Date: 24/07/2005 **DOB:** 18/09/1964
Outcome: Recovered **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hallucination		Patient experienced hallucinations, agitation, confused felt hazy for one week and delirium.	Nil
Confusional state			
Delirium			

Medicine Details:

ALLEGRON (Other drug)	Reason:
Batch:	Started: Stopped:
LAMICTAL (Suspected)	Reason:
Batch:	Started: Stopped: 0
SEROQUEL (Suspected)	Reason:
Batch:	Started: Stopped: 0
XANAX (Suspected)	Reason:
Batch:	Started: Stopped: 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211113

Seq: 1

Gender: M

Reported: 25/08/2005

Weight: 0.00

Hospitalisation: Required a visit to the doctor

Age: 40

Onset Date: 24/07/2005

DOB: 18/09/1964

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Medicine Details:

Travacalm Original (Suspected)

Reason: Motion sickness

Tablet

3.0 Dose Unspecified Daily

Oral

Batch:

Started: 24/07/2005

Stopped: 24/07/2005 0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211208 **Seq:** 1 **Gender:** F
Reported: 30/08/2005 **Weight:** 87.00
Hospitalisation: Required a visit to the doctor **Age:** 59
Onset Date: 24/02/2005 **DOB:** 10/10/1945
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Condition aggravated		Schizophrenia: required a increased dose of Seroquel to control symptoms from 3 daily, after started Ezetrol.	

Medicine Details:

Ezetrol (Interaction)		Reason: Othr&unspec metabolic diseases	
Tablet	10.0 Milligram	Daily	Oral
Batch:	Started: 24/02/2005	Stopped: 24/03/2005	
SEROQUEL (Interaction)		Reason:	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211549

Seq: 1

Gender: M

Reported: 09/09/2005

Weight: 0.00

Hospitalisation:

Onset Date: 20/07/2005

Age: 35

DOB: 20/07/1970

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dyskinesia	Caused or prolonged inpatient hospitalisation	The patient experienced involuntary jaw movements, a rigid jaw and 'went stiff as a board'.	Clozapine dose reduced.
Drug withdrawal syndrome	Caused or prolonged inpatient hospitalisation		
Hypertonia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

CLOZAPINE (Suspected)		Reason: Unspecified psychosis	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started: 20/06/2005	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 15/07/2005	Stopped: 19/07/2005	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211593

Seq: 1

Gender: F

Reported: 12/09/2005

Weight: 0.00

Hospitalisation:

Age: 21

Onset Date: 05/09/2005

DOB: 24/03/1984

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hyperprolactinaemia		Hyperprolactinaemia	Seroquel was ceased; Serum prolactin returned to within the normal range

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	1 time	Oral
Batch:	Started: 01/12/2004	Stopped: 01/09/2005	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211750

Seq: 1

Gender: F

Reported: 19/09/2005

Weight: 0.00

Hospitalisation:

Age: 38Y

Onset Date: 15/07/2005

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Condition aggravated		Patient developed a dry mouth and that the recurrent erosion syndrome had worsened.	
Dry mouth			
Ulcerative keratitis			

Medicine Details:

SEROQUEL (Suspected)	Reason: Anxiety neurosis
Tablet	25.0 Milligram
	Daily
	Oral
Batch:	Started: 15/07/2005
	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211839 **Seq:** 1 **Gender:** F
Reported: 22/09/2005 **Weight:** 92.00
Hospitalisation: Required a visit to the doctor **Age:** 43
Onset Date: 29/07/2005 **DOB:** 30/09/1961
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia	Required Visit to Doctor	The patient experienced tardive dyskinesia. Symptoms included buccolaryngeal mastication, clenched jaw, protruding tongue and opening and closing of mouth.	Quetiapine ceased.

Medicine Details:

Escitalopram (Other drug)	Reason: Depression
40.0 Milligram	Oral
Batch:	Started: Stopped:
SOMAC (Other drug)	Reason:
40.0 Milligram	
Batch:	Started: Stopped:
OLANZAPINE (Other drug)	Reason:
Batch:	Started: Stopped:
REBOXETINE MESYLATE (Other drug)	Reason: Depression
8.0 Milligram	Daily Oral
Batch:	Started: 19/01/2005 Stopped: contin

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211839

Seq: 1

Gender: F

Reported: 22/09/2005

Weight: 92.00

Hospitalisation: Required a visit to the doctor

Age: 43

Onset Date: 29/07/2005

DOB: 30/09/1961

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason: Unspecified schizophrenia

Tablet

200.0 Milligram

Daily

Oral

Batch:

Started: 18/07/2005

Stopped: 10/08/2005 0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211868 **Seq:** 1 **Gender:** M
Reported: 22/09/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 43
Onset Date: 18/08/2005 **DOB:** 07/07/1962
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Anger	Caused or prolonged inpatient hospitalisation	Patient experienced an angry episode leading to cruelty to his girlfriend's dog.	

Medicine Details:

CLONAZEPAM (Other drug)	Reason:	Unspecifid affective psychosis
Batch:	Started:	Stopped:
SODIUM VALPROATE (Other drug)	Reason:	
Batch:	Started:	Stopped:
CHLORPROMAZINE HYDROCHLORIDE (Other drug)	Reason:	Unspecifid affective psychosis
Batch:	Started:	Stopped:
LAMOTRIGINE (Other drug)	Reason:	Unspecifid affective psychosis
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Study D1447C00126.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211868

Seq: 1

Gender: M

Reported: 22/09/2005

Weight: 0.00

Hospitalisation: Admitted to hospital

Age: 43

Onset Date: 18/08/2005

DOB: 07/07/1962

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

VENLAFAXINE HYDROCHLORIDE (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started: 23/06/2005	Stopped:	0

Laboratory Investigations:

Additional Information:

Study D1447C00126.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211957

Seq: 1

Gender: M

Reported: 26/09/2005

Weight: 0.00

Hospitalisation:

Age: 57

Onset Date: 15/06/2005

DOB: 30/04/1948

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion	Caused or prolonged inpatient hospitalisation	Patient experienced an episode of delirium and seizures. A second seizure with delirium occurred, and a blood creatine phosphokinase increased.	Clozaril ceased. Patient commenced on Quetiapine and Phenytoin.
Ammonia increased	Caused or prolonged inpatient hospitalisation		
Blood creatine phosphokinase incr	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SODIUM VALPROATE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
CLOZARIL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
26/09/2005	Creatine				CK - 1.76 (units not provided).

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 211957

Seq: 1

Gender: M

Reported: 26/09/2005

Weight: 0.00

Hospitalisation:

Age: 57

Onset Date: 15/06/2005

DOB: 30/04/1948

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Delirium	Caused or prolonged inpatient hospitalisation		
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		
Psychotic disorder	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SODIUM VALPROATE (Other drug)		Reason:
Batch:	Started:	Stopped:
CLOZARIL (Suspected)		Reason:
Tablet		Oral
Batch:	Started:	Stopped:
QUETIAPINE (Suspected)		Reason:
Batch:	Started:	Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212026

Seq: 1

Gender: F

Reported: 28/09/2005

Weight: 0.00

Hospitalisation:

Age: 41Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Intentional drug misuse	Life threatening	The patient informed her partner that she had ingested her Seroquel tablets in an attempt to commit suicide due to suffering from period pain.	
Drug ineffective	Life threatening		
Suicidal ideation	Life threatening		

Medicine Details:

SEROQUEL (Suspected)		Reason: Depression	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

History of drug overdose, intentional misuse, period pain, suicide attempt. Patient had apparently attempted a drug overdose three times within ten days.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212027

Seq: 1

Gender: F

Reported: 28/09/2005

Weight: 0.00

Hospitalisation:

Age: 39

Onset Date:

DOB: 07/07/1966

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Intentional overdose	Life threatening	The patient ingested 30 tablets of 300 mg of Seroquel due to a situational crisis. Upon admission to hospital she was drowsy and had a GCS of 3.	Intubation and ventilation for 24 hours.
Drug ineffective	Life threatening		
Suicide attempt	Life threatening		

Medicine Details:

SEROQUEL (Suspected)		Reason: Depression	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

On an unspecified date the patient ingested 30 tabs of 300mg of seroquel due to situational crisis. Upon admission to hospital she was drowsy and had a GCS of 3. She required intubation and ventilation for 24 hrs.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212222
Reported: 05/10/2005

Seq: 1

Gender: M

Weight: 0.00

Hospitalisation:

Onset Date: 08/08/2005

Age: 17

DOB: 24/09/1987

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase incr	Caused or prolonged inpatient hospitalisation	Raised CK (474U/L). Raised pulse rate (104bpm). Headaches. Hypertension (160/100).	Seroquel was ceased.; Antipsychotic medication changed to Clopine
Headache	Caused or prolonged inpatient hospitalisation		
Hypertension	Caused or prolonged inpatient hospitalisation		

Medicine Details:

ATIVAN (Other drug)		Reason: Anxiety neurosis	
Tablet	2.0 Milligram	3 times	Oral
Batch:	Started: 31/07/2005	Stopped: 03/08/2005	0
PAXAM (Other drug)		Reason: Anxiety neurosis	
Tablet	1.0 Milligram	2 times	Oral
Batch:	Started: 03/08/2005	Stopped:	0
AROPAX (Other drug)		Reason: Depression	
Tablet	30.0 Milligram	1 time	Oral
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet		2 times	Oral
Batch:	Started: 29/07/2005	Stopped: 08/08/2005	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Report 212206 is the first sequence to this report.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212222

Seq: 1

Gender: M

Reported: 05/10/2005

Weight: 0.00

Hospitalisation:

Age: 17

Onset Date: 08/08/2005

DOB: 24/09/1987

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tachycardia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

ATIVAN (Other drug)		Reason: Anxiety neurosis	
Tablet	2.0 Milligram	3 times	Oral
Batch:	Started: 31/07/2005	Stopped: 03/08/2005	0
PAXAM (Other drug)		Reason: Anxiety neurosis	
Tablet	1.0 Milligram	2 times	Oral
Batch:	Started: 03/08/2005	Stopped:	0
AROPAX (Other drug)		Reason: Depression	
Tablet	30.0 Milligram	1 time	Oral
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet		2 times	Oral
Batch:	Started: 29/07/2005	Stopped: 08/08/2005	0

Laboratory Investigations:

Additional Information:

Report 212206 is the first sequence to this report.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212576

Seq: 1

Gender: F

Reported: 14/10/2005

Weight: 0.00

Hospitalisation:

Age: 42Y

Onset Date: 15/07/2005

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Weight increased		The patient commenced treatment with Seroquel on approximately 30 June 2005, after which she experienced an irregular heart beat, indigestion and a weight gain of 6 kgs.	
Dyspepsia			

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecifid affective psychosis
Tablet	400.0 Milligram
	Daily
	Oral
Batch:	Started: 30/06/2005
	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Report 212577 is the second sequence to this report.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212577

Seq: 1

Gender: F

Reported: 14/10/2005

Weight: 0.00

Hospitalisation:

Onset Date: 22/09/2005

Age: 42Y

Outcome: Recovered

24/09/2005

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Accidental overdose	Caused or prolonged inpatient hospitalisation	The patient mistakenly took 1200 mg of Seroquel after experiencing a stressful day. During the night she experienced an irregular heart beat and presented at the Emergency Department.	
Heart rate irregular	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	1.2 Gram	Daily	Oral
Batch:	Started: 22/09/2005	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Report 212576 is the first sequence to this report.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212647

Seq: 1

Gender: M

Reported: 17/10/2005

Weight: 0.00

Hospitalisation:

Onset Date: 07/05/2005

Age: 56

DOB: 22/03/1949

Outcome: Death

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Death	Death	On 7 May 2005 the patient was found dead, the cause of death was unknown.	

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started: 10/06/2004	Stopped: 20/04/2005	0
LITHIUM CARBONATE (Suspected)		Reason:	
	1.0 Gram	Daily	Oral
Batch:	Started: 16/08/2004	Stopped:	
OLANZAPINE (Suspected)		Reason:	
	10.0 Milligram	Daily	Oral
Batch:	Started: 20/04/2005	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 212787

Seq: 1

Gender: F

Reported: 24/10/2005

Weight: 0.00

Hospitalisation:

Age: 42Y

Onset Date: 10/10/2005

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Intentional overdose	Caused or prolonged inpatient hospitalisation	The patient ingested 2000mg of Seroquel after experiencing a stressful day. An ECG was performed which showed QT changes.	Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	2.0 Gram	Daily	Oral
Batch:	Started: 30/06/2005	Stopped: 10/10/2005	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 213232

Seq: 1

Gender: M

Reported: 09/11/2005

Weight: 0.00

Hospitalisation:

Age: 67Y

Onset Date: 15/06/2005

DOB:

Outcome: Unknown

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Parkinsonism	Caused or prolonged inpatient hospitalisation	Approximately one month after commencing Seroquel therapy the patient had a fall at home and was admitted to hospital for Parkinson-like symptoms.	Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Tablet	Oral
Batch:	Started: 15/05/2005 Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 213473

Seq: 1

Gender: M

Reported: 16/11/2005

Weight: 70.00

Hospitalisation:

Age: 75

Onset Date:

DOB: 31/10/1930

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Deep vein thrombosis		Patient developed deep vein thrombosis.	

Medicine Details:

OXAZEPAM (Other drug)		Reason:	
Batch:	Started:	Stopped:	
EDRONAX (Suspected)		Reason:	
		2.0 Dose Unspecified Daily	Oral
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason:	
		8.0 Milligram Daily	
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214293 **Seq:** 1 **Gender:** F
Reported: 14/12/2005 **Weight:** 83.00
Hospitalisation: Required a visit to the doctor **Age:** 55
Onset Date: **DOB:** 01/07/1950
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dysgeusia		Patient started Seroquel and within 2 weeks developed "bad taste"-bitter. Only relieved by sweet items.	Chewing gum.

Medicine Details:

BRICANYL (Other drug)	Reason: Asthma
Batch:	Started: Stopped:
Seretide 250/50 Accuhaler (Other drug)	Reason: Asthma
Batch:	Started: Stopped:
FOSAMAX ONCE WEEKLY TABLETS (Other drug)	Reason: Other diseases of bone
Batch:	Started: Stopped: 0
NEXIUM (Other drug)	Reason: Other diseases of esophagus
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214293

Seq: 1

Gender: F

Reported: 14/12/2005

Weight: 83.00

Hospitalisation: Required a visit to the doctor

Age: 55

Onset Date:

DOB: 01/07/1950

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

ZOCOR (Other drug)		Reason: Othr&unspec metabolic diseases
Batch:	Started:	Stopped:
CIPRAMIL (Other drug)		Reason: Depression
Batch:	Started:	Stopped:
SEROQUEL (Suspected)		Reason:
Tablet	25.0 Milligram	Daily Oral
Batch:	Started: 14/10/2005	Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214304 **Seq:** 1 **Gender:** M
Reported: 14/12/2005 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 64
Onset Date: 07/11/2005 **DOB:** 24/05/1941
Outcome: Recovered **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypotension Circulatory collapse Confusional state Convulsion Tachycardia		Patient experienced hypotention, tachycardia, collapse, confusion and convulsions.	Ceasing Quetiapine.

Medicine Details:

SODIUM VALPROATE (Other drug)	Reason:
Batch:	Started: Stopped:
IRBESARTAN (Other drug)	Reason:
Batch:	Started: Stopped:
Glucosamine Nos (Other drug)	Reason: Unspecified arthritis
Batch:	Started: Stopped:
Seretide 250/25 MDI (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214304

Seq: 1

Gender: M

Reported: 14/12/2005

Weight: 0.00

Hospitalisation: Admitted to hospital

Age: 64

Onset Date: 07/11/2005

DOB: 24/05/1941

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Medicine Details:

THIAMINE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 05/11/2005	Stopped: 07/11/2005	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214557

Seq: 1

Gender: M

Reported: 04/01/2006

Weight: 0.00

Hospitalisation:

Age: 21

Onset Date:

DOB: 10/09/1984

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Homicidal ideation		Whilst on Seroquel the patient would 'sleep for ages and ages' and would wake up wanting to kill himself and everybody.	
Akathisia			
Somnolence			

Medicine Details:

SEROQUEL (Suspected)	Reason:
Tablet	Oral
Batch:	Started:
	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Report 214555 is the first sequence to this report and report 214558 is the third sequence.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214751

Seq: 1

Gender: F

Reported: 10/01/2006

Weight: 0.00

Hospitalisation:

Age: 53

Onset Date:

DOB: 27/04/1952

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Whilst receiving Seroquel the patient experienced neutropenia (suspected agranulocytosis).	Seroquel ceased and restarted.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214779

Seq: 1

Gender: F

Reported: 10/01/2006

Weight: 0.00

Hospitalisation:

Age: 50Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Breast cancer female		Patient was diagnosed with breast cancer.	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 214914

Seq: 1

Gender: F

Reported: 12/01/2006

Weight: 0.00

Hospitalisation:

Age: 99U

Onset Date: 15/12/2005

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion		Patient experienced two seizures.	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215394

Seq: 1

Gender: M

Reported: 30/01/2006

Weight: 100.00

Hospitalisation:

Onset Date: 20/12/2005

Age: 54Y

Outcome: Recovered with sequelae

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia	Caused or prolonged inpatient hospitalisation	serotonin syndrome tardive dyskinesia	withdrawal of medicines

Medicine Details:

PAROXETINE HYDROCHLORIDE (Other drug)		Reason: Depression
Capsule	40.0 Milligram	Daily Oral
Batch:	Started: 11/11/2003	Stopped: 18/01/2006
SEROQUEL (Suspected)		Reason: Unspecified psychosis
Capsule	200.0 Milligram	Daily Oral
Batch:	Started: 23/11/2005	Stopped: 18/01/2006 0
LITHIUM CARBONATE (Suspected)		Reason: Depression
Tablet	1.0 Gram	Daily Oral
Batch:	Started: 01/01/2005	Stopped: 18/01/2006 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215416

Seq: 1

Gender: M

Reported: 31/01/2006

Weight: 81.00

Hospitalisation:

Age: 25

Onset Date: 03/11/2005

DOB: 19/12/1979

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Pateint developed neutropenia and	Quetiapine ceased, repeat
Leukopenia		leukopenia.	FBE

Medicine Details:

LORAZEPAM (Other drug)	Reason:	Anxiety neurosis
Batch:	Started:	Stopped:
IBUPROFEN (Other drug)	Reason:	Pain
Batch:	Started:	Stopped:
TEMAZEPAM (Other drug)	Reason:	Specific disorders of sleep
Batch:	Started:	Stopped:
DEEP HEAT CREAM (Other drug)	Reason:	Pain
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
31/01/2006	Neutrophils	2.0-7.5	03/11/2005	0.7	
31/01/2006	White blood cells	4.0-11.00	03/11/2005	3.1	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215416

Seq: 1

Gender: M

Reported: 31/01/2006

Weight: 81.00

Hospitalisation:

Age: 25

Onset Date: 03/11/2005

DOB: 19/12/1979

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

QUETIAPINE (Suspected)

Reason: Unspecified psychosis

Tablet

1.6 Gram

Daily

Oral

Batch:

Started: 13/07/2005

Stopped: 03/11/2005

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215437 **Seq:** 1 **Gender:** F
Reported: 31/01/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 21
Onset Date: 08/01/2006 **DOB:** 29/02/1984
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Overdose	Caused or prolonged inpatient hospitalisation	The patient attempted to hang herself using a towel. Three days later she was found unconscious on the side of the road, having taken an overdose of trial medication. She had apneic episodes, tachycardia at 120 bpm, her pupils were 5mm and sluggish, blood sugar level 6.1 and she suffered delirium.	Intubated and received 100% FiO2.
Suicide attempt	Caused or prolonged inpatient hospitalisation		

Medicine Details:

ALCOHOL (Suspected)		Reason:	
Oral Liquid			Oral
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 29/12/2005	Stopped: 08/01/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215695

Seq: 1

Gender: F

Reported: 09/02/2006

Weight: 0.00

Hospitalisation:

Age: 56

Onset Date:

DOB: 02/10/1949

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Diabetes mellitus inadequate contr		After Seroquel dose was increased the patient experienced an increase in blood sugar levels.	Insulin dose increased.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient also taking Hydrochlorothiazide, Gemfibrozil, Omeprazole, Irbesartan, Insulin, Diethylstilbestrol and Gliclazide.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215744

Seq: 1

Gender: M

Reported: 10/02/2006

Weight: 0.00

Hospitalisation:

Onset Date: 29/11/2005

Age: 61

DOB: 27/02/1944

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia	Life threatening	Patient awoke with a feeling of being unable to swallow and drowsiness	Ceased Seroquel

Medicine Details:

PAROXETINE HYDROCHLORIDE (Other drug)	Reason:
Batch:	Started: Stopped:
ZANIDIP (Other drug)	Reason:
Batch:	Started: Stopped:
ZOCOR (Other drug)	Reason:
Batch:	Started: Stopped:
ATACAND PLUS 16/12.5 (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215744

Seq: 1

Gender: M

Reported: 10/02/2006

Weight: 0.00

Hospitalisation:

Age: 61

Onset Date: 29/11/2005

DOB: 27/02/1944

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

Glucosamine Nos (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 23/11/2005	Stopped: 30/11/2005	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 215795

Seq: 1

Gender: F

Reported: 13/02/2006

Weight: 0.00

Hospitalisation:

Age: 56

Onset Date: 07/10/2005

DOB: 04/12/1948

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia	Incapacity/disability	The patient experienced worsening dyskinetic movements of the pelvic girdle and upper/lower limbs.	Seroquel ceased, changed to Tetrabenzine 175mg daily.
Dyskinesia	Incapacity/disability		

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 07/09/2005	Stopped: 14/11/2005	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Report 215794 is the first sequence to this report.
Also taking Zyprexa and Lithicarb



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216007 **Seq:** 1 **Gender:** M
Reported: 20/02/2006 **Weight:** 90.00
Hospitalisation: Required a visit to the doctor **Age:** 31
Onset Date: 02/02/2006 **DOB:** 10/10/1974
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Therapy regimen changed Face oedema Rash Urticaria		The patient developed a skin rash which was severe and affected the mouth and skin with swelling of the face - urticaria. His dose of Seroquel had increased.	Seroquel ceased.

Medicine Details:

TEGRETOL (Other drug)		Reason: Unspecifid affective psychosis	
	400.0 Milligram		Oral
Batch:	Started: 14/01/2006	Stopped:	
LITHIUM CARBONATE (Other drug)		Reason: Unspecifid affective psychosis	
	1.5 Gram	Daily	
Batch:	Started: L TERM	Stopped:	Continuing.
SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started: 15/11/2005	Stopped: 02/02/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216168

Seq: 1

Gender: M

Reported: 27/02/2006

Weight: 0.00

Hospitalisation:

Age: 24Y

Onset Date: 13/01/2006

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Palpitations		Approximately four weeks after starting Seroquel the patient experienced palpitations.	Seroquel ceased, Pericyazine commenced.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started: 15/12/2005	Stopped: 29/01/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216178
Reported: 27/02/2006

Seq: 1

Gender: F
Weight: 86.00

Hospitalisation:

Onset Date: 12/12/2005
Outcome: Recovered

Age: 85
DOB: 20/03/1920
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia	Caused or prolonged inpatient hospitalisation	The patient's white cell count and neutrophils fell.	Quetiapine ceased. Risperidone recommended.
Leukopenia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

OMEPRAZOLE (Other drug)	Reason:	Agranulocytosis
Batch:	Started:	Stopped:
DONEPEZIL HYDROCHLORIDE (Other drug)	Reason:	
Batch:	Started:	Stopped:
DILTIAZEM HYDROCHLORIDE (Other drug)	Reason:	
Batch:	Started:	Stopped:
LERCANIDIPINE HYDROCHLORIDE (Other drug)	Reason:	
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
27/02/2006	Neutrophils				12/12/2005 it was noted Neutrophils fell from $4.1 \times 10^9/L$ to $1.9 \times 10^9/L$, 13/12/2005 fell further to $1.5 \times 10^9/L$, 17/12/2005 increased to $2.6 \times 10^9/L$.
27/02/2006	White blood cells				12/12/2005 it was noted her wcc had fallen from $5.5 \times 10^9/L$ to $2.9 \times 10^9/L$. 13/12/2005 WCC fell further to $2.7 \times 10^9/L$, 17/12/2005 WCC had increased to $4 \times 10^9/L$.

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216178

Seq: 1

Gender: F

Reported: 27/02/2006

Weight: 86.00

Hospitalisation:

Age: 85

Onset Date: 12/12/2005

DOB: 20/03/1920

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

ALENDRONATE SODIUM (Other drug)			Reason:
Batch:	Started:	Stopped:	
CALTRATE (Other drug)			Reason:
Batch:	Started:	Stopped:	
OSTELIN 1000 (Other drug)			Reason:
Batch:	Started:	Stopped:	
SERETIDE ACCUHALER NOS (Other drug)			Reason:
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216178

Seq: 1

Gender: F

Reported: 27/02/2006

Weight: 86.00

Hospitalisation:

Age: 85

Onset Date: 12/12/2005

DOB: 20/03/1920

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SPIRIVA (Other drug)		Reason:	
Batch:	Started:	Stopped:	
QUETIAPINE (Suspected)		Reason: Unspecified psychosis	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 12/08/2005	Stopped: 12/12/2005	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216185

Seq: 1

Gender: F

Reported: 28/02/2006

Weight: 0.00

Hospitalisation:

Age: 56

Onset Date:

DOB: 28/04/1949

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Colonic pseudo-obstruction		The patient experienced colonic pseudo-obstruction.	Colonoscopy and insertion of colonic tube. Given Neostigmine 5mg IV, regular irrigation with Glycoprep.

Medicine Details:

QUETIAPINE (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216635 **Seq:** 1 **Gender:** M
Reported: 22/03/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 35Y
Onset Date: **DOB:**
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dyspnoea	Life threatening	Patient developed difficulty in breathing. Suspected anaphylactic shock.	Adrenaline.
Anaphylactic shock	Life threatening		

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 11/02/2006	Stopped: 12/02/2006	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216709

Seq: 1

Gender: F

Reported: 28/03/2006

Weight: 0.00

Hospitalisation:

Age: 28Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hepatic failure	Life threatening	Pateint started Seroquel, after increasing the dose the patient developed liver failure and associated oedema in her legs, the patient also developed leukopenia.	Seroquel was withdrawn.
Leukopenia	Life threatening		
Oedema	Life threatening		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	100.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Known to be hepatitis C positive.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216817 **Seq:** 1 **Gender:** F
Reported: 31/03/2006 **Weight:** 0.00
Hospitalisation: Hospitalisation prolonged **Age:** 28Y
Onset Date: 21/12/2005 **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion		Patient experienced a seizure	Haloperidol

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Also taking imipramine, valproate, bismuth.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 216894

Seq: 1

Gender: M

Reported: 03/04/2006

Weight: 0.00

Hospitalisation:

Age: 35Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Convulsion		After commencing Zyprexa pateint experienced a seizure.	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	
EFEXOR (Suspected)		Reason:	
		Oral	
Batch:	Started:	Stopped:	
LITHIUM CARBONATE (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	
ZYPREXA (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	10.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient's medical history includes the patient experiencing extreme agitation whilst receiving Lithium. This report 216894 is a duplicate of 216945.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217304

Seq: 1

Gender: F

Reported: 11/04/2006

Weight: 0.00

Hospitalisation:

Age: 24Y

Onset Date: 15/08/2005

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia	Incapacity/disability	Patient developed electric shock like sensation in forearms associated with muscle spasms.	
Muscle spasms	Incapacity/disability		
Paraesthesia	Incapacity/disability		

Medicine Details:

LITHIUM CARBONATE (Other drug)	Reason:
Batch:	Started: Stopped:
SODIUM VALPROATE (Other drug)	Reason:
Batch:	Started: Stopped:
CARBAMAZEPINE (Other drug)	Reason:
Batch:	Started: Stopped:
OLANZAPINE (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217304

Seq: 1

Gender: F

Reported: 11/04/2006

Weight: 0.00

Hospitalisation:

Age: 24Y

Onset Date: 15/08/2005

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason: Unspecifid affective psychosis

Tablet

300.0 Milligram

Daily

Oral

Batch:

Started: 15/09/2004

Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217333

Seq: 1

Gender: M

Reported: 12/04/2006

Weight: 75.00

Hospitalisation:

Onset Date: 25/01/2006

Age: 44

DOB: 28/08/1961

Outcome: Death, maybe drug

25/01/2006

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Death	Death	Presumed sudden death.	
Sudden death	Death	Presumed sudden death.	

Medicine Details:

ASMOL CFC-FREE (Other drug)		Reason:	
Inhalation	100.0 Microgram	Inhalation	
Batch:	Started:	Stopped:	
PANADEINE FORTE (Other drug)		Reason:	
Tablet	1.0 Dose Unspecified	Oral	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecifid affective psychosis	
Batch:	Started:	Stopped:	
EFEXOR (Suspected)		Reason:	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
12/04/2006	Coroners findings				Cause of death: unascertained

Additional Information:

History: Brain damage (perinatal). Minimal brain syndrome, diagnosed bipolar in January 2006.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217333

Seq: 1

Gender: M

Reported: 12/04/2006

Weight: 75.00

Hospitalisation:

Age: 44

Onset Date: 25/01/2006

DOB: 28/08/1961

Outcome: Death, maybe drug

25/01/2006

Causality: Causality possible

Reaction Details:

Medicine Details:

ALCOHOL (Suspected)		Reason:	
Batch:	Started:	Stopped:	
CANNABIS PREPARATION (Suspected)		Reason:	
Batch:	Started:	Stopped:	
EPILIM (Suspected)		Reason:	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:

History: Brain damage (perinatal). Minimal brain syndrome, diagnosed bipolar in January 2006.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217386
Reported: 18/04/2006

Seq: 1

Gender: F
Weight: 0.00

Hospitalisation:

Onset Date: 14/02/2006
Outcome: Recovered

Age: 54
DOB: 13/06/1951
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Platelet count decreased		Patient experienced platelet count decreased.	Ceased Seroquel.

Medicine Details:

FLUVOXAMINE MALEATE (Other drug)		Reason:	
	200.0 Milligram		
Batch:	Started: 15/08/2001	Stopped:	
PROVERA (Other drug)		Reason: Menopausal symptoms	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Anxiety neurosis	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started: 04/04/2005	Stopped: 24/02/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
18/04/2006	Platelets		14/02/2006	72	
18/04/2006	Platelets		09/03/2006	104	
18/04/2006	Platelets		20/03/2002	214	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217475 **Seq:** 1 **Gender:** F
Reported: 19/04/2006 **Weight:** 58.00
Hospitalisation: Required a visit to the doctor **Age:** 54
Onset Date: 15/01/2006 **DOB:** 13/06/1951
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Thrombocythaemia		Patient developed thrombocytopenia.	Ceased Fluvoxamine and Quetiapine.

Medicine Details:

PREMARIN (Other drug)		Reason: Menopausal symptoms
Batch:	Started:	Stopped:
PROVERA (Other drug)		Reason: Menopausal symptoms
Batch:	Started:	Stopped:
Blackmores Fish Oil (Other drug)		Reason: Oral
Batch:	Started:	Stopped:
FLUVOXAMINE MALEATE (Suspected)		Reason: Depression
Tablet	200.0 Milligram	Daily Oral
Batch:	Started: 08/01/2006	Stopped: 27/02/2006 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
19/04/2006	Platelets	(150-450)	14/02/2006	72 x 10 9/C	
19/04/2006	Platelets	(150-450)	27/02/2006	3/1 x 10 9/C	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217475

Seq: 1

Gender: F

Reported: 19/04/2006

Weight: 58.00

Hospitalisation: Required a visit to the doctor

Age: 54

Onset Date: 15/01/2006

DOB: 13/06/1951

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

QUETIAPINE (Suspected)

Reason: Depression

Tablet

50.0 Milligram

Daily

Oral

Batch:

Started: 15/04/2005

Stopped: 18/02/2006 0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217523
Reported: 20/04/2006

Seq: 1

Gender: F
Weight: 0.00
Age: 43Y

Hospitalisation:

Onset Date:
Outcome: Unknown

DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug ineffective Candidiasis Chills Hyperhidrosis Nausea		Patient experienced severe candida infection on her axillae, groin feet and vaginal/perineal area. The patient also developed intermittent drenching sweats, chills, rigors and nausea (short of coming) but there was no evidence of hyperthermia.	Ketoconazole was discontinued.

Medicine Details:

KETOCONAZOLE (Interaction)		Reason:	
Tablet			Oral
Batch:	Started:	Stopped:	
SEROQUEL (Interaction)		Reason:	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Concomitant drugs included Moclobemide, Lansoprazole, Fluticasone with Salmeterol and Tibolone.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217666 **Seq:** 1 **Gender:** F
Reported: 24/04/2006 **Weight:** 90.00
Hospitalisation: Required a visit to the doctor **Age:** 75
Onset Date: 09/12/2005 **DOB:** 11/10/1930
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Thrombocytopenia		Patient experienced thrombocytopaenia	Ceased Valpro and Seroquel.

Medicine Details:

HALOPERIDOL (Other drug)	Reason:
Batch:	Started: Stopped:
EPILIM (Other drug)	Reason: Unspecified psychosis
Batch:	Started: Stopped:
FRUSEMIDE (Other drug)	Reason:
Batch:	Started: Stopped:
GOPTEN (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
24/04/2006	Platelets				Once Valproate stopped decreased to 59. Once Seroquel stopped as well, increased to 90.

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217666

Seq: 1

Gender: F

Reported: 24/04/2006

Weight: 90.00

Hospitalisation: Required a visit to the doctor

Age: 75

Onset Date: 09/12/2005

DOB: 11/10/1930

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

OMEPRAZOLE (Other drug)	Reason:
Batch:	Started: Stopped:
IMDUR (Other drug)	Reason:
Batch:	Started: Stopped:
LIPITOR (Other drug)	Reason:
Batch:	Started: Stopped:
VALPRO (Suspected)	Reason:
Batch:	Started: Stopped: Feb/Mar

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217666

Seq: 1

Gender: F

Reported: 24/04/2006

Weight: 90.00

Hospitalisation: Required a visit to the doctor

Age: 75

Onset Date: 09/12/2005

DOB: 11/10/1930

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason: Unspecified psychosis

Tablet

200.0 Milligram

Daily

Oral

Batch:

Started:

Stopped: 15/03/2006 0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217945

Seq: 1

Gender: F

Reported: 03/05/2006

Weight: 57.00

Hospitalisation:

Age: 14

Onset Date: 14/03/2006

DOB: 16/05/1991

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia	Caused or prolonged inpatient hospitalisation	Neutropaenia	Dose of 200mg tds, 300mg nocte was reduced to 100mg mane, 200mg at 4pm and 300mg nocte (27/3/2006-29/3/2006) and was eventually ceased on 29/3/2006. It was replaced with amisulpride (50mg bd) to treat the auditory hallucinations

Medicine Details:

FLUVOXAMINE MALEATE (Other drug)		Reason: Depression	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started: 24/01/2006	Stopped:	0
SODIUM VALPROATE (Suspected)		Reason:	
Tablet	1500.0 Milligram	Daily	Oral
Batch:	Started: 25/01/2006	Stopped:	0
QUETIAPINE (Suspected)		Reason: Hallucinations	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started: 23/01/2006	Stopped: 28/03/2006	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
03/05/2006	Neutrophils	1.8-8.0	14/03/2006	1.7	
03/05/2006	Neutrophils	1.8-8.0	25/03/2006	1.0	
03/05/2006	Neutrophils	1.8-8.0	26/03/2006	1.7	
03/05/2006	Neutrophils	1.8-8.0	28/03/2006	1.3	
03/05/2006	Neutrophils	1.8-8.0	29/03/2006	1.5	
03/05/2006	Neutrophils	1.8-8.0	30/03/2006	1.5	
03/05/2006	Neutrophils	1.8-8.0	05/04/2006	3.9	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217945
Reported: 03/05/2006

Seq: 1

Gender: F
Weight: 57.00
Age: 14
DOB: 16/05/1991
Causality: Causality possible

Hospitalisation:

Onset Date: 14/03/2006
Outcome: Unknown

Reaction Details:

Medicine Details:

FLUVOXAMINE MALEATE (Other drug)		Reason: Depression	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started: 24/01/2006	Stopped:	0
SODIUM VALPROATE (Suspected)		Reason:	
Tablet	1500.0 Milligram	Daily	Oral
Batch:	Started: 25/01/2006	Stopped:	0
QUETIAPINE (Suspected)		Reason: Hallucinations	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started: 23/01/2006	Stopped: 28/03/2006	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
03/05/2006	Neutrophils	1.8-8.0	12/04/2006	1.7	
03/05/2006	Neutrophils	1.8-8.0	24/04/2006	1.2	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 217987 **Seq:** 1 **Gender:** F
Reported: 04/05/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 81
Onset Date: 27/03/2006 **DOB:** 29/06/1924
Outcome: Recovered with sequelae **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypothermia		Hypothermia secondary to antipsychotic treatment (temp 31-33.6 degrees C.	

Medicine Details:

OLANZAPINE (Suspected)		Reason: Unspecified psychosis	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	150.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 06/04/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Report 217989 is the second sequence to this report.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 218290 **Seq:** 1 **Gender:** M
Reported: 12/05/2006 **Weight:** 87.00
Hospitalisation: Required a visit to the doctor **Age:** 20
Onset Date: 24/02/2006 **DOB:** 17/04/1985
Outcome: Recovered 24/02/2006 **Causality:** Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tachycardia		Tachycardia, high amplitude chest leads - ?LVH. Nil ST changes.	
Electrocardiogram abnormal			

Medicine Details:

SEROQUEL (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	100.0 Milligram	1 time	Oral
Batch:	Started: 24/02/2006	Stopped: 24/02/2006	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 218476 **Seq:** 1 **Gender:** M
Reported: 18/05/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 28
Onset Date: 15/11/2005 **DOB:** 23/09/1977
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Akathisia	Caused or prolonged inpatient hospitalisation	Within days of starting Seroquel therapy, patient experienced akathisia and dyskinesia.	Dose of Seroquel was reduced to 100mg daily oral.
Dyskinesia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Tablet	350.0 Milligram
	Daily
	Oral
Batch:	Started: 15/11/2005
	Stopped: 15/04/2006

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 218879 **Seq:** 1 **Gender:** U
Reported: 02/06/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 73
Onset Date: **DOB:** 14/12/1932
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Cognitive disorder	Caused or prolonged inpatient hospitalisation	13/04/06: Incontinent/Impaired cognition, mobility. 14/04/06: Oedema. 18/04/06: Febrile and dysphagia. 23/04/06: Hyperglycaemia.	Metofrmin, Clomipramine and Ogen ceased.
Dysphagia	Caused or prolonged inpatient hospitalisation		
Hyperglycaemia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

METFORMIN HYDROCHLORIDE (Suspected)		Reason:	
Tablet	500.0 Milligram	Daily	Oral
Batch:	Started: 25/04/2006	Stopped: 02/05/2006	0
CLOMIPRAMINE HYDROCHLORIDE (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started: 18/11/2005	Stopped: 02/05/2006	
OGEN (Suspected)		Reason:	
	1.3 Milligram	Daily	
Batch:	Started: 16/03/2006	Stopped: 02/05/2006	
ATENOLOL (Suspected)		Reason:	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 26/09/2005	Stopped: 02/05/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 218879 **Seq:** 1 **Gender:** U
Reported: 02/06/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 73
Onset Date: **DOB:** 14/12/1932
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Mobility decreased	Caused or prolonged inpatient hospitalisation		
Oedema	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

OLANZAPINE (Suspected)		Reason: Explosive personality disorder
	10.0 Milligram Daily	
Batch:	Started: 26/09/2005	Stopped: 02/05/2006 0
EPILIM (Suspected)		Reason: Explosive personality disorder
	1.5 Gram Daily	
Batch:	Started: 26/06/2005	Stopped: 02/05/2006
LASIX (Suspected)		Reason: Edema and dropsy
	80.0 Milligram Daily	
Batch:	Started: 26/09/2005	Stopped: 02/05/2006
ALDACTONE (Suspected)		Reason: Edema and dropsy
Tablet	50.0 Milligram Daily	Oral
Batch:	Started: 26/09/2005	Stopped: 02/05/2006

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 218879 **Seq:** 1

Reported: 02/06/2006

Hospitalisation: Admitted to hospital

Onset Date:

Outcome: Not yet recovered

Gender: U

Weight: 0.00

Age: 73

DOB: 14/12/1932

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason: Explosive personality disorder

Tablet

400.0 Milligram

Daily

Oral

Batch:

Started: 26/09/2005

Stopped: 02/05/2006

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 218894
Reported: 03/06/2006

Seq: 1

Gender: F
Weight: 0.00

Hospitalisation:

Onset Date: 14/05/2006
Outcome: Recovered

Age: 24
DOB: 16/07/1981
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Drug interaction		Suspected drug interaction: After commencing Ritalin (increasing dose up to 10mg three times daily), patient noticed that the effect of Seroquel (50mg used once daily in the evening) was more pronounced with a sudden "need" to sleep occurring within an hour of Seroquel dosing; and difficulty waking up in the morning followed by a "hangover" effect during the day.	Decreased dose of Seroquel from 50mg to 25mg.
Somnolence			

Medicine Details:

RITALIN (Interaction)		Reason:	
Tablet	30.0 Milligram	Daily	Oral
Batch: B5052	Started: 28/04/2006	Stopped:	
SEROQUEL (Interaction)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch: CX 371	Started: 15/03/2006	Stopped:	
EFEXOR (Other drug)		Reason: Otr ecz&der due otr&unsp cause	
Capsule	300.0 Milligram	Daily	Oral
Batch: 70161A	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 219657

Seq: 1

Gender: F

Reported: 04/07/2006

Weight: 70.00

Hospitalisation:

Age: 75

Onset Date: 15/10/2005

DOB: 11/10/1930

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Thrombocytopenia		Patient experienced low platelets.	

Medicine Details:

HALOPERIDOL (Other drug)		Reason:
Batch:	Started:	Stopped:
GOPTEN (Other drug)		Reason:
Batch:	Started:	Stopped:
METFORMIN HYDROCHLORIDE (Other drug)		Reason:
Batch:	Started:	Stopped:
ZOLOFT (Other drug)		Reason:
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
04/07/2006	Platelets		11/04/2006	79	
04/07/2006	Platelets		04/05/2006	111	
04/07/2006	Platelets		12/05/2006	61	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 219657

Seq: 1

Gender: F

Reported: 04/07/2006

Weight: 70.00

Hospitalisation:

Age: 75

Onset Date: 15/10/2005

DOB: 11/10/1930

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 15/10/2005	Stopped: 15/03/2006	
SODIUM VALPROATE (Suspected)		Reason:	
Tablet	1.0 Gram	Daily	Oral
Batch:	Started:	Stopped: 15/12/2005	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 219695
Reported: 04/07/2006
Hospitalisation:
Onset Date: 15/02/2006
Outcome: Unknown

Seq: 1

Gender: F
Weight: 0.00
Age: 17Y
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Arthritis Chondromalacia Oedema Weight increased		Patient developed arthritis in the knees, the pain began in one knee and progressed to both, her condition was diagnosed as chondromalacia patella, patient also developed weight gain (an increase in 2 waist sizes) of approximately 8 kg and showed oedema of the face and legs.	Ibuprofen as required and physiotherapy

Medicine Details:

AURORIX (Other drug)		Reason:	
Tablet	0.5 Dose Unspecified	Oral	
Batch:	Started: 15/02/2006	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	50.0 Milligram Daily	Oral	
Batch:	Started: 04/01/2006	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 219828

Seq: 1

Gender: M

Reported: 10/07/2006

Weight: 0.00

Hospitalisation:

Age: 80Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Visual disturbance		After receiving Seroquel for three to six months the patient experienced visual disturbance, nearly blindness.	Seroquel ceased.

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The patient was elderly and had concurrent diabetes.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 219835

Seq: 1

Gender: M

Reported: 10/07/2006

Weight: 0.00

Hospitalisation:

Age: 42Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Abasia	Incapacity/disability	Patient was stuttering and unable to walk.	Seroquel ceased
Dysphemia	Incapacity/disability		

Medicine Details:

SEROQUEL (Interaction)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	0
Lyrica (Interaction)		Reason: Otr&unsp forms neuralg&neurit	
Capsule	150.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	Continuing.

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 219920

Seq: 1

Gender: F

Reported: 11/07/2006

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
White blood cell count decreased		Patient was noted to have a decreased white blood cell count and neutrophil count was 1.7.	
Neutrophil count decreased			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 219972

Seq: 1

Gender: F

Reported: 13/07/2006

Weight: 62.00

Hospitalisation:

Age: 53

Onset Date: 15/06/2006

DOB: 01/05/1953

Outcome: Recovered

30/06/2006

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Patient developed neutropenia.	Dose of Edronax reduced to 4mg.

Medicine Details:

EDRONAX (Other drug)		Reason:	
Tablet	6.0 Milligram	Daily	Oral
Batch:	Started: 26/01/2006	Stopped:	Continued
SEROQUEL (Suspected)		Reason:	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started: 05/04/2006	Stopped: 17/06/2006	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
13/07/2006	Neutrophils		17/06/2006	1.12	
13/07/2006	Neutrophils		30/06/2006	1.9	

Additional Information:

History of ongoing depression/anxiety since 1999, chronic pain since 1995



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220247

Seq: 1

Gender: M

Reported: 20/07/2006

Weight: 94.00

Hospitalisation:

Age: 29

Onset Date: 04/07/2006

DOB: 29/11/1976

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Malaise	Caused or prolonged inpatient hospitalisation	Patient felt vaguely unwell with malaise and minor diarrhoea, lethargy, malaise, drowsiness, confusion, anorexia and jaundice, mild asterixis along with minor horizontal nystagmus to both left and right. Induced hepatotoxicity.	IV Fluids and all medications were discontinued apart from citalopram, Oxazepam, and Tramadol.
Anorexia	Caused or prolonged inpatient hospitalisation		

Medicine Details:

METOCLOPRAMIDE HYDROCHLORIDE (Other drug)		Reason:
Batch:	Started:	Stopped:
THIAMINE (Other drug)		Reason:
Batch:	Started:	Stopped:
FOLIC ACID (Other drug)		Reason:
Batch:	Started:	Stopped:
OXAZEPAM (Other drug)		Reason:
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
20/07/2006	AST = SGOT		07/07/2006	3386	
20/07/2006	AST = SGOT		08/07/2006	3710	
20/07/2006	AST = SGOT		12/07/2006	160	
20/07/2006	Albumin		07/07/2006	49	
20/07/2006	Albumin		08/07/2006	36	
20/07/2006	Amylase		08/07/2006	66	
20/07/2006	Bilirubin		07/07/2006	145	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220247

Seq: 1

Gender: M

Reported: 20/07/2006

Weight: 94.00

Hospitalisation:

Age: 29

Onset Date: 04/07/2006

DOB: 29/11/1976

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Asterixis	Caused or prolonged inpatient hospitalisation		
Confusional state	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		

Medicine Details:

TRAMADOL HYDROCHLORIDE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	200.0 Milligram	Total	Oral
Batch:	Started: 03/07/2006	Stopped: 07/07/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
20/07/2006	Bilirubin		08/07/2006	127	
20/07/2006	Bilirubin		12/07/2006	92	
20/07/2006	Creatine		07/07/2006	91	
20/07/2006	Ferritin		07/07/2006	50045	
20/07/2006	GGT = SGGT =		07/07/2006	237	
20/07/2006	GGT = SGGT =		08/07/2006	233	
20/07/2006	GGT = SGGT =		12/07/2006	293	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220247

Seq: 1

Gender: M

Reported: 20/07/2006

Weight: 94.00

Hospitalisation:

Age: 29

Onset Date: 04/07/2006

DOB: 29/11/1976

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hepatotoxicity	Caused or prolonged inpatient hospitalisation		
International normalised ratio incre	Caused or prolonged inpatient hospitalisation		
Jaundice	Caused or prolonged inpatient hospitalisation		

Medicine Details:

METOCLOPRAMIDE HYDROCHLORIDE (Other drug)			Reason:
Batch:	Started:	Stopped:	
THIAMINE (Other drug)			Reason:
Batch:	Started:	Stopped:	
FOLIC ACID (Other drug)			Reason:
Batch:	Started:	Stopped:	
OXAZEPAM (Other drug)			Reason:
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
20/07/2006	International		07/07/2006	3.2	07/07/06: Serum B12 at >2000.
20/07/2006	International		12/07/2006	1.1	
20/07/2006	Other data				
20/07/2006	SAP = ALP		08/07/2006	100	
20/07/2006	SAP = ALP		12/07/2006	111	
20/07/2006	Serum glucose		08/07/2006	6.0	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220247

Seq: 1

Gender: M

Reported: 20/07/2006

Weight: 94.00

Hospitalisation:

Age: 29

Onset Date: 04/07/2006

DOB: 29/11/1976

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Lethargy	Caused or prolonged inpatient hospitalisation		
Malaise	Caused or prolonged inpatient hospitalisation		
Nystagmus	Caused or prolonged inpatient hospitalisation		

Medicine Details:

TRAMADOL HYDROCHLORIDE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	200.0 Milligram	Total	Oral
Batch:	Started: 03/07/2006	Stopped: 07/07/2006	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220247

Seq: 1

Gender: M

Reported: 20/07/2006

Weight: 94.00

Hospitalisation:

Age: 29

Onset Date: 04/07/2006

DOB: 29/11/1976

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Serum ferritin increased	Caused or prolonged inpatient hospitalisation		
Somnolence	Caused or prolonged inpatient hospitalisation		

Medicine Details:

METOCLOPRAMIDE HYDROCHLORIDE (Other drug)		Reason:
Batch:	Started:	Stopped:
THIAMINE (Other drug)		Reason:
Batch:	Started:	Stopped:
FOLIC ACID (Other drug)		Reason:
Batch:	Started:	Stopped:
OXAZEPAM (Other drug)		Reason:
Batch:	Started:	Stopped:

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220247

Seq: 1

Gender: M

Reported: 20/07/2006

Weight: 94.00

Hospitalisation:

Age: 29

Onset Date: 04/07/2006

DOB: 29/11/1976

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

TRAMADOL HYDROCHLORIDE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	200.0 Milligram	Total	Oral
Batch:	Started: 03/07/2006	Stopped: 07/07/2006	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220454

Seq: 1

Gender: F

Reported: 31/07/2006

Weight: 80.00

Hospitalisation:

Age: 62Y

Onset Date: 15/04/2006

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Arthropathy		Severe hypersensitivity in lower body and legs in both soft tissues and joints such that she screamed for its duration of 4 hours continuously per night.	Separate Lipitor and all vegetable/fruit to 8 hours prior to Seroquel.
Pain			

Medicine Details:

AVAPRO HCT 300/12.5 (Other drug)	Reason:	Essential benign hypertension
Batch:	Started:	Stopped:
AURORIX (Other drug)	Reason:	Depression
Batch:	Started:	Stopped:
PARIET (Other drug)	Reason:	Otr disorders stomach function
Batch:	Started:	Stopped:
LIPITOR (Other drug)	Reason:	Othr&unspec metabolic diseases
Batch:	Started:	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220454

Seq: 1

Gender: F

Reported: 31/07/2006

Weight: 80.00

Hospitalisation:

Age: 62Y

Onset Date: 15/04/2006

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

SEROQUEL (Suspected)

Reason: Depression

Tablet

200.0 Milligram

Daily

Oral

Batch:

Started: 15/04/2006

Stopped: 15/07/2006

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220552

Seq: 1

Gender: F

Reported: 03/08/2006

Weight: 0.00

Hospitalisation:

Onset Date: 15/07/2005

Age: 85Y

Outcome: Unknown

DOB:

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Weight increased	Incapacity/disability	Weight gain from 76kg-> 89kg over 12 months.	

Medicine Details:

SOMAC (Other drug)	Reason:
Batch:	Started: Stopped:
KARVEA (Other drug)	Reason:
Batch:	Started: Stopped:
COLGOUT (Other drug)	Reason:
Batch:	Started: Stopped:
LIPITOR (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220552

Seq: 1

Gender: F

Reported: 03/08/2006

Weight: 0.00

Hospitalisation:

Age: 85Y

Onset Date: 15/07/2005

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

MURELAX (Other drug)		Reason:	
Batch:	Started:	Stopped:	
CARDIPRIN 100 (Other drug)		Reason:	
Batch:	Started:	Stopped:	
NATRILIX (Other drug)		Reason:	
Batch:	Started:	Stopped:	
MS CONTIN (Other drug)		Reason:	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220552

Seq: 1

Gender: F

Reported: 03/08/2006

Weight: 0.00

Hospitalisation:

Age: 85Y

Onset Date: 15/07/2005

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

COLOXYL WITH SENNA (Other drug)		Reason:	
Batch:	Started:	Stopped:	
F.G.F. (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 15/07/2005	Stopped:	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220556

Seq: 1

Gender: M

Reported: 03/08/2006

Weight: 0.00

Hospitalisation:

Age: 33

Onset Date: 15/06/2006

DOB: 03/10/1972

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Weight increased		Approximately 1 hour after taking seroquel the patient developed a dry mouth and slurred speech. One week after commencing seroquel, the patient experienced a severe weight gain of 14kg.	
Dry mouth Dysarthria			

Medicine Details:

XANAX (Other drug)	Reason:
Tablet	3.0 Milligram
Batch:	Started:
	Stopped:
SEROQUEL (Suspected)	Reason: Anxiety neurosis
Tablet	100.0 Milligram
Batch:	Started: 01/06/2006
	Stopped: 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220560 **Seq:** 1 **Gender:** U
Reported: 03/08/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 99u
Onset Date: **DOB:**
Outcome: Unknown **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Rash	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 220609

Seq: 1

Gender: M

Reported: 07/08/2006

Weight: 0.00

Hospitalisation:

Age: 42Y

Onset Date: 22/07/2006

DOB:

Outcome: Death, maybe drug

22/07/2006

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Myocardial infarction		Heart attack	

Medicine Details:

SEROQUEL (Suspected)	Reason:
600.0 Milligram	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 221314

Seq: 1

Gender: F

Reported: 04/09/2006

Weight: 0.00

Hospitalisation:

Age: 60Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Delirium	Caused or prolonged inpatient hospitalisation	The patient experienced delirium and suspected neuroleptic malignant syndrom	
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 221658 **Seq:** 1 **Gender:** M
Reported: 18/09/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 67Y
Onset Date: **DOB:**
Outcome: Recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	The patient developed ataxia, delirium, elevated CPK (5900-units not provided) autonomic dysfunction	

Medicine Details:

CHLORPROMAZINE HYDROCHLORIDE (Other drug)		Reason: Unspecified schizophrenia As necessary	
Batch:	Started:	Stopped:	0
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	900.0 Milligram	3 times	Oral
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
18/09/2006	Creatine	N/A			5900 units

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 221751
Reported: 20/09/2006
Hospitalisation:
Onset Date: 31/08/2006
Outcome: Unknown

Seq: 1

Gender: M
Weight: 0.00
Age: 99U
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia		Oral dystonia/dyskinesia	Reduction and eventual cessation over 10 days. Given Benztropine.
Dyskinesia			

Medicine Details:

CLONAZEPAM (Other drug)		Reason:	
Tablet	2.0 Milligram	As necessary	Oral
Batch:	Started:	Stopped:	
Lithicarb SR (Other drug)		Reason:	
Tablet	1.3 Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped:
SODIUM VALPROATE (Other drug)		Reason:	
Tablet	2.0 Gram	Daily	Oral
Batch:	Started:	L TERM	Stopped:
QUETIAPINE (Suspected)		Reason:	
Tablet	800.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 221788

Seq: 1

Gender: F

Reported: 21/09/2006

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Condition aggravated Hepatic steatosis		Worsen fatty liver disease	

Medicine Details:

SEROQUEL (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped: 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 221887

Seq: 1

Gender: M

Reported: 25/09/2006

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Diabetes mellitus		Diabetes mellitus type II	

Medicine Details:

SEROQUEL (Suspected)		Reason: Otr spec symp psychopathol nec	
Tablet	600.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 222350

Seq: 1

Gender: M

Reported: 11/10/2006

Weight: 0.00

Hospitalisation:

Age: 41Y

Onset Date:

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hypoaesthesia Convulsion Drug ineffective Heart rate decreased Pain in extremity Panic attack		Experienced numbness in the feet, low heart rate, acute pain in arms, sharp pain in arms, trouble in swallowing tablets, panic attacks, lack of efficacy and convulsion.	

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	1.2 Gram	Daily	Oral
Batch:	Started: 15/08/2006	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 222709

Seq: 1

Gender: F

Reported: 26/10/2006

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Death, maybe drug

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Completed suicide		Completed suicide in 2004	

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified schizophrenia
Tablet	Oral
Batch:	Started: Stopped: 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 222780

Seq: 1

Gender: M

Reported: 31/10/2006

Weight: 0.00

Hospitalisation:

Age: 21

Onset Date:

DOB: 09/04/1985

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Nausea Disorientation Disturbance in attention Dizziness Thinking abnormal		Nausea, dizziness, disorientation	

Medicine Details:

EPILIM (Suspected)		Reason: Depression	
	1.5 Milligram	Daily	Oral
Batch:	Started: 01/02/2004	Stopped: 13/10/2006	0
LUVOX (Suspected)		Reason: Depression	
	212.0 Milligram	Daily	Oral
Batch:	Started: 01/02/2004	Stopped: 13/10/2006	0
SEROQUEL (Suspected)		Reason: Depression	
	400.0 Milligram	Daily	Oral
Batch:	Started: 01/02/2004	Stopped: 13/10/2006	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 222808

Seq: 1

Gender: F

Reported: 31/10/2006

Weight: 0.00

Hospitalisation:

Age: 55

Onset Date:

DOB: 31/07/1951

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Akathisia		Akathisia	Seroquel ceased

Medicine Details:

SEROQUEL (Suspected)		Reason:		
Tablet	100.0	Milligram	1 time	Oral
Batch:	Started:	Stopped:		

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 222912

Seq: 1

Gender: F

Reported: 06/11/2006

Weight: 0.00

Hospitalisation:

Age: 47Y

Onset Date:

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Paralysis	Incapacity/disability	Paralysis to the extent of where she could not move and could not alert her husband. Lasted for 7 hours.	

Medicine Details:

SEROQUEL (Suspected)		Reason: Specific disorders of sleep	
Tablet	50.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Also taking fluvoxamine, zopiclone, diethylstilboestrol, esomeprazole, insulin aspart, protophane, Seretide, tiotropium and Ventolin. History of diabetes, asthma and hyperthyroidism.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223048 **Seq:** 1 **Gender:** M
Reported: 13/11/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 22Y
Onset Date: 15/11/2006 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Amnesia	Caused or prolonged inpatient hospitalisation	"No recollection of ending up where he was"	
Loss of consciousness	Caused or prolonged inpatient hospitalisation	Blackouts	
Migraine	Caused or prolonged inpatient hospitalisation	Constant pain behind right eye	

Medicine Details:

CANNABIS PREPARATION (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

GP dies not believe ill effects were related to Seroquel explaining patient had an infection and gastritis. Not recovered but improved on a higher dose.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223048 **Seq:** 1 **Gender:** M
Reported: 13/11/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 22Y
Onset Date: 15/11/2006 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness	Caused or prolonged inpatient hospitalisation	Felt dizzy	
Pharyngolaryngeal pain	Caused or prolonged inpatient hospitalisation	Sore throat	
Malaise	Caused or prolonged inpatient hospitalisation	Very tired, weak	

Medicine Details:

CANNABIS PREPARATION (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Additional Information:

GP does not believe ill effects were related to Seroquel explaining patient had an infection and gastritis. Not recovered but improved on a higher dose.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223048 **Seq:** 1 **Gender:** M
Reported: 13/11/2006 **Weight:** 0.00
Hospitalisation: Admitted to hospital **Age:** 22Y
Onset Date: 15/11/2006 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dry mouth			
Gastritis			
Infection			
Nasal congestion			

Medicine Details:

CANNABIS PREPARATION (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Depression	
Tablet	75.0 Milligram	Daily	Oral
Batch:	Started:	S TERM	Stopped:

Laboratory Investigations:

Additional Information:

GP does not believe ill effects were related to Seroquel explaining patient had an infection and gastritis. Not recovered but improved on a higher dose.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223488

Seq: 1

Gender: M

Reported: 27/11/2006

Weight: 0.00

Hospitalisation:

Age: 35Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tachycardia		- Tachycardia - Increased cholesterol levels - Weight gain	
Blood cholesterol increased			
Weight increased			

Medicine Details:

SEROQUEL (Suspected)	Reason: Unspecified psychosis
Tablet	Oral
Batch:	Started: Stopped: 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
27/11/2006	Other data				Heart rate = 120bpm. Cholesterol = 7.4

Additional Information:

History: Family history increased cholesterol, Type 11a hyperlipidaemia, family history of heart failure, cardiac failure, weight gain with risperidone, weight increased with olanzapine.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223715

Seq: 1

Gender: F

Reported: 04/12/2006

Weight: 0.00

Hospitalisation:

Age: 25

Onset Date: 03/10/2006

DOB: 29/06/1981

Outcome: Recovered

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dystonia	Caused or prolonged inpatient hospitalisation	Cervical dystonic reaction.	Observation, drug ceased.

Medicine Details:

QUETIAPINE (Suspected)		Reason:		
Tablet	25.0 Milligram	Daily	Oral	
Batch:	Started: 29/09/2006	Stopped: 02/10/2006	0	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223733

Seq: 1

Gender: M

Reported: 04/12/2006

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Feeling of despair		Patient had feelings of despair, depression, akathisia.	
Akathisia			
Depression			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Batch:	Started:	Stopped:	
Abilify (Suspected)		Reason: Unspecified schizophrenia	
Tablet	45.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223787

Seq: 1

Gender: M

Reported: 05/12/2006

Weight: 101.00

Hospitalisation:

Age: 43

Onset Date:

DOB: 25/04/1963

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hepatic enzyme increased	Life threatening	Baseline LFT's were normal. 2 days into admission, oral risperidone was commenced, with the depot also given 6 days after. 10 days after admission, LFT's had increased dramatically.	Risperidone, quetiapine and chlorpromazine ceased.

Medicine Details:

RISPERIDONE (Suspected)		Reason: Unspecified schizophrenia	
	25.0 Milligram	1 time	
Batch:	Started: 17/10/2006	Stopped: 20/10/2006	
CHLORPROMAZINE HYDROCHLORIDE (Suspected)		Reason: Otr spec symp psychopathol nec	
	100.0 Milligram	As necessary	
Batch:	Started: 10/10/2006	Stopped: 20/10/2006	0
RISPERIDONE (Suspected)		Reason: Unspecified schizophrenia	
Tablet	2.0 Milligram	Daily	Oral
Batch:	Started: 11/10/2006	Stopped: 20/10/2006	
QUETIAPINE (Suspected)		Reason: Unspecified schizophrenia	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started:	Stopped: 20/10/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
05/12/2006	ALT = SGPT		20/10/2006	ALTx30	
05/12/2006	GGT = SGGT =		20/10/2006	GGT x 30	
05/12/2006	SAP = ALP		20/10/2006	Alk Phos x 4	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223859

Seq: 1

Gender: F

Reported: 06/12/2006

Weight: 0.00

Hospitalisation:

Age: 21

Onset Date: 20/11/2006

DOB: 09/04/1985

Outcome: Recovered without treatment

24/11/2006

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Somnolence	Incapacity/disability	- Macrolide interaction with Seroquel - Lethargy - Somnolence	
Drug interaction	Incapacity/disability		
Lethargy	Incapacity/disability		

Medicine Details:

SEROQUEL (Interaction)		Reason: Unspecified psychosis	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 01/02/2005	Stopped:	0
RULIDE (Interaction)		Reason: Otr&nos infec&parasit diseases	
	300.0 Milligram	Daily	Oral
Batch:	Started: 20/11/2006	Stopped:	24/11/2006
EPILIM (Other drug)		Reason: Depression	
	1.2 Gram		Oral
Batch:	Started: 01/02/2005	Stopped:	
LUVOX (Other drug)		Reason: Depression	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 01/02/2005	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223893

Seq: 1

Gender: M

Reported: 07/12/2006

Weight: 0.00

Hospitalisation: Admitted to hospital

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dyskinesia Abasia Abnormal behaviour Dementia Parkinsonism	Caused or prolonged inpatient hospitalisation	dyskinesia parkinsonism abnormal behaviour dementia abasia	Buprenorphine

Medicine Details:

REMINYL (Suspected)	Reason:
24.0 Milligram	Oral
Batch:	Started:
Stopped:	0
QUETIAPINE (Suspected)	Reason:
Batch:	Started:
Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223923

Seq: 1

Gender: F

Reported: 08/12/2006

Weight: 0.00

Hospitalisation:

Age: 67Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Aggression		Aggressive behaviour	
Suicidal ideation		Increased suicidal tendencies	Sertraline

Medicine Details:

AVAPRO (Other drug)		Reason: Essential benign hypertension	
Batch:	Started:	Stopped:	
SEREPAX (Other drug)		Reason:	
	30.0 Milligram		
Batch:	Started:	Stopped:	
TENORMIN (Other drug)		Reason: Essential benign hypertension	
	50.0 Milligram	Daily	
Batch:	Started:	Stopped:	
LIPITOR (Other drug)		Reason: Othr&unspec metabolic diseases	
Tablet	10.0 Milligram	Daily Oral	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 223923

Seq: 1

Gender: F

Reported: 08/12/2006

Weight: 0.00

Hospitalisation:

Age: 67Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

ZOLOFT (Other drug)		Reason: Depression	
	50.0 Milligram	Daily	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
	100.0 Milligram	Daily Oral	
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 224307

Seq: 1

Gender: M

Reported: 27/12/2006

Weight: 0.00

Hospitalisation:

Age: 64Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neck mass		Lump in neck	
White blood cell count increased		Massive increase of white blood cell counts	
Cervix disorder			

Medicine Details:

SEROQUEL (Suspected)	Reason:
Tablet	Oral
Batch:	Started: Stopped: 0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 224381

Seq: 1

Gender: F

Reported: 04/01/2007

Weight: 0.00

Hospitalisation:

Age: 82Y

Onset Date: 05/10/2006

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Jaundice		Abn LFT + jaundice	Drug stopped.

Medicine Details:

IRBESARTAN (Other drug)	Reason:
75.0 Milligram	
Batch:	Started: Stopped:
ASPIRIN (Other drug)	Reason:
100.0 Milligram	
Batch:	Started: Stopped:
CALTRATE (Other drug)	Reason:
1.0 Dose Unspecified	
Batch:	Started: Stopped:
CALCITRIOL (Other drug)	Reason:
1.0 Dose Unspecified	
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
04/01/2007	ALT = SGPT		05/10/2006	632	
04/01/2007	ALT = SGPT		23/10/2006	73	
04/01/2007	AST = SGOT		05/10/2006	749	
04/01/2007	AST = SGOT		23/10/2006	91	
04/01/2007	Albumin		05/10/2006	27	
04/01/2007	Albumin		23/10/2006	25	
04/01/2007	Bilirubin		05/10/2006	183	

Additional Information:

Bipolar disease plus vascular dementia.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 224381

Seq: 1

Gender: F

Reported: 04/01/2007

Weight: 0.00

Hospitalisation:

Age: 82Y

Onset Date: 05/10/2006

DOB:

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

EFEXOR (Other drug)		Reason:	
	75.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped: 06/10/2006
LITHIUM CARBONATE (Other drug)		Reason:	
	375.0 Milligram	Daily	
Batch:	Started:	L TERM	Stopped: 06/10/2006
QUETIAPINE (Suspected)		Reason: Unspecifid affective psychosis	
Tablet	25.0 Milligram	Daily	Oral
Batch:	Started: 05/09/2006	Stopped: 28/09/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
04/01/2007	Bilirubin		23/10/2006	36	All hepatitis serology negative. Ultrasound - sonde in GB, CBD 7-8 mm, Liver (N), veins (N).
04/01/2007	GGT = SGGT =		05/10/2006	247	
04/01/2007	GGT = SGGT =		23/10/2006	88	
04/01/2007	Other data				
04/01/2007	SAP = ALP		05/10/2006	180	
04/01/2007	SAP = ALP		23/10/2006	105	

Additional Information:

Bipolar disease plus vascular dementia.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 224761 **Seq:** 1 **Gender:** M
Reported: 17/01/2007 **Weight:** 0.00
Hospitalisation: Required a visit to the doctor **Age:** 99U
Onset Date: 11/11/2006 **DOB:**
Outcome: Not yet recovered **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Parkinsonism		Developed dyskinesia and parkinsons symptoms.	Reminyl was reduced to 16mg and Norspan commenced.
Dyskinesia			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Batch:	Started:	Stopped:	
REMINYL (Suspected)		Reason:	
Capsule	24.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 225247

Seq: 1

Gender: F

Reported: 31/01/2007

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		- Agranulocytosis	

Medicine Details:

CLOZAPINE (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
31/01/2007	Neutrophils		28/12/2006	1.3	Baseline with clozapine and before Seroquel: 2.9
31/01/2007	Neutrophils		09/01/2007	1.3	Baseline with clozapine and before Seroquel: 2.9
31/01/2007	Neutrophils		19/01/2007	1.2	Baseline with clozapine and before Seroquel: 2.9

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 225393

Seq: 1

Gender: F

Reported: 05/02/2007

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Agranulocytosis		Developed agranulocytosis and redness while taking clozapine. Switched to Seroquel - neutrophil count still low but better than with clozapine	
Erythema			

Medicine Details:

CLOZAPINE (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet		Oral	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 225395

Seq: 1

Gender: F

Reported: 22/01/2007

Weight: 0.00

Hospitalisation:

Age: 38

Onset Date: 12/12/2006

DOB: 23/03/1968

Outcome: Recovered

14/12/2006

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Thrombocytopenia	Life threatening	Thrombocytopenia on Na Valproate and Seroquel.	Discontinuation of Na Valproate & Seroquel.

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	400.0 Milligram	Daily	Oral
Batch:	Started: 02/12/2006	Stopped: 13/12/2006	
SODIUM VALPROATE (Suspected)		Reason: Unspecified psychosis	
	400.0 Milligram	Daily	Oral
Batch:	Started: 02/12/2006	Stopped: 13/12/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 225561
Reported: 08/02/2007
Hospitalisation:
Onset Date: 21/01/2007
Outcome: Unknown

Seq: 1

Gender: M
Weight: 0.00
Age: 21Y
DOB:
Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Urine output decreased		Peeing only once per day, rocking from foot to foot, tongue movements described as like a snake, urinary retention	
Urine analysis abnormal		Concentrated urine, didn't talk much, inner restlessness, pacing the floor	
Abnormal behaviour			
Poverty of speech			
Psychomotor hyperactivity			
Restlessness			
Tardive dyskinesia			
Urinary retention			

Medicine Details:

EPILIM (Other drug)	Reason:
Batch:	Started: Stopped:
CIPRAMIL (Other drug)	Reason:
Batch:	Started: Stopped:
OLANZAPINE (Other drug)	Reason:
Batch:	Started: Stopped:
CLOZAPINE (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 225561

Seq: 1

Gender: M

Reported: 08/02/2007

Weight: 0.00

Hospitalisation:

Age: 21Y

Onset Date: 21/01/2007

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Medicine Details:

PROZAC (Other drug)		Reason:	
Batch:	Started:	Stopped:	
LITHIUM CARBONATE (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet		Oral	
Batch:	Started: 01/01/2007	Stopped: 21/01/2007	0

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226175

Seq: 1

Gender: F

Reported: 28/02/2007

Weight: 0.00

Hospitalisation:

Age: 54

Onset Date:

DOB: 27/04/1952

Outcome: Recovered

Causality: Causality certain

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Patient experienced neutropenia and decreased white blood cell count while on Seroquel. Seroquel was ceased and later reintroduced and events recurred.	
White blood cell count decreased			

Medicine Details:

SEROQUEL (Suspected)		Reason: Unspecified schizophrenia	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

The patient was on no other medicines and had no significant alcohol use and no illicit drug use. After initial event, patient recovered on cessation of drug. It was reintroduced in April 2006 and events returned. The Dr ceased drug again in September 2006 but patient had not fully recovered. However patient had continued using Seroquel PRN to assist sleep without Dr's knowledge.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames: QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226290

Seq: 1

Gender: F

Reported: 05/03/2007

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Dizziness	Caused or prolonged inpatient hospitalisation	transient and severe	
Hypotension	Caused or prolonged inpatient hospitalisation		
Panic attack	Caused or prolonged inpatient hospitalisation		

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Patient has had several episodes of these events, some leading to hospitalisation. She has a history of codeine abuse and the reporter believes this may be related to the events



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226292

Seq: 1

Gender: M

Reported: 05/03/2007

Weight: 0.00

Hospitalisation:

Age: 33

Onset Date: 15/08/2006

DOB: 04/06/1973

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Hepatic steatosis		Had been diagnosed while patient on Seroquel	
Liver function test abnormal			

Medicine Details:

Ethanol (Suspected)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason: Unspecified psychosis	
Tablet	900.0 Milligram	Daily	Oral
Batch:	Started: 15/03/2005 L TERM	Stopped: 15/01/2007	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
05/03/2007	Liver function tests		23/08/2006	ALK	
05/03/2007	Liver function tests		26/10/2006	ALK	
05/03/2007	Liver function tests		07/12/2006	ALK	

Additional Information:

doctor reports that patient had previously experienced significant abnormal LFT's while on high dose Seroquel in prison The events improved after ceasing Seroquel



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226294

Seq: 1

Gender: F

Reported: 05/03/2007

Weight: 0.00

Hospitalisation:

Age: 99u

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Weight increased		doctor suspected abdominal distension was due to fluid retention, rapid weight gain of 9 kilograms	
Abdominal distension			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Batch:	Started:	Stopped:	
OLANZAPINE (Suspected)		Reason:	
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

Abdominal distension and weight gain occurred after one week of olanzapine treatment, and worsened on commencement of Seroquel, switched to risperidone but developed "prolactin issues" and then switched to aripiprazole



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226368

Seq: 1

Gender: M

Reported: 06/03/2007

Weight: 0.00

Hospitalisation:

Age: 48

Onset Date:

DOB: 12/04/1958

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Blood cholesterol increased	Caused or prolonged inpatient hospitalisation	Increased cholesterol and triglyceride levels.	Required specialist consultation. Weaning of dose by 50mg s tolerated.
Blood triglycerides increased	Caused or prolonged inpatient hospitalisation		

Medicine Details:

QUETIAPINE (Suspected)		Reason: Depression	
Tablet	300.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
06/03/2007	Cholesterol		26/01/2007	12.2	
06/03/2007	Cholesterol		27/01/2007	25.2	
06/03/2007	Cholesterol		28/01/2007	13.7	
06/03/2007	Cholesterol		29/01/2007	23.6	
06/03/2007	Cholesterol		30/01/2007	21.9	
06/03/2007	Triglyceride		26/01/2007	34.7	
06/03/2007	Triglyceride		29/01/2007	72.0	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226368

Seq: 1

Gender: M

Reported: 06/03/2007

Weight: 0.00

Hospitalisation:

Age: 48

Onset Date:

DOB: 12/04/1958

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

QUETIAPINE (Suspected)

Reason: Depression

Tablet

300.0 Milligram

Daily

Oral

Batch:

Started:

Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
06/03/2007	Triglyceride		30/01/2007	55.9	

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226515 **Seq:** 1 **Gender:** F
Reported: 12/03/2007 **Weight:** 0.00
Hospitalisation: Treated in Accident/Emergency Department **Age:** 45
Onset Date: 15/11/2006 **DOB:** 27/07/1961
Outcome: Recovered 15/12/2006 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Palpitations Confusional state Coordination abnormal Diarrhoea Hyperhidrosis		-Palpitations -Sweating -Diarrhoea -Incoordinated -Clumsy -Verbal confusion -Serotonergic confusion -Panic	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	Milligram	Daily	Oral
Batch:	Started: 15/10/2005	Stopped: 15/12/2006	0
EPILIM (Suspected)		Reason:	
	2.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	ongoing
CIPRAMIL (Suspected)		Reason:	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	ongoing
LITHIUM CARBONATE (Suspected)		Reason:	
Tablet	1250.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	ongoing

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
12/03/2007	Electrocardiograph		15/11/2006	normal	
12/03/2007	Pharmacokinetics		15/11/2006	blood level of	

Additional Information:

The reporting physician believes that all medications the patient was taking were suspect/interacting drugs.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226515 **Seq:** 1 **Gender:** F
Reported: 12/03/2007 **Weight:** 0.00
Hospitalisation: Treated in Accident/Emergency Department **Age:** 45
Onset Date: 15/11/2006 **DOB:** 27/07/1961
Outcome: Recovered 15/12/2006 **Causality:** Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Panic disorder			
Serotonin syndrome			

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	Milligram	Daily	Oral
Batch:	Started: 15/10/2005	Stopped: 15/12/2006	0
EPILIM (Suspected)		Reason:	
	2.0 Gram	Daily	Oral
Batch:	Started:	Stopped:	ongoing
CIPRAMIL (Suspected)		Reason:	
Tablet	20.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	ongoing
LITHIUM CARBONATE (Suspected)		Reason:	
Tablet	1250.0 Milligram	Daily	Oral
Batch:	Started:	Stopped:	ongoing

Laboratory Investigations:

Additional Information:

The reporting physician believes that all medications the patient was taking were suspect/interacting drugs.



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226565

Seq: 1

Gender: F

Reported: 13/03/2007

Weight: 0.00

Hospitalisation:

Age: 45Y

Onset Date: 15/01/2007

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Urticaria		Urticarial rash to arms, back and legs itchy.	Quetapine ceased, recommended amisulpride at previous dose.

Medicine Details:

DIAZEPAM (Other drug)	Reason:
Batch:	Started: Stopped:
METOCLOPRAMIDE HYDROCHLORIDE (Other drug)	Reason:
Batch:	Started: Stopped:
TROPISETRON HYDROCHLORIDE (Other drug)	Reason:
Batch:	Started: Stopped:
THIAMINE (Other drug)	Reason:
Batch:	Started: Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226565

Seq: 1

Gender: F

Reported: 13/03/2007

Weight: 0.00

Hospitalisation:

Age: 45Y

Onset Date: 15/01/2007

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

FOLIC ACID (Other drug)		Reason:	
Batch:	Started:	Stopped:	
Escitalopram (Other drug)		Reason:	
Batch:	Started:	Stopped:	
NICOTINE TRANSDERMAL PATCH (Other drug)		Reason: Smoker	
		Daily	
Batch:	Started:	Stopped:	0
PANTOPRAZOLE (Suspected)		Reason: Unspecified schizophrenia	
		40.0 Milligram Daily	
Batch:	Started: 07/01/2007	Stopped: 15/01/2007	

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226565

Seq: 1

Gender: F

Reported: 13/03/2007

Weight: 0.00

Hospitalisation:

Age: 45Y

Onset Date: 15/01/2007

DOB:

Outcome: Recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

QUETIAPINE (Suspected)

Reason: Unspecified schizophrenia

Tablet

100.0 Milligram

Daily

Oral

Batch:

Started: 12/01/2007

Stopped: 15/01/2007

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226807

Seq: 1

Gender: F

Reported: 21/03/2007

Weight: 0.00

Hospitalisation:

Age: 15Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Tachycardia		Patient experienced tachycardia.	

Medicine Details:

SEROQUEL (Suspected)		Reason:	
Tablet	300.0 Milligram	Oral	
Batch:	Started:	Stopped:	0

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 226831

Seq: 1

Gender: M

Reported: 22/03/2007

Weight: 0.00

Hospitalisation:

Age: 35Y

Onset Date:

DOB:

Outcome: Unknown

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Weight increased		- Weight increase (28 kilos)	

Medicine Details:

COGENTIN (Other drug)		Reason:	
Batch:	Started:	Stopped:	
SEROQUEL (Suspected)		Reason:	
Tablet	Milligram	Daily	Oral
Batch:	Started:	L TERM	Stopped:

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 227363

Seq: 1

Gender: F

Reported: 04/04/2007

Weight: 0.00

Hospitalisation:

Age: 41

Onset Date: 29/03/2007

DOB: 03/03/1966

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Erythema multiforme	Life threatening	erythema multiforme rash, fever, oedema? Steven-Johnson-Syndrome	
Oedema	Life threatening		
Pyrexia	Life threatening		
Stevens-Johnson syndrome	Life threatening		

Medicine Details:

AMOXYCILLIN SODIUM (Suspected)		Reason:	
Tablet	500.0 Milligram	3 times	Oral
Batch:	Started: 26/03/2007	Stopped: 29/03/2007	
QUILONUM SR (Suspected)		Reason:	
Tablet	450.0 Milligram	2 times	Oral
Batch:	Started: 01/02/2007	Stopped: 02/04/2007	
LAMICTAL (Suspected)		Reason:	
Tablet	25.0 Milligram	1 time	Oral
Batch:	Started: 01/02/2007	Stopped: 02/04/2007	
SEROQUEL (Suspected)		Reason:	
Tablet	25.0 Milligram	1 time	Oral
Batch:	Started: 01/03/2007	Stopped: 02/04/2007	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details
04/04/2007	White blood cells				elevated

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 227363

Seq: 1

Gender: F

Reported: 04/04/2007

Weight: 0.00

Hospitalisation:

Age: 41

Onset Date: 29/03/2007

DOB: 03/03/1966

Outcome: Not yet recovered

Causality: Causality possible

Reaction Details:

Medicine Details:

EFEXOR-XR (Suspected)

Reason:

Tablet

75.0 Milligram

1 time

Oral

Batch:

Started: 01/11/2006

Stopped: 02/04/2007

Laboratory Investigations:

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 227540

Seq: 1

Gender: F

Reported: 11/04/2007

Weight: 0.00

Hospitalisation:

Age: 36

Onset Date:

DOB: 13/05/1970

Outcome: Not yet recovered

Causality: Causality certain

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Nasal congestion		Nasal Congestion.	

Medicine Details:

QUETIAPINE (Suspected)		Reason:	
Tablet	200.0 Milligram	Daily	Oral
Batch:	Started: 13/10/2006	Stopped:	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:

cert(re-chall)



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 227737

Seq: 1

Gender: M

Reported: 19/04/2007

Weight: 68.00

Hospitalisation:

Age: 19

Onset Date: 10/10/2005

DOB: 03/12/1985

Outcome: Recovered

22/03/2006

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Nuchal rigidity	Incapacity/disability	a feeling of rigidity of neck muscles	
Dyspnoea	Incapacity/disability	a perception of breathlessness	
Diarrhoea	Incapacity/disability		
Dysphagia	Incapacity/disability		
Hypoventilation	Incapacity/disability		
Nausea	Incapacity/disability		

Medicine Details:

SEROQUEL (Suspected)		Reason: Depression	
Tablet	50.0 Milligram	1 time	Oral
Batch:	Started: 01/10/2005	Stopped: 06/03/2006	

Laboratory Investigations:

Date	Type	Range	Date Tested	Result	Details

Additional Information:



THERAPEUTIC GOODS ADMINISTRATION

Public Case Detail

Date Range: 1 Jan 1960 To 31 Dec 2059 Unclear causality excluded GM medicines Only Tradenames:
QUETIAPINE,SEROQUEL

Report Details:

Case Number: 227737

Seq: 1

Gender: M

Reported: 19/04/2007

Weight: 68.00

Hospitalisation:

Age: 19

Onset Date: 10/10/2005

DOB: 03/12/1985

Outcome: Recovered

22/03/2006

Causality: Causality probable

Reaction Details:

Preferred Term	Severity	Report Description	Treatment
Vomiting	Incapacity/disability		
Weight decreased	Incapacity/disability		

Medicine Details:

SEROQUEL (Suspected)		Reason: Depression	
Tablet	50.0 Milligram	1 time	Oral
Batch:	Started: 01/10/2005	Stopped: 06/03/2006	

Laboratory Investigations:

Additional Information: